

Foxit[®]



User Manual

Foxit[®] Enterprise Reader Group Policy

For Windows

Copyright © 2013 Foxit Corporation. All Rights Reserved.

No part of this document can be reproduced, transferred, distributed or stored in any format without the prior written permission of Foxit.

Anti-Grain Geometry - Version 6.0

Copyright (C) 2002-2005 Maxim Shemanarev (<http://www.antigrain.com>)

Permission to copy, use, modify, sell and distribute this software is granted provided this copyright notice appears in all copies. This software is provided "as is" without express or implied warranty, and with no claim as to its suitability for any purpose.

Contents

What is Group Policy?	4
Personal Computer Setting.....	4
Set Template Preference	4
GPO Deployment (for Server)	6
Create GPO Management	6
Apply the Foxit Template	10
GPO Items	12
Contact Us	15

GPO User Guide

What is Group Policy?

Group Policy (GPO), a feature of the Microsoft Windows NT family of operating systems, is a set of rules that control the working environment of user accounts and computer accounts. It offers the centralized management and configuration of operating systems, applications, and users' settings in an Active Directory environment.

Group Policy can configure most system settings, save power by utilizing smart power settings, give individual users more control over their machines with administrator privileges and increase system security.

This guide will introduce steps to help you master how to quickly add and modify the new GPO template for configuring your installation of Foxit Reader.


Personal Computer Setting

There are two file types of group policy template of Foxit Reader: .adm and .admx. Different types are compatible with different operation systems, but have the same settings. The template of .adm file type is compatible with Windows XP and later, while .admx is compatible with Server 2008, Server 2012, Windows Vista and later.

Set Template Preference

For .adm file, follow the steps as below:

- Please click Start > Run or use the shortcut key Ctrl + R and type gpedit.msc to open Group Policy Editor.
- Right-click the management template and choose **Add/Remove Template** in the context menu. In the opened dialogue box, add the group policy template of Foxit Reader (Foxit Reader60_enu.adm). The Foxit Corporation template will appear in the left navigation pane and you can set its template preferences.




For .admx file, put the .admx file in C:\Windows\PolicyDefinitions and do the setting. The .admx file should be used in combination with an .adml file. And the .adml file should be put in C:\Windows\PolicyDefinitions\language. For example, if in the English OS, the .adml file should be put in C:\Windows\PolicyDefinitions\en_us.

Example: Set the Page Display

- Choose Foxit Reader > Menus > View > Page Display.
- Double-click **Page Display** to open the dialog box.
 - Select **Enable**, and all the settings related with Page Display will be displayed in Foxit Reader.

You can also choose to remove some menus from the Options column.

- Select **Disable** or **Not Configured**, and the Page Display tools will be displayed in default style.



- Other options are configured in the same fashion.


Note: Group Policy setting includes computer configuration and user configuration.

Computer configuration takes precedence over user configuration. The application will use the computer configuration if both the computer and user configure a specific function at the same time. Please note that if the option **Disabled** is a valid configuration, the setting will be shown in the help information. If not, the corresponding registry entry will be removed as selecting Not Configured. (The value of the option Disabled in the Group Policy Template of Foxit Enterprise Reader is invalid.)


GPO Deployment (for Server)

Create GPO Management



- If you already have an Active Directory domain and organizational unit configured, please skip to “Apply the Foxit Template” section.
- Choose Start > Administration Tools > open “Active Directory Users and Computers” > right-click the field “wx.com” > choose New > Organization Unit in the right-click menu.




- In the opened New Organization Unit dialogue box, type the unit name (For this example, we have named the unit “qa”) and click OK.



- Right click the created organization unit “qa” and choose New > User in the right-click menu. For this example, we have named the user “King”




- Click Start > Programs > Administration Tools > open the Group Policy Management Console and right-click the created organization unit “qa” and choose **Create and Connect GPO**.




If you cannot find the Group Policy Management in Administration Tools, please install the application package GPMC.MSI. You can download the package by clicking the link <http://www.microsoft.com/en-us/download/details.aspx?id=21895>.


Apply the Foxit Template




- Type the GPO name in the “Create GPO” dialogue box and click OK.



- Right-click the new GPO and choose Edit in the right-click menu to open Group Policy Editor.



- Right-click the Template Management and choose Add/Remove Template to add Foxit Reader60_enu.adm. Please refer to [Set Template Preference](#).



- For configuring options, please refer to Example: [Set the Page Display](#).

GPO Items

The following table introduces some simple manipulations in GPO to speed up your working process.

Items in GPO Template

Folder Path	Item	Options	Description
Foxit Reader > Plugin	Disabled Plugin List	Remove plugins listed on the left dialogue box.	Add plugins which need to be disabled. Users need to enter the file name of the plugins in the program folder: \Program Files\Foxit Software\Foxit Reader\plugins. Only supported plugins have .fpi extension.
Foxit Reader > Preferences	Set as Safe Reading Mode	Set as Safe Reading Mode.	Check the option in Preferences > Trust Manager.
		Forbid modification in Foxit Reader.	Grey the setting in Preferences > Trust Manager.
Foxit Reader > Preferences	Default PDF Reader for Web Browser		<ol style="list-style-type: none"> 1. Set Foxit Reader as the default PDF Reader for web browser. 2. Remove Settings in Preferences>File Associations.
Foxit Reader > Preferences	Default PDF Reader	Remove the menu item: "Set as the Default Reader".	Only remove the item of "Set to Default PDF Reader" under the "Help" menu.
		Set as the Default Reader.	<ol style="list-style-type: none"> 1. Set Reader as default PDF Reader. 2. Remove the item of "Set to Default PDF Reader" under the "Help" menu.
Foxit Reader >	Forbid automatic		Remove the dialog

Preferences	checking if Foxit Reader is the default PDF Viewer		asking to set Foxit Reader as your default PDF viewer if it is not.
Foxit Reader > Preferences	Use AD RMS Plug-in V1		Choose to use RMS Plug-in V1.0 (only supports SHA-1/RSA 1024 for encryption and decryption) or RMS Plug-in V3.0 (supports SHA-1/RSA 1024 and SHA-2/RSA2048 for encryption and decryption).
Foxit Reader > Preferences	Do not Show languages translated by volunteers from Foxit Multi-lang Translation system.		Hides languages translated by volunteers from Foxit Multi-lang Translation system in the Language item under Preferences of File Menu.
Foxit Reader > Preferences	Toolbar Mode	Tabbed Toolbar Mode.	Set Tabbed Toolbar Mode as the default toolbar mode. Users can change the style by choosing Basic > Change Style.
		Forbid modification in Foxit Reader.	Forbid changing the toolbar mode. If both of the two options are checked, users cannot change the toolbar mode anymore.
Foxit Reader > Preferences	Internet search	Remove Ask.com search button and the menu item of "Hide Ask.com search button" on the "Internet Search" tab under the "Preferences" menu.	Remove Ask.com search button and the menu item of "Hide Ask.com search button" on the "Internet Search" tab under the "Preferences" menu.
Foxit Reader > Menus > File	RMS Server Setting		Set the URLs of RMS License and Certificate Server. Users can change the URLs by choosing File > RMS >

			Server setting.
Foxit Reader > Menus > File	Remove the "Email" Menu		Remove Email menu from both normal toolbar and tabbed toolbar mode.
Foxit Reader > Menus > View	Remove Start Page		<ol style="list-style-type: none">1. Do not display start page.2. Remove the setting of "General" tab under "Preferences" menu.3. Remove the menu item of "Start" under the "View" menu.

Contact Us

Feel free to contact us should you need any information or have any problems with our products. We are always here, ready to serve you better.

- **Office Address:**
Foxit Corporation
42840 Christy Street. Suite 201
Fremont CA 94538
USA
- **Mailing Address:**
Foxit Corporation
42840 Christy Street. Suite 201
Fremont CA 94538
USA
- **Sales:**
1-866-680-3668 (24/7)
- **Support:**
1-866-MYFOXIT or 1-866-693-6948 (24/7)
- **Fax:**
510 - 405 - 9288
- **Website:**
www.foxitsoftware.com
- **E-mail:**
Sales and Information - sales@foxitsoftware.com
Technical Support - support@foxitsoftware.com
Marketing Service - marketing@foxitsoftware.com