

Voluntary Product Accessibility Template

The purpose of the Voluntary Product Accessibility Template is to assist Federal contracting officials in making preliminary assessments regarding the availability of commercial Electronic and Information Technology products and services with features that support accessibility. It is assumed that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, "e.g., equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: Aug. 27, 2010
Name of Product: Foxit Reader 4.0, 3.3, 3.2
Contact for more Information: support@foxitsoftware.com

Criteria	Applicable	Compliance
Section 1194.21 Software Applications and Operating Systems	Applicable	Supports with exceptions
Section 1194.22 Web-based internet information and applications	Applicable	Supports
Section 1194.23 Telecommunications Products	Not Applicable	
Section 1194.24 Video and Multi-media Products	Applicable	Supports
Section 1194.25 Self-Contained, Closed Products	Not Applicable	
Section 1194.26 Desktop and	Not Applicable	

Criteria	Applicable	Compliance
Portable Computers		
Section 1194.31 Functional Performance Criteria	Applicable	Supports with exceptions
Section 1194.41 Information, Documentation and Support	Applicable	Supports

Section 1194.21 Software Applications and Operating Systems - Detail

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	<p>All user interface controls and functions in Foxit Reader can be executed via the keyboard with some exceptions including:</p> <ul style="list-style-type: none"> Positioning of Notes comments. Use of text annotation tools. Tools involving mouse selections, such as the Snapshot Tool. 	Supports with exceptions	Supports with exceptions	Supports with exceptions
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system	<p>Foxit Reader does not disrupt or disable Windows operating system accessibility features such as filter keys, toggle keys, sticky keys, and the on-screen keyboard.</p>	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.				
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Foxit Reader exposes focus through the Microsoft Active Accessibility (MSAA) API with an exception of Close Tab button.	Supports	Supports	Supports
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Foxit Reader provides information about user interface elements through MSAA with an exception of Close Tab button.	Supports	Supports	Supports
(e) When bitmap images are used to identify controls, status indicators,	Supports	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.				
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Foxit Reader provides Select Text tool, Text Viewer and attributes for textual information. It also supports screen word-capturing.	Supports	Supports	Supports
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Most elements in the Foxit Reader interface inherit user selected color, contrast and font setting with some exceptions, including: <ul style="list-style-type: none"> • Notes comments. • Buttons on toolbars and buttons that toggle navigation panels. 	Supports	Supports	Supports
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Foxit Reader does not have any animation.	Supports	Supports	Supports
(i) Color coding shall not be used as the only means of conveying information, indicating an action,	Supports	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
prompting a response, or distinguishing a visual element.				
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Foxit Reader allows users to choose from a limited selection of pre-configured color, and also permits users to create their own foreground and background color combinations, using the operating system color palette.	Supports	Supports	Supports
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Foxit Reader doesn't use any flashing and blinking text and objects.	Supports	Supports	Supports
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Form controls in PDF documents support full access to elements and functionality required for completion of the form with some exceptions, including: <ul style="list-style-type: none"> • Close icons for panels such as the Comments panel. • Some controls in the Preferences dialog including color pickers. 	Supports with exceptions	Supports with exceptions	Supports with exceptions

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	The PDF format supports the addition of alternative text descriptions for non-text elements such as images and this alternate text description is available to assistive technology in Foxit Reader.	Supports	Supports	Supports
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	The PDF format is capable of displaying multimedia equivalents that are part of an embedded media player's accessibility feature set.	Supports	Supports	Supports
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	The PDF format supports the use of alternative methods of conveying information. For example, through text as well as color.	Supports	Supports	Supports
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	The PDF format does not use style sheets.	Not applicable		
(e) Redundant text links shall be provided for each active region of a server-side image map.	Foxit Reader does not use server-side image maps.	Not applicable		
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with	Foxit Reader does not use server-side image maps.	Not applicable		

an available geometric shape.				
(g) Row and column headers shall be identified for data tables.	The PDF format supports the inclusion of row and column headers in data tables.	Supports	Supports	Supports
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	The PDF format supports the association of data cells with two or more logical levels of row and column headers.	Supports	Supports	Supports
(i) Frames shall be titled with text that facilitates frame identification and navigation.	The PDF format does not user frames.	Not applicable		
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Foxit Reader does not create flickering content. It is up to document authors or ensure compliance with this requirement.	Supports	Supports	Supports
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not applicable	Not applicable		
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by	The PDF format supports the inclusion of functions text for the information provided by a script.	Supports	Supports	Supports

the script shall be identified with functional text that can be read by assistive technology.				
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	A page for downloading the Foxit Reader plug-in is permanently available on Foxit website.	Supports	Supports	Supports
(n) When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Foxit Reader provides role and state information for form fields. The PDF format supports full keyboard access to all form controls.	Supports	Supports	Supports
(o) A method shall be provided that permits users to skip repetitive navigation links.	Authors can add links to documents.	Supports	Supports	Supports
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	Not applicable		

Section 1194.24 Video and Multi-media Products - Detail

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
<p>(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable,</p>	<p>Foxit Reader does not include any display hardware.</p>	<p>Not Applicable</p>		

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
videotape, and DVD signals.				
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Foxit Reader does not include any television tuner hardware.	Not Applicable		
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Display of captions within a PDF document is dependant on the playback capabilities of the media player referenced via the embedded media.	Supports	Supports	Supports
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Display of captions within a PDF document is dependant on the playback capabilities of the media player referenced via the embedded media.	Supports	Supports	Supports
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless	Control over the display of captions or audio descriptions in a PDF file is dependant on the capabilities of the media	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
permanent.	player referenced via the embedded media.			

Section 1194.31 Functional Performance Criteria - Detail

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Foxit Reader provides direct support for assistive technologies via the Windows MSAA API. Foxit Reader provides direct support for users with low vision through equivalent facilitation, with such features as high-contrast viewing, the loupe tool, and the ability to zoom in.	Supports	Supports	Supports
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Foxit Reader provides direct support for assistive technologies via the Windows MSAA API. Foxit Reader provides direct support for users with low vision through equivalent facilitation, with such features as high-contrast viewing, the loupe tool, and the ability to zoom in.	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supports	Supports	Supports	Supports
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Supports	Supports	Supports
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports	Supports	Supports	Supports
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Keyboard access is supposed for the majority of commands and tools in Foxit Reader interface but some tools may require fine motor control including: <ul style="list-style-type: none"> Freehand drawing tools 	Supports with exceptions	Supports with exceptions	Supports with exceptions

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
	<ul style="list-style-type: none"> Positioning of note comments. Zoom Tool. Snapshot Tool. Freeform annotation tools. 			

Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
(a) Product Support Documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	<p>Foxit provides electronic versions of all product support documentation on Web site (www.foxitsoftware.com/support/usermanuals/) at no additional charge.</p> <p>Technical troubleshooting information is also available on Foxit Web site (www.foxitsoftware.com/support/techsupport) at no additional charge.</p>	Supports	Supports	Supports
(b) Accessibility and Compatibility Features. End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate	<p>Foxit provides information on accessibility features in the documentation.</p> <p>Electronic versions of all product support documentation are provided.</p> <p>Users can also send</p>	Supports	Supports	Supports

Criteria	Supporting Features	Remarks and explanations		
		Reader 4.0	Reader 3.3	Reader 3.2
methods upon request, at no additional charge.	inquiries via email to support@foxitsoftware.com at no additional charge.			
(c) Support Services for products shall accommodate the communication needs of end-users with disabilities.	Product support for Foxit products is available in a variety of formats, including email, ticket online system and forum.	Supports	Supports	Supports