

# FOXIT PDF EDITOR DEPLOYMENT AND CONFIGURATION

**For Windows** 

©Foxit Software Incorporated. All rights reserved.

© Foxit Software Incorporated. All Rights Reserved.

No part of this document can be reproduced, transferred, distributed or stored in any format without the prior written permission of Foxit.

Anti-Grain Geometry - Version 2.4

© Maxim Shemanarev (<u>http://www.antigrain.com</u>)

Portions of this product Copyright [2001-2022] Solid Documents

Permission to copy, use, modify, sell and distribute this software is granted provided this copyright notice appears in all copies. This software is provided "as is" without express or implied warranty, and with no claim as to its suitability for any purpose.

# Contents

Contents	3
Introduction	4
About Foxit PDF Editor	4
Foxit PDF Editor Overview Installing Foxit PDF Editor Command-line Installation for EXE installers Command-line Installation for MSI installers	4 4 5 7
Deployment and Configuration	11
Using Group Policy	11
What is Group Policy? Personal Computer Setting GPO Deployment (for Server) GPO Items	11 11 13 19
Using Foxit Customization Wizard	26
Get started	26
Contact Us	28

# Introduction

This document is intended for administrators to deploy and configure Foxit PDF Editor in an enterprise environment. Please follow the instructions below for details.

# About Foxit PDF Editor

# **Foxit PDF Editor Overview**

Welcome to Foxit PDF Editor - Business Ready PDF! Award-winning Foxit PDF Editor provides the right features at the right price, allowing you to produce great looking PDF document and forms quickly, affordably, and securely. Foxit PDF Editor comes in two editions: *Foxit PDF Editor* to fit the small and medium sized businesses, and *Foxit PDF Editor Pro* to fit the large enterprises.

# **Installing Foxit PDF Editor**

#### **System Requirements**

#### **Operating Systems**

- Windows 11 or Windows 10.
- Microsoft Office<sup>®</sup> 2010 or later version (required for some PDF creation features).
- Verified as Citrix Ready<sup>®</sup> with Citrix XenApp<sup>®</sup> 7.13.

#### **Recommended Minimum Hardware for Better Performance**

- 1.3 GHz or faster processor (x86 compatible) or ARM processor, Microsoft SQ1 or better.
- 512 MB RAM (Recommended: 1 GB RAM or greater).
- 2G of available hard drive space.
- 1024\*768 screen resolution.
- Supports 4K and other high-resolution displays.

#### How to Install

The installer format of Foxit PDF Editor can be EXE or MSI. Please download the installer to your computer, and then do the following (Take Foxit PDF Editor *Pro* for example):

For an EXE installer:

- 1. Double-click the EXE file, and you will see the setup wizard pop up.
- 2. Foxit PDF Editor is protected by copyright law, so in order to proceed, you must accept the License Agreement. Check the **Agree with the License Agreement** box to continue.

- 3. (Optional) You can select or deselect the **Help improve user experience** option to turn on or off data collection. The collected data will be used to improve user experiences only. The setting for this option will not affect the following installation process.
- 4. You can click **Quick Install** to start the installation immediately with default settings, or click **Advanced Settings** and do the followings to customize your installation:
  - A) Click on the horizontal three-dot icon to change the installation directory.
  - B) (Optional) Choose a language you want to install from the **Language** box.
  - C) In the **Settings** tab, select the options you would like the setup to perform.
  - D) In the **Components** tab, select the options you want to install.
  - E) (Optional) Click **Back** to go back to the previous step.
  - F) Click **Install** to start the installation.
- 5. When the process is complete, a dialog box will notify the user that Foxit PDF Editor is successfully installed. You can click **Start now** to run the application right after installation.

For an MSI installer:

- 1. Double click the MSI file, and you will see the setup wizard pop up. Click **Next** to continue.
- 2. Foxit PDF Editor is protected by copyright law, so in order to proceed, you must accept the License Agreement. Check the I accept the terms in the License Agreement box to continue.
- 3. (Optional) You can select or deselect the **Help improve user experience** option to turn on or off data collection. The collected data will be used to improve user experiences only. The setting for this option will not affect the following installation process.
- There are two installation setup types for Foxit PDF Editor. The user has the ability to change the installation directory or to keep the default settings.
   Typical Installs all features by default, which requires more disk space.

*Custom* — Allows users to choose which program features will be installed.

- 5. For the *Typical* setup, just click **Install**. If you choose the *Custom* setup, click **Next** and do the following:
  - A) Click on "**Browse**" to change the installation directory of the PDF Viewer plugin.
  - B) Click "**Disk Usage**" to check the disk space available for the selected features.
  - C) Check the options you want to install and click "**Next**" to continue.
  - D) Select the additional tasks you would like the Setup to perform, then click "**Install**" to start the installation.
- 6. When the process is complete, a dialog box will notify the user that Foxit PDF Editor is installed. You can choose to check the **Launch Foxit PDF Editor** box to run the application right after installation. Click **Finish** to complete the installation.

## **Command-line Installation for EXE installers**

You can use the command-line to install the application:

<The full path to the installer> [Optional Parameter] [PROPERTY=PropertyValue]

The Foxit PDF Editor properties are:

\_\_\_\_\_

/help	Pops up a dialog box that shows you the supported command lines.		
/install	Installs Foxit PDF Editor.		
/repair	Repairs the installation.		
/uninstall	Uninstalls the installation.		
/quiet	Silently installs the application (no user interaction) to folder "C:\Program Files\Foxit Software\Foxit PDF Editor".		
/norestart	Suppresses any attempt for a system reboot during the installation.		
/log <path></path>	Specifies the path to the log file.		
/lang <en de es fr it jp k< th=""><th>o nl pt ru zh-tw zh pl da-DK fi-Fl nb-NO sv-SE&gt;</th></en de es fr it jp k<>	o nl pt ru zh-tw zh pl da-DK fi-Fl nb-NO sv-SE>		
	Specifies the installation language. This property is available for multi-language installers only.		
/DIR [directory]	Specifies the folder where products will be installed.		
/DisableLiveChat	Dock the floating Messaging Helpdesk to the status bar or to the right side of the application window if the status bar is hidden.		
/clean	Removes all of Foxit PDF Editor's registry data and related files.		
/keycode	Activates the application by key code.		
/DISABLE_UNINSTALL_SUR	<b>VEY</b> Stops the Uninstall Survey after uninstallation by setting the value to "1".		
/DisableInternet	Disables all features that require an Internet connection.		
/displayadobeindoc	Uses Foxit PDF Editor to open embedded Acrobat files and embedded Foxit PDF Reader files in Microsoft Office.		

/noshortcutDoes not create a shortcut on the desktop. By default, a<br/>shortcut will be created after installation.

## **Command-line Installation for MSI installers**

You can also use the command-line to install the application:

msiexec /Option <Required Parameter> [Optional Parameter]
[PROPERTY=PropertyValue]

For more detailed information on msiexec.exe, as well as required and optional parameters, type "msiexec" in the command line or visit Microsoft TechNet Help Center.

#### Public Properties of the Foxit PDF Editor MSI Installation Package.

Foxit PDF Editor installation properties supplement the standard MSI public properties to give administrators greater control over the installation of the application.

For the complete list of standard public properties, please refer to: <u>http://msdn.microsoft.com/en-gb/library/aa370905(VS.85).aspx</u>

The Foxit PDF Editor properties are:

\_\_\_\_\_

ADDLOCAL	<list features="" of=""></list>	The value of the ADDLOCAL property is a
	comn	na-delimited list of features that the installation of
	Foxit	PDF Editor will make locally available. Foxit PDF
	Editor	r installer is composed of the following features:

FX\_PDFVIEWER - Foxit PDF Viewer and its components.

**FX\_FIREFOXPLUGIN** – A plugin used for opening PDF files in Internet Explorer. This feature requires FX\_PDFVIEWER to be installed.

**FX\_SPELLCHECK** - A tool used for searching any misspelled words in typewriter or form filler mode. This tool also suggests the correct spelling for common mistakes. This feature requires FX\_PDFVIEWER to be installed.

**FX\_PDFA** – A module used for verifying compliance with PDF/A-1a and PDF/A-1b. This feature requires FX\_PDFVIEWER to be installed.

**FX\_OCR** – A module used for making scanned or imagebased PDF documents selectable and searchable. This feature requires FX\_PDFVIEWER to be installed.

**FX\_CREATOR** - Foxit PDF Creator installs a virtual printer on your system. Creator can convert any printable documents into high-quality PDFs conveniently and efficiently. This feature requires FX\_PDFVIEWER to be installed.

**FX\_CONVERTEXT** - Shell extension used for converting PDFs or combining supported files from the right click menu. This feature requires FX\_CREATOR to be installed.

**FX\_CREATORWORDADDIN** - MS Word toolbar add-in to create PDFs in just one click. This feature requires FX\_CREATOR to be installed.

**FX\_CREATOREXCELADDIN** - MS Excel toolbar add-in to create PDFs in just one click. This feature requires FX\_CREATOR to be installed.

**FX\_CREATORPPTADDIN** - MS PPT toolbar add-in to create PDFs in just one click. This feature requires FX\_CREATOR to be installed.

**FX\_CREATOROUTLOOKADDIN** - MS Outlook toolbar add-in to create PDFs in just one click. This feature requires FX\_CREATOR to be installed.

**FX\_SE** - Plugins for Windows Explorer and Windows shell. These extensions allow PDF thumbnails to be viewed in Windows Explorer, and PDF files to be previewed in Windows OS and Office 2010 (or a later version). This feature requires FX\_PDFVIEWER to be installed.

**FX\_IFILTER** – Foxit PDF IFilter is a plugin for Windows search engines that can help search PDF documents quickly.

**FX\_BROWSERADDIN -** The web browser plugin used for converting web pages to PDFs.

**INSTALLLOCATION** Specifies the folder location of the product installed.

MAKEDEFAULTDefault value of "1", Foxit PDF Editor will be set as the<br/>default application for opening PDF files.

VIEW_IN_BROWSER	Default value of "1", Foxit PDF Editor will be configured to open PDF files inside browsers.
DESKTOP_SHORTCUT	Default value of "1", installer will place a shortcut for the installed application on the Desktop.
STARTMENU_SHORTCUT	Default value of "1", installer will create a program menu group for installed application and its components.
SETDEFAULTPRINTER	Default value of "1", installer will install Foxit PDF Editor Printer and set it as the system's default printer.
LAUNCHCHECKDEFAULT	Default value of "1", Foxit PDF Editor will check if Foxit PDF Editor is the default reader when launched.
КЕҮРАТН	Specifies a license key file and saves it to the Foxit PDF Editor installation folder.
REMOVENEWVERSION	Forces an installation to overwrite the newer version of Foxit PDF Editor with the value of "1".
CLEAN	Executes with the command "/uninstall", removing all of Foxit PDF Editor's registry data and related files with the value of "1". ( <i>Note: This is a command for uninstallation</i> .)
AUTO_UPDATE	Does not download or install updates automatically with the value of "0"; automatically checks for updates and downloads updates if any, but lets users choose when to install them with the value of "1"; automatically installs updates with the value of "2". The default value is "1".
EDITION	Specifies an edition to install Foxit PDF Editor.
NOTINSTALLUPDATE	Does not install updates by setting the value to "1". This will prevent Foxit PDF Editor from being updated from within the software.
INTERNET_DISABLE	Disables all features that require an Internet connection by setting the value to "1".
READ_MODE	Opens PDF file in Read Mode by default in web browsers by setting the value to "1".
DISABLE_UNINSTALL_SURV	<b>YEY</b> Stops the Uninstall Survey after uninstallation by setting the value to "1".
KEYCODE	Activates the application by key code.

EMBEDDED_PDF_INOFFICE	With the value of "1", opens embedded PDF files in
	Microsoft Office with Foxit PDF Editor if Acrobat and
	Foxit Reader is not installed. (For the EXE installation
	package, inputs the command-line
	/displayadobeindoc.)

ADVERTISE Usually used together with "ADDLOCAL" to advertise the specified features.

LIVEPUS\_DISABLE Dock the floating Messaging Helpdesk to the status bar or to the right side of the application window if the status bar is hidden with the value of "1".

Command-line Examples:

1. Silently install the application (no user interaction) to folder "C:\Program Files\Foxit Software":

msiexec /i "Foxit PDF Editor.msi" /quiet INSTALLLOCATION="C:\Program Files\ Foxit Software "

2. Install the Foxit PDF Viewer only:

msiexec /i "Foxit PDF Editor.msi" /quiet ADDLOCAL="FX\_PDFVIEWER "

3. Use the license key file saved in disk C to activate the application when running the setup:

msiexec /i "Foxit PDF Editor.msi" KEYPATH="C:\fpmkey.txt"

4. No installation of Foxit PDF Editor Printer:

msiexec /i "Foxit PDF Editor.msi" ADDLOCAL=ALL, ADVERTISE="FX\_CREATOR" /qn

5. Force an installation to overwrite the same or higher version of Foxit PDF Editor:

msiexec /i "Foxit PDF Editor.msi" REMOVENEWVERSION="1"

6. Remove registry and user data when performing silent uninstallation:

msiexec /x "Foxit PDF Editor.msi" /quiet CLEAN="1"

7. Activate the application by key code:

msiexec /i "Foxit PDF Editor.msi" KEYCODE="your key code"

8. Install the application without Foxit PDF Editor Create PDF Toolbar

```
msiexec /i "Foxit PDF Editor.msi" ADDLOCAL=ALL,
ADVERTISE="FX_BROWSERADDIN"
```

# **Deployment and Configuration**

# **Using Group Policy**

### What is Group Policy?

Group Policy (GPO), a feature of the Microsoft <u>Windows NT</u> family of <u>operating</u> <u>systems</u>, is a set of rules that control the working environment of user accounts and computer accounts. It offers the centralized management and configuration of operating systems, applications, and users' settings in an <u>Active Directory</u> environment.

Group Policy can configure most system settings, save power by utilizing smart power settings, give individual users more control over their machines with administrator privileges and increase system security.

This section will introduce steps to help you master how to quickly add and modify the new GPO template for configuring your installation of Foxit PDF Editor.

#### **Personal Computer Setting**

There are two file types of group policy template of Foxit PDF Editor: .adm and .admx. Different types are compatible with different operation systems, but have the same settings. The template of .adm file type is compatible with Windows XP and later, while .admx is compatible with Server 2008, Server 2012, Windows 10 and later.

#### **Set Template Preference**

For .adm file, follow the steps as below:

- Use the shortcut keys "Windows + R" and type gpedit.msc in the **Run** window to open Group Policy Editor.
- Right-click the management template and choose **Add/Remove Template** in the context menu. In the opened dialogue box, add the group policy template of Foxit PDF Editor. The Foxit PDF Editor template will appear in the left navigation pane and you can set its template preferences.



For .admx file, put the .admx file in C:\Windows\PolicyDefinitions and do the setting. The .admx file should be used in combination with an .adml file. And the .adml file should be put in C:\Windows\PolicyDefinitions\language. For example, if in the English OS, the .adml file should be put in C:\Windows\PolicyDefinitions\en\_us.

#### **Example: Not Show Community Language**

- Choose Foxit PDF Editor > Preferences > Application Language.
- Double-click **Application Language** to open the dialog box and check the option **Enabled** and check **Not Show Community Language**. Then only the official languages will show in the **File > Preferences > Language**.
- If the option **Not Configured** or **Disabled** is checked, the languages translated by community will be displayed.

			. Examplication Lang	uage		_		×
Local Group Policy Editor File Action View Help			Application Lang	uage		Previous Setting Next Setting		
File     Action     View     Help       Image: Computer Policy     Image: Computer Policy     Image: Computer Policy     Image: Computer Policy       Image: Computer Configuration     Image: Computer Configuration     Image: Computer Policy     Image: Computer Policy       Image: Computer Configuration     Image: Computer Policy     Image: Computer Policy     Image: Computer Policy       Image: Computer Configuration     Image: Control Panel     Image: Control Panel       Image: Control Panel     Image: Control Panel    <	Preferences     Application Language     Edit policy setting,     Requirements:     Microsoft Windows 7 or later     Description:     Enable this option to change the     application language settings.     Check 'Don't Show Community     Languages' to hide community     tanguages' to hide community     tanguages to definite the set the set this     language to default application	Setting Davascript Action Disable Live Chat in E Inable Safe Readin Multiple Instances Add NetDocument Application Langu Insert Printed PDF Protected View Disable editing Ma Change high DPI s E Load trusted certifi Status Bar Share the PDF file t Change The Link F Disable the Autom	Application Lang     Not <u>Configured</u> <u>Enabled</u> <u>Disabled</u> Options:     Not Show Commu Default Application L	uage Comment: Supported on: nity Language anguage:	Microsoft Wind	Previous Setting         Next Setting           lows 7 or later	settings, mmunity s will be me, such lication ices >	^ ~ /
<ul> <li>All security</li> <li>Software Settings</li> <li>Software Settings</li> <li>Software Settings</li> </ul>	anguage. This will remove the setting item in 'Preferences > Languages'. Extended / Standard /	E Disable Security W						~
						OK Cancel	Appl	У

• Other settings can be configured in the same way.

#### *Note*: Group Policy setting includes computer configuration and user configuration.

Computer configuration takes precedence over user configuration. The application will use the computer configuration if both the computer and user configure a specific function at the same time. Please note that if the option **Disabled** is a valid configuration, the setting will be shown in the help information. Otherwise, the corresponding registry entry will be removed as selecting Unconfigured. (The value of the option Disabled in the Group Policy Template of Foxit PDF Editor is invalid.) Foxit PDF Editor will retain all your configuration settings when you upgrade it to a new version.

## **GPO Deployment (for Server)**

#### **Create GPO Management**

- If you already have an Active Directory domain and organizational unit configured, please skip to "Apply the Foxit Template" section.
- Choose Start > Windows Administrative Tools > open "Active Directory Users and Computers" > right-click your domain > choose New > Organization Unit.

Active Directory Users and Computers		_	×
File Action View Help			
🗢 🔿   🚈 🛅   🛅 🖓 🔂 🕞 🛛 📆 🗏 📚 📷 🔻	2 &		
Active Directory Users and Computers [C] Name Saved Queries Saved Queries Builtin Compu Find Delegate Control Domai Compu Find Domai Change Domain Controller Saved Queries Change Domain Controller Saved Queries Change Domain functional level Saved Queries Change Domain functional level Saved Queries Change Domain functional level Saved Queries Change Domain functional level	ype         Description           uiltinDomain         Default container for up           ontainer         Default container for up           rganizational         Default container for sec           ontainer         Default container for sec           rganizational         Default container for ma           ontainer         Default container for ma           ontainer         Default container for up		
New >	Computer		
All Tasks >	Contact		
View >	Group		
Refresh Export List Properties	ineturgrerson msDS-ShadowPrincipalContainer msImaging-PSPs MSMQ Queue Alias		
Help	Organizational Unit		
	Printer User Shared Folder		

• In the opened New Object - Organization Unit dialogue box, type the unit name (For this example, we have named the unit "Foxit") and click **OK**.

New Object - Organizational Unit	×
Create in: gpo2utoutilis.com/	
Name:	
Foxit	
Protect container from accidental deletion	
OK Cancel H	lelp

• Right click the created organization unit "Foxit" and choose **New** > **User**. For this example, we have named the user "tester01".

Active Directory Users and Computers	- 🗆 X
	a   🛙 🗊   🐍 🗽 📷 🝸 🚨 🍇
<ul> <li>Active Directory Users and Computers [C</li> <li>Saved Queries</li> <li>gpo2</li> <li>Builtin</li> <li>Computers</li> <li>Domain Controllers</li> <li>ForeignSecurityPrincipals</li> <li>FoxitComputer</li> <li>Managed Service Accounts</li> </ul>	Name     Type     Description       There are no items to show in this view.       New Object - User     X       Create in:     gpocom/Foxit
> Users	First name:       tester01       Initials:         Last name:
< >	< <u>B</u> ack <u>N</u> ext > Cancel
<ul> <li>☐ Active Directory Users and Computers</li> <li>File Action View Help</li> <li>← → 2 m</li> <li>m</li> <li>m</li> <li>m</li> <li>m</li> <li>m</li> </ul>	X
Active Directory Users and Computers ( Saved Queries Saved Queries Builtin Computers Solution ForeignSecurityPrincipals Solution FoxitComputer Solution Managed Service Accounts Solution Foxit	Name     Type     Description       tester01     User       tester02     User       tester03     User

• Click **Start** > **Windows Administrative Tools** > open the Group Policy Management console and right-click the created organization unit "Foxit" and choose **Create a GPO in this domain, and Link it here...**.

📓 Group Policy Management				_		<
属 File Action View Window Help					- 5	×
🗢 🔿 📶 🛅 🗮 🖾 🛛						
📓 Group Policy Management	Foxit					_
✓ A Forest: gpo2	Linked Group Policy Objects	Group Policy Inheritance	Delegation			
V A Domains	111.01	0.00	<b>F</b> ( )			
V ini gpo		GPO	Enforced	LINK ENAD	ed G	1
Deradic Domain Policy						
Forthan Controllers						
> 🖬 Fo Create a GPO in t	his domain, and Link it here					
> 📑 Gr 🛛 Link an Existing C	iPO					
> 📑 W 🛛 Block Inheritance	1					
> 🛅 Sti Group Policy Upd	late					
Sites	deline Wiened					
Group Po	uening wizaru					
New Organizatio	hai Unit					
View		>				
New Window fro	m Here					
Delete						
Penamo						
Refar to						
Kerresh						
Properties					>	
Create a GPO in this c Help						

If you cannot find the Group Policy Management in Windows Administrative Tools, please install the application package GPMC.MSI. You can download the package by clicking the link <u>http://www.microsoft.com/en-us/download/details.aspx?id=21895</u>.

**Tip**: To deploy Foxit PDF Editor's installers or plugins across your organization through GPO, please refer to the instructions <u>here</u>. You can also perform the deployment through <u>Microsoft Intune</u> or <u>Configuration Manager</u>. Configuration Manager was previously named System Center Configuration Manager (SCCM) and now is part of Microsoft Endpoint Manager.

#### Apply the Foxit Template

- 1 Active Directory Domains and Trusts Windows Server X Active Directory Module for Windo. Active Directory Sites and Services 2 盀 Windows PowerShell Windows PowerShell ISE Active Directory Users and Compu... Server Manager ADSI Edit 96 1 Certification Authority Window **Component Services** Task Manager Control Panel Computer Management -8 Defragment and Optimize Drives Remote Desktop. File Explorer Disk Cleanup å DNS 8 Event Viewer 8 Group Policy Management -**iSCSI** Initiator 2 Local Security Policy Microsoft Azure Services ۲ ODBC Data Sources (32-bit) 0 H e 5 1 ρ 10 -1
- Type the GPO name in the "New GPO" dialogue box and click **OK**.

New GPO	×
Name:	
PDF Editor	
Source Starter GPO:	
(none)	~
	OK Cancel

• Right-click the new GPO and choose **Edit...** in the right-click menu to open Group Policy Editor.

📓 Group Policy Management - 🗆	×
📓 File Action View Window Help 🗕	8 ×
🗢 🤿   🖄 💼 🔀 🗊	
Group Policy Management         ✓ ▲ Forest: gpoil         ✓ ➡ Domains         ✓ ➡ gpoil         ✓ ➡ Default Domain Policy         > ➡ Domain Controllers         ✓ ➡ Foxit	~
PDF Editor Location Entrored Link Enabled Pa	in of the second
Sites     Group Policy Mar     Sites     Sites	>
Image: Group Policy Rest     New Window from Here       Delete       Rename       Refresh         Remove   Properties	
Help This GPO is linked to the following WMI filter: Open the GPO editor	

• Right-click the **Administrative Templates** and choose **Add/Remove Templates...** to add Foxit PDF Editor template. Please refer to <u>Set Template</u> <u>Preference</u>.

Group Policy Management Editor				-		×
File Action View Help						
🗢 🄿 🔁 📷 🗟 🖌 🕜 🤝						
PDF Editor [GPO2 PDF Editor [GPO2 Computer Configuration Software Settings Software Settings Mindows Settings Administrative Templates: Policy definiti Control Add/Remove Templates: Policies Netwo Printer Server Software Settings Filter On Filter On Filter On Filter On Filter Options Re-Apply Filter System Vindo All Set View Export List Policies Preferences Preferences Preferences Preferences	Adm Select an	ninistrative Templates: Policy item to view its description.	definitions (ADMX files) re Setting Control Panel Network Printers Server Start Menu and Taskb System Windows Component All Settings	trieved f	rom the l	ocał co
			<			>
< >>	\ Extended	Standard /				

• For configuring options, please refer to <u>Example: Not Show Community</u> <u>language</u>.

# **GPO** Items

The following table introduces some simple manipulations in GPO to speed up your working process.

Folder Path	ltem	Description	
Foxit PDF Editor > Plugins	Remove Specific Plugins	Input the plugin name which needs to be removed. Only applications with .fpi extensions can be removed from Foxit PDF Editor.	
	Remove Plugins	Remove the selected plugins.	
	Configure iManage9 server URL Configure iManage10 server URL	Configure a server URL for iManage 9/iManage 10/SharePoint/Alfresco. The changes will be synchronized to the corresponding settings under File > Open or Save As > Add a place > iManage 9/iManage 10/SharePoint/Alfresco	
	Configure SharePoint server URL Configure Alfresco server URI		
Foxit PDF Editor > Preferences > Features which require internet	Itself	Enable this option to enable all the features which require internet connection. This will change the corresponding setting in <b>Preferences</b> > <b>General</b> .	
connection	Subltem	Specify features to allow internet connection: check the items to add into a whitelist, which will be allowed to access internet even though disabling all features that require internet connection.	
Foxit PDF Editor > Preferences > File Association	Disable default PDF viewer switching	Enable this option to disable the ability to change the specified default handler (PDF viewer).	
	Default PDF Viewer	Allow you to set Foxit PDF Editor as the default PDF viewer in your Windows system, web browsers, the thumbnail view and preview pane in Windows Explorer, as well as in MS documents that contain embedded PDFs.	

#### Items in GPO Template

		1	
		This setting requires Administrator permission. In a domain environment, if the client doesn't have the Administrator permission, there will be a UAC prompt after the boot.	
	Forbid Checking of Default PDF Viewer	Hide the 'Set to Default PDF Reader' dialog when Foxit PDF Editor isn't the default PDF viewer.	
Foxit PDF Editor > Preferences > Update Settings	Updater	Specify how to install the update when a new version is available. This will lock end users' ability to change the settings in <b>Preferences</b> > <b>Updater</b> > <b>Automatically</b> <b>Update</b> .	
	Disable major updates, but still show minor/ maintenance updates	With this option enabled, both automatic and manual updates for major versions are disabled in Foxit PDF Editor.	
Foxit PDF Editor > Preferences > Privileged Locations	Disable Privileged Locations	Enable this option to disable and lock the end user's ability to add files, folders, and hosts as privileged locations that can be exempted from enhanced security restrictions	
	Add to Privileged Locations	Enable this option to configure the privileged locations, and lock end users' ability to change the settings in <b>Preferences</b> > <b>Security</b> > <b>Privileged Locations</b> .	
Foxit PDF Editor > Preferences	'About Foxit PDF Editor' Dialog	Set the new contents in 'About Foxit PDF Editor' dialog.	
Foxit PDF Editor > Preferences	Configure communication port range for Foxit creator	This setting is used for configuring the communication port range for Foxit creator. If enabled, the maximum and minimum values you typed will take effect. The valid port range is "1024-65535". Note: we recommend setting an appropriate port range based on the number of clients in an environment. For a single client, the maximum and minimum value difference	

		should be no less than 10 to ensure that	
		smoothly.	
		shoothy.	
		If disabled or not configured, the default value "50000 - 60000" will take effect.	
Foxit PDF Editor > Preferences	Program Name	Change the program's name. The default is 'Foxit PDF Editor'.	
Foxit PDF Editor > Preferences	Show Start Page	Change the settings of Start Page.	
Foxit PDF Editor > Preferences	Enable Safe Reading Mode	Change the settings of Safe Reading Mode.	
Foxit PDF Editor > Preferences	Multiple Instances	Enable this option to allow multiple instances. Disable this option to not allow	
		multiple instances. This will change the	
		corresponding setting in <b>Preferences</b> > <b>Documents</b>	
Foxit PDF Editor >	Add	Enable this option to add NetDocuments to	
Preferences	NetDocuments	the <b>File</b> > <b>Open</b> List. Users cannot remove	
	to the open List	this option from their end.	
Foxit PDF Editor >	Application	Change the application language settings.	
rierences	Language	Preferences > Languages.	
Foxit PDF Editor >	Insert Printed	Check the option to append the converted	
Preferences	PDF into Proviously	PDF files to the previous one when creating	
	Generated PDF	example, you have created a PDF with Foxit	
	Generated PP	PDF Editor Printer and have not closed it	
		after the creation. And then you create	
		another PDF with Foxit PDF Editor Printer.	
		The newly created PDF will be appended to	
Eavit DDE Editor	Status Par	the previous one automatically.	
Preferences	Status bar	Change the settings of status bar.	
Foxit PDF Editor >	Notification	Enable this option and choose how to deal	
Preferences	Messages	with the different notification messages. If	
		you unchecked all the options, the	
		This will change the corresponding setting in	
		Preferences > General.	
Foxit PDF Editor >	Share the PDF	Enable this option to always share the PDF	
Preferences	file that caused	file that caused crash. This will change the	
	crash	corresponding setting of 'Share the PDF file	
		that caused this crash' option in Crash	
Foxit PDF Editor >	Change The Link	Enable this option to change the link of User	

Preferences	For User Manual	Manual to the local link you want.	
Foxit PDF Editor >	Disable the	With this option enabled, the automatic	
Preferences	Automatically	update will be disabled.	
	Update		
Foxit PDF Editor >	Disable Security	Enable this option to disable the security	
Preferences	Warning	warning when Foxit PDF Editor is launched	
		by a third-party application without a valid	
		digital signature.	
Foxit PDF Editor >	Lock Read Mode	Enable this option to use Read Mode by	
Preferences	in web browsers	default in Foxit PDF Editor browser plugins,	
		and disallow users from exiting this mode.	
		This will change the corresponding setting in	
		Preferences > Documents > Open	
		Settings.	
Foxit PDF Editor >	Filter Comments	Enable this option to filter comments by the	
Preferences	by the original	original author only. This will change the	
	author only	corresponding setting in <b>Comment</b> > Filter	
Cavit DDC Editor	Lloor Exportion co	Willdow.	
Proforences		collection. This will shappe the	
FICICICES	Improvement	corresponding setting in <b>Preferences</b> >	
		General	
Foxit PDF Editor >	Hide Activation	Enable this option to hide activation code in	
Preferences	Code	the application.	
Foxit PDF Editor >	Use GDI+ Output	Enable this option to use GDI+ output for PS	
Preferences	for all types of	driver printers (excluding PCL driver printer).	
	printer	This will change the corresponding setting in	
		Preferences > Print.	
Foxit PDF Editor >	Trusted	Enable this option and input the name of	
Preferences	Applications	the trusted application in the list. The listed	
		application will be added in the Trusted	
		Apps in <b>Preferences</b> > <b>Trust Manager</b>	
		settings.	
		If you disable this option, the corresponding	
		Setting will be unavailable in Preferences >	
Foxit PDF Editor >	Protected View	Enable this option to turn on protected view	
Dreferences		in order to protect your computers from	
i reici ences		being harmed by files originated from	
		potentially unsafe locations. This will change	
		the setting in <b>Preferences</b> > <b>Security</b> >	
		Protected View.	
Foxit PDF Editor >	Require	Enable this option to require users to set a	
Preferences	, password to use	password for the signature while creating a	
	signatures	new signature. This will change the setting	
	-	of 'Require password to use this signature' in	

		the <b>Create Signature</b> dialog box which pops	
		feature.	
Foxit PDF Editor >	Disable Foxit	Choose "Enabled" to disable Foxit eSign	
Preferences	eSign service	service.	
		Choose "Disabled" to enable Foxit eSign service.	
		This will change the setting of "Disable Foxit eSign service" in Preferences > PDF Sign > Foxit eSign.	
Foxit PDF Editor > Preferences	Change high DPI settings	Enable this option to specify the display settings for PDF Editor when using a high-DPI device.	
		Choose "Application" to render correctly whenever the DPI of the display that they are running on changes.	
		Choose "System" to automatically being DPI scaled by Windows.	
		Choose "System(Enhanced)" to render correctly at a single display scale factor and become blurry whenever the DPI changes.	
Foxit PDF Editor >	Load trusted	This setting specifies the way to load	
Preferences	certificates from	"trusted certificates from Foxit server".	
	Foxit server	If this setting is enabled, three options will be available: (1) "Disable": Don't load trusted certificates from Foxit server. (2) "Enable & Ask before updating": Load trusted certificates from Foxit server but will ask before updating. (3) "Enable & Install silently": Load trusted certificates from Foxit server but will install silently.	
		This will change the setting in Preferences > Trust Manager >Automatic Foxit Approved Trust List Updates. If this setting is disabled or not configured,	
	al ==: · · · · =	the default will take effect.	
FOXIT PDF Editor > Preferences	Show IELL ME WHAT YOU WANT TO DO	Enable/disable this option to show/hide the <b>TELL ME WHAT YOU WANT TO DO</b> box on the ribbon.	
Foxit PDF Editor >	Change the	Enable this option to change the Support	

Preferences	Support Tools in Start Page	Tools in Start Page.	
Foxit PDF Editor >	The Tutorials	Enable this option to change the tutorials	
Preferences	URL	LIRL in the Video Tutorials tab in the Start	
		nage	
Farit DDF Falitar		Franklashin antian ta laak tha Auta Commutata	
FOXIT PDF Editor >	LOCK THE AUTO-	Enable this option to lock the Auto-Complete	
Preferences	Complete in	feature and disable the corresponding	
	Form Filling	setting in <b>Preferences</b> > <b>Forms</b> .	
Foxit PDF Editor >	Do not use	Enable this option to disable using	
Preferences	OuickTime	OuickTime Plaver for multimedia items.	
	Player for		
	multimodia		
	itama		
Foxit PDF Editor >	Enable creating	Disable this option to forbid the end user's	
Preferences	self signed	ability to select Create a new Digital ID	
	digital IDs	option in Add ID workflows.	
Foxit PDF Editor >	Javascript Action	Enable/disable this option to allow/disallow	
Preferences	•	running JavaScript in PDF files.	
		This will change the corresponding setting in	
		Preferences > lavaScript > Enable lavaScript	
		Action	
		Action.	
Foxit PDF Editor >	Disable Live Chat	Enable/disable this option to hide/show Live	
Preferences	in the	Chat in the application.	
	Application		
Foxit PDF Editor >	Disable editing	Enable this option to disable and lock the	
Preferences	Manage Sites	end user's ability to specify the default	
		behavior for accessing the Internet from	
		1013.	
		Chappen "Always ask" to ask hefere energy	
		Choose Always ask to ask before opening	
		every URL.	
		Choose "Allow access" to allow access to all	
		URLs.	
		Choose "Block access" to restrict access to	
		all URLs.	
Foxit PDF Editor >	Outlook COM	Enable 'View PDF Results' to view the	
Preferences	add-in	generated PDF file in Foxit PDF Editor after	
		creation	
		Enable 'Output PDE Portfolio' to croate a	
		cingle DDE file containing all arraits in a	
		single PDF file containing all emails in a	
		"portfolio".	
		Enable 'Include Attachments' to include all	
		email attachments in the generated PDF.	

Foxit PDF Editor > Ribbon	TabElements (the button items on Quick Access Toolbar and at the top right corner of the application window) RibbonCategory (the button items in each tab)	Hide the selected button items in Ribbon Mode. You can also customize Quick Access Toolbar by selecting the <b>Add to Quick</b> <b>Access Toolbar</b> option for the desired button items in RibbonCategory.	
Foxit PDF Editor > RMS > Preferences	Encrypt Metadata	Encrypt document metadata. This disables the setting in 'Preferences > RMS Setting'.	
	Add 'protected' to the name of encrypted files	Append "(protected)" to the end of the file name of encrypted files.	
	Save As	Turn on the Save As feature for AIP- protected files.	
	Microsoft IRM Protection	Enable this option to choose Microsoft IRM Protection Version for document encryption. If not enabled, Microsoft IRM Protection Version 2(PPDF) is used.	
	RMS Interoperability	Enable this option, all encrypted PDF will conform to Microsoft IRM Protection for PDF Specification and hence be able to be decrypted by other RMS Viewer.	
Foxit PDF Editor > Admin Console	Update Server Admin Console	Set the path of Internal update server. Set the path of your Admin Console Server.	
	Server	The end users can use this server URL to connect to your enterprise Admin Console Server.	

# **Using Foxit Customization Wizard**

Foxit Customization Wizard (hereafter, "the Wizard") is a configuration utility for customizing (configuring) the Foxit PDF Editor or Foxit PDF Reader installer before large scale deployment. For example, you can license the product on a volume scale with the Wizard so that you do not need to register and personalize each copy of the installation. Foxit PDF Editor or Reader will retain all your configuration settings when you upgrade it to a new version.

The Wizard allows enterprise IT administrators to do the following:

- Modify an existing MSI package and save all the modifications into a transform file (.mst).
- Directly configure settings from scratch and save all the configurations as an XML (.xml) file.
- Customize settings based on an existing XML (.xml) file.
- Configure which digital ID files are allowed to use.

## **Get started**

Run the Wizard, you will see the following options on the Welcome page:

- MSI
- XML Editor for Foxit PDF Editor
- XML Editor for Foxit PDF Reader
- SignITMgr

Please select one option to begin. Take **MSI** for example. After you open an MSI installer, you will see the Wizard workspace below.

A C	В	D
MSI		· · · · · · · · · · · · · · · · · · ·
<ul> <li>Personalization Options</li> <li>Installation Options</li> <li>Features</li> <li>Shortcuts</li> <li>Files and Folders</li> <li>Registry</li> <li>Preferences</li> <li>Ribbon Set</li> <li>Plugins</li> </ul>	Personalization Options Change Install Location Add License Key File Add Code Replace ProfStore.xml	Browse

A. Title Bar B. Menu Bar C. The Navigation bar D. The main work area

The workspace is made up of four parts: Title Bar, the top Menu bar, the Navigation bar, and the main work area.

- 1. The **Title bar** in the top left corner shows the corresponding option you choose on the Welcome page.
- 2. The top **Menu bar** provides key menu options, like "Open", "Save", "Information", and "About".
- 3. The left-hand **Navigation bar** links to the specific configurable options.
- 4. The **Main Work Area** displays configurable options according to the configuration settings you choose.

For more detailed instructions, please click the  $\bigcirc$  icon on the top Menu bar and choose **User Guide**, which covers all features included in Foxit Customization Wizard.

# **Contact Us**

Feel free to contact us should you need any information or have any problems with our products. We are always here, ready to serve you better.

- Office Address: Foxit Software Incorporated 39355 California Street Suite 302 Fremont, CA 94538 USA
- Sales: 1-866-680-3668
- Support & General: <u>Support Center</u> 1-866-MYFOXIT, 1-866-693-6948
- Website: www.foxit.com
- E-mail: Marketing - <u>marketing@foxit.com</u>