

PDF

User Manual Foxit® PhantomPDF™ Business For Windows



Gold Independent Software Vendor (ISV)

©2016 Foxit Software Incorporated. All rights reserved.

Copyright © 2004-2016 Foxit Software Incorporated. All Rights Reserved.

No part of this document can be reproduced, transferred, distributed or stored in any format without the prior written permission of Foxit.

Anti-Grain Geometry - Version 2.4

Copyright (C) 2002-2004 Maxim Shemanarev (http://www.antigrain.com)

Permission to copy, use, modify, sell and distribute this software is granted provided this copyright notice appears in all copies. This software is provided "as is" without express or implied warranty, and with no claim as to its suitability for any purpose.

Contents

Contents	2
Chapter 1 – Introduction	5
PhantomPDF Overview	5
What's New?	6
About the User Manual	10
Quick Installation Guide	10
Foxit Plug-In Platform	10
GPO	13
Using Foxit Setup Customization Tool	13
Chapter 2 – Get Started	15
Workspace Basics	15
Customize the Skin	22
Set Preferences	22
Chapter 3 – Read	23
Open PDFs	23
Save PDFs	24
Close a PDF	25
Export PDFs	25
Bundle with IFilter	26
Industry Standard Validation and Creation	26
View PDFs	26
Select & Copy	44
Word Count	45
Check the Accessibility of PDFs	46
Asian Languages	47
PDF Properties	48
Chapter 4 – Create	50
Create a PDF in Different Ways	50
Create and Customize a PDF Portfolio	65
OCR PDFs into searchable and editable PDFs	66
Create a table of contents from bookmarks	69
Chapter 5 – Edit	70
Undo and Redo	70
Links	70
File Attachments	74
Bookmarks	77
Images	80
PDF Optimizer	87
Work with Video & Audio	88
Paragraph Editing	95

Objects	95
About the Image Editor	113
Spelling Check	123
Chapter 6 – Organize	
Insert Pages	124
Rotate, Move, Swap and Delete Pages	128
Extract, Duplicate and Replace Pages	131
Split PDFs into multiple files	
Crop Pages	
Flatten Pages	135
Header & Footer, Watermark & Background to PDFs	135
Bates Numbering	139
Adding Format Page Numbers	141
Chapter 7 – Comments	143
Commenting Tools	143
Change the Appearance of Comments	
Managing Comments	
Chapter 8 – Share PDFs	170
Email Documents	
Send to Evernote	170
SharePoint Integration	171
Shared Review and Email Review	
Chapter 9 – Forms	
Interactive Form and Non-interactive form	
Fill in PDF Forms	
Comment on Forms	
Manage Form Data	
Form Fields	
JavaScript	211
Chapter 10 – Security	
Check PDF Security	
Password Protection & Certificate Protection	
AD RMS Protection (Available in <i>Business</i> Only)	
Remove Hidden Data	
Redaction (Available in <i>Business</i> Only)	
Generate Redacted and RMS-protected PDFs	
Chapter 11 – Signature	
Digital Signature	
Sign PDFs on DocuSign [®]	
Quick PDF Signature	
Chapter 12 – Print	
Print a PDF document	
Print Dialog Box	
Set Foxit PhantomPDF Printer Properties	

Chapter 13 – Appendices	
Quick Installation Guide	
GPO Manual	280
SharePoint Configuration	292
Quick Start for Azure Active Directory Rights Management	293
Web Service Configuration	294
Shortcut Keys	
Command Lines	
Contact Us	310

Chapter 1 – Introduction

PhantomPDF Overview

Welcome to Foxit PhantomPDF[™]- Business Ready PDF! Award-winning Foxit PhantomPDF provides the right features at the right price, allowing you to produce great looking PDF document and forms quickly, affordably, and securely. Foxit PhantomPDF comes in two editions: *Foxit PhantomPDF Standard* to fit the small and medium sized businesses, and *Foxit PhantomPDF Business* to fit the large enterprises.

Foxit PhantomPDF Standard

Foxit PhantomPDF *Standard* enables businesses to create, edit, and secure reliable PDF documents quickly, easily, and at a cost you can afford.

- <u>XFA Form Filling</u>
- Direct Editing
- Read out Loud
- <u>Robust Document Security</u>
- Form Fields
- Optical Character Recognition (OCR)
- Export PDF to Image
- Industry Validation
- PDF Optimizer
- SharePoint Integration
- DocuSign
- Participate in a Shared Review

Foxit PhantomPDF Business

Foxit PhantomPDF *Business* provides business the security that ensures regulatory compliance and corporate governance of their important documents and archives and to ensure documents don't change after they are approved. It stands up to the demands of large enterprises but lightweight enough to easily deploy to thousands of users without exhausting resources. Supports the right features at the right price with the quality and support you expect from an enterprise solution.

- <u>Redaction</u>
- Document Certification
- <u>XFA Form Filling</u>
- Bates Number

- <u>Read out Loud</u>
- <u>Microsoft[®] Active Directory[®] Rights Management Service Protector and Policy Manager
 </u>
- High Compression
- SharePoint Integration
- DocuSign
- Send for Shared Review

What's New?

What's New in Foxit PhantomPDF 7.3?

New Features

- OneDrive and Google Drive integration Open PDFs in OneDrive/Google Drive through Foxit PhantomPDF's Open command to view, edit, and save PDFs. Save local PDFs in OneDrive/Google Drive through Save As command.
- Create PDFs from Microsoft Visio

Quickly create and email PDFs using a Foxit PDF tab in the Microsoft Visio ribbon.

- Word count Count words, lines, and characters for an entire PDF document or just a selected text block.
- Time stamps Add time stamps from a server to PDFs/digital signatures to use verified time. Manage trusted certificates for digital signatures and time stamps.
- **RMS redaction in Word, PPT, and Excel** Redact text in Microsoft Word, PowerPoint, and Excel 2010/2013/2016, with the original unredacted document visible to authenticated users.
- Create PDFs from Mail Merge through the PhantomPDF add-in in Microsoft Word
- Link paragraphs across pages for better text flow when editing text
- Arabic language support in the OCR module

Improvements

- Insert pages into multiple PDFs Insert pages from a current document to multiple PDFs at one time.
- Redaction with right-click menu Right-click selected marked content to quickly apply redaction to the selected or all marked areas.
- Quick OCR with one click Use the quick OCR button to recognize PDFs immediately with default settings.
- Split the page display vertically for easy reading.
- Edit text directly from the right-click menu when selecting the text using Select Text

tool.

- Allow use of the Polish currency symbol in format properties of form fields.
- Support drop-down calendars in XFA forms.

What's New in Foxit PhantomPDF 7.2?

New Features

Cloud-based Shared Review

Supports to initiate and control a PDF shared review as well as tracking/replying all comments made by reviewers on Foxit Cloud.

• Redaction Plugin for Microsoft Word

Allows users to create a redacted PDF document from Microsoft[®] Word[®] 2013. The plugin produces two different views of the same redacted PDF document. The first view is of the redacted PDF document, which anyone can read as long as they open the file in a PDF reader. This file will block out any redacted text. Alternately, those with a Microsoft AD RMS-enabled PDF reader and the proper credentials have the ability to read the document in an un-redacted format. That means that all of the content that you blocked out is now visible to the authorized users.

Improvements

- Better Access Control during Shared Review Improved the access control to avoid unauthorized modification within non-Foxit PDF viewers during Shared Review.
- Set Enhanced Security Settings in Preferences Supports to specify trusted locations and files in preferences to provide more secured PDF workflow.
- **PDF Edition and Conversion from Right-click Menu** Adds two more options to PDFs' context menu for users to start editing a PDF or converting it to Microsoft Office files by just right-clicking the PDF.
- **Pattern Search** Adds an option to Advanced Search box to search for a pattern in a PDF such as phone numbers.
- Improve the workflow of modifying the filter of image objects.
- Supports to edit the properties of the same type of objects in batch.

What's New in Foxit PhantomPDF 7.1?

New Features

• Scanned PDF Optimization

Reduces the file size of scanned PDFs before distributing or archiving to save transfer time and disk space.

- **PPDF (Pfile-based PDF) File Encryption** Supports using Microsoft IRM Protection for PDF Version 2 to encrypt PDFs and output the encrypted files in PPDF format.
- Auto-straightens scanned PDF documents.
- Allows users to link to a bookmark/specific page within a web pdf in a web browser using URL parameters.
- Supports line spacing setting when designing text fields.
- Provides printing templates when creating files to PDF and supports lossless compression.
- Supports Greek language in OCR engines.
- Supports adding bullet lists in Typewriter/Callout/Textbox/Note annotations and the availability of annotation rotation.

Improvements

- Extends the Usage of GPO Templates Supports more settings using the GPO templates, including forbidding all auto-connecting to server, setting to hide document message bar in preferences, and more.
- Shared Review Enhancement Allows configuration of the interval to check new comments during shared review and notifies users by flashing the PhantomPDF icon in the taskbar if any.
- Supports to save custom colors in annotation properties and then all the annotations can share the custom colors.
- Streamlines the workflow when scanning paper to PDF.
- Optimizes the way to name form fields after running form field recognition.
- Enhances the edit capabilities of scanned and OCRed PDF documents.
- Shows the preview of ink signatures and stamps when the mouse cursor hovering over the document area after users select them.
- Provides an option to apply a stamp to multiple pages.

What's New in Foxit PhantomPDF 7.0?

New Features

• Shared Review for Desktop and Mobile Users

Allows document owners to share a document with others to gather feedback/comments from reviewers through internal server, emails or SharePoint.

• **Portfolio Creation and Editing** Supports to create PDF portfolios and edit PDFs and properties in portfolios.

• Merge Advanced Editor Features into Main Program

Contains all the Advanced Editor features and removes the standalone Advanced Editor from the application.

• Free-form Annotation with PSI (Pressure Sensitive Ink)

Supports to use the Pencil tool from Surface Pro or Wacom tablet to add free-form annotations with PSI in PDFs.

• Document Sanitization

Enable users to remove comment data and other sensitive information that can be hidden or not immediately apparent from PDFs by one-click.

Create PDFs from Your Outlook

Supports to create PDFs from email messages or folders directly with the Foxit Outlook Addin, located in the Foxit PDF tab in Outlook ribbon.

• 2D Barcode Displaying

Supports to display 2D barcode that contains form data in the PDF forms with Ultraform technology.

• Bi-directional Language Support

Supports to search and input Hebrew and Arabic in commenting and editing.

• Optimized PCL Printing

Provides an option to auto-detect printers that support PCL for PCL optimization to improve the printing speed.

• Stronger Security from the RMS Plugin

Adds extended policy to strictly control documents access and supports dynamic revocation by preventing some users from accessing PDFs or preventing some PDFs from being accessed to promptly revoke PDFs that have already been issued.

• Create PDFs with RMS Encryption

Allows users to create an RMS protected PDF from Office (Word, Excel, PowerPoint and Outlook), using Foxit add-in.

• Friendly Ribbon Customization

Supports to customize the Ribbon, enabling users to rearrange the buttons, or create a new tab with their favorite buttons.

• Streamlined Text Editing by Linking

Supports to link text boxes to a new paragraph ready for paragraph editing in a page to keep better text reflow.

- Supports to create and verify signatures on dynamic XFA forms created by Adobe LiveCycle.
- Support to export PDF to Word in Faeroese.

Improvements

• Improved Paragraph Editing UX

Retains better text reflow and display after editing with Edit Text tool to improve user experience.

• Creator Add-in Improvement in PPT, Excel & Word

Adds more options in Foxit PDF tab in the ribbon of the aforementioned applications.

• Instant PDF or PDF Portfolio Creation

Improves the "drag and drop" and "copy and paste" features to create PDFs or PDF portfolios quickly.

• More Secured Digital Signature

Supports to add password encryption to your digital certificates to avoid unauthorized use.

- GPO Improvement
 Ensures the configurations in GPO template to work in both Classic and Ribbon Mode, adds settings of language in XML and GPO template, and more.
- SharePoint Network Drive Support Enable users to open and check out PDFs from SharePoint mapped drive with Foxit PhantomPDF's Open dialog.
- Text Copy with Formatting Maintained Improve the "Copy and Paste" feature to allow users to copy and paste text with styles, including font, font size, font style, font color, etc.

About the User Manual

This user manual covers all features included in Foxit PhantomPDF Business.

Quick Installation Guide

To get installation, registration, uninstallation and update instructions step by step, please refer to Foxit PhantomPDF **Quick Installation Guide**.

Foxit Plug-In Platform

For flexible and convenient management of plugins, Foxit PhantomPDF offers a Plug-in Platform, in which you can view the plug-in status, learn the information about the plugins installed, as well as manage the plug-ins as needed.



To open Foxit Plug-in Platform, please choose **Help** > **Product** > **About Foxit Plug-Ins**^{About Foxit}, and Foxit Plug-in Platform will show up as below.

Foxit PhantomPDF Business

User Manual

Name		Certified	Loaded	
•/	PlgPltfm 2.1.0.906 The plug-in platform helps manage the plug-ins by disabling, enabling, installing and uninstalling the plug-ins if permitted.	J	J.	-
	More			E
i	PlgDynLoader 1.1.5.1127 The plugin dynamic loader manages the loading of all the Foxit Reader/PhantomPDF plugins. With it, Foxit Reader/PhantomPDF More	J.	J.	
Ø	Edit Object 2.1.0.703 Page Objects editor plugin allows users to edit page objects. More	J	J.	
6	FoxitUpdater 7.3.0.1120 FoxitUpdater helps to check, download and install updates manually or automatically. More	¥	J.	
-	CommentsSummary 2.1.2.1127 Comment summary plugin allows users to create comment summary from "Summarize Comments". More			
All	the operations to the plug-ins will take effect after you restart	the program.		

Foxit Plug-in Platform

Plug-in Status

- Certified: Shows whether the signature of the plug-in is valid or not.
- Loaded: Shows whether the plug-in has been loaded successfully or not.

Plug-in Information

In addition to plug-in status, you can learn more information about the plug-in installed, including the name, date, description and legal copyright.

To learn the details of a plug-in, please click **More...** under the general description of the plug-in in the Foxit Plug-in Platform. Then a dialog box showing the details of the plug-in will pop up (as shown below).

Nore	
File Name: Updater.fpi	2015-12-10 17:25:52
Description:	
Foxit Updater helps to check, do automatically.	ownload and install updates manually or
Legal Info:	6
Copyright © 2004-2015 Foxit So	ortware inc. All Rights Reserved.
	ОК
	OK

Detailed Information about Foxit Updater Plugin

Plug-in Management

Within Foxit Plug-in Platform, you can manage the plug-ins as needed, including installing, enabling, disabling and uninstalling plug-ins.

Installing a Plug-in

To install a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-In Platform;
- Click Install Plugin > choose the plug-in file (in .xml format) > click Open.

Then Foxit PhantomPDF will verify whether the signature of the plug-in to be installed is valid or not. If it is valid, Foxit PhantomPDF will load the plug-in directly; if not, a prompt message will pop up (as shown below), and the installation will be terminated.



Note: The .xml and .fpi files of a plug-in to be installed should be placed in the same folder, otherwise, installation will fail.

Disabling a Plug-in

To disable a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.
- Select the plug-in you want to disable, and click the Disable button Select the plug-in you want to disable it.

Enabling a plug-in

To enable a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.
- Select the plug-in to be enabled, and click the **Undo Disable** button 🔊 to enable it.

Uninstalling a plug-in

To uninstall a plug-in, please follow the steps below:

• Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.

• Select the plug-in to be uninstalled, and click the Uninstall button $ar{ar{ar{n}}}$ to uninstall it.

Note:

1. All the operations to the plug-ins will take effect after you restart Foxit PhantomPDF.

2. Foxit PhantomPDF includes plug-ins that are necessary for the realization of its functionalities or are necessarily required for maintenance. To ensure normal operation, you are not allowed to disable or uninstall these plug-ins (such as Foxit Updater plugin, Foxit Plug-in Platform plugin, etc.)

GPO

Group Policy (GPO), a feature of the Microsoft <u>Windows NT</u> family of <u>operating systems</u>, is a set of rules that control the working environment of user and computer accounts. It offers the centralized management and configuration of operating systems, applications, and users' settings in an <u>Active</u> <u>Directory</u> environment.

For instructions to use group policy of Foxit PhantomPDF, please refer to Foxit PhantomPDF <u>GPO</u> <u>Manual</u>.

Using Foxit Setup Customization Tool

You can use the Foxit Setup Customization Tool to configure the installer prior to deployment for organizations or businesses. For example, you can license the product on a volume scale with the Foxit Setup Customization Tool to prevent the need to register and personalize each copy of the installation.

To configure Foxit PhantomPDF with the Foxit Setup Customization Tool, please follow the steps below:

- Open the Foxit Setup Customization Tool.
- Click File > Open to open the application (MSI file) that you want to customize.
- Open the following panels to customize the related settings in Foxit PhantomPDF.
 - **General**: Customize the default location and other common settings.
 - Features: Specify which features will be installed by default.
 - > **Shortcuts**: Choose whether to create a specific shortcut.
 - > Add File: Add your own files into the MSI package.
- Click File > Save to save the customization. The customized package will be saved as an MST file.
- Use the following command to apply the MST file during deployment:

msiexec /i Setup.msi TRANSFORMS=xxx.mst

Foxit PhantomPDF Business

		User Manual
Foxit Setup Customizat Help	ion Tool	
eneral eatures hortcuts dd File	Change Install Location	
	Additional Tasks ↓ Create Desktop Icons. ↓ Create a Start Menu folder. ↓ Set as the default PDF viewer	
	 ✓ Show PDF files in browsers. ✓ Install as the default system printer ✓ Disable Auto Update 	
	Add Activation Key	
	Replace ProfStore.xml	

Note:

- 1. The customized MST file needs to be deployed with the original MSI file.
- 2. Foxit Setup Customization Tool is only available for Foxit PhantomPDF & Reader 7.3 and newer versions. To ensure successful customization, the version of the Foxit Setup Customization Tool should be the same as that of Foxit Reader & PhantomPDF.

Chapter 2 – Get Started

The Foxit PhantomPDF workspace is packed with tools that help make working with PDF files easier, and is organized into a document pane, a navigation pane, toolbar pane menu bar and status bar. A good way to get up to speed in using Foxit PhantomPDF is by familiarizing yourself with its workspace.


Workspace Basics

Foxit PhantomPDF provides an intuitive user interface with a menu bar, a toolbar, a navigation pane, work area and status bar.

About Start Page

The Start Page appears when you first start Foxit PhantomPDF and shows the recent documents opened, helpful product tutorials, and more. You can click any document you recently opened from the recent document list or choose one tutorial for any feature to learn about our product.

The Start Page will continue to appear every time you start the program until you uncheck the **Show Start Page** at **FILE** > **Preferences** > **General** > **Application Startup**.



Toolbar


The toolbar displays the FILE page (the backstage view like Office 2013) and other tabs with different tools.

HOME						
Hand Select Text Annotation Tools	C Fit Page Q 300% • € C Fit Width ﷺ Rotate Left Actual D Fit Visible ﷺ Rotate Right View	Edit Edit Typewriter Hi Text Object	abc Rectangle	Rotate Pages • Page Organization	Scan Quick OCR OCR Convert	PDF Sign Protect

Toolbar under HOME Tab

Note: Position the pointer over a tool to see a description of the tool.

Click **FILE** to create, open, save to manage your PDF files.





Show/Hide Toolbar

To show/hide all toolbars, please do the following:

- To collapse/expand the toolbar, please click \triangle or \heartsuit in the upper right corner.
- Right-click toolbar and check **Minimize the Ribbon** option to hide the ribbon toolbar and uncheck the option to show it.

Set Favorite Toolbar

The Ribbon is designed to help you find the commands in an easy and convenient way. Foxit PhantomPDF gives you the capability to personalize and fine-tune the Ribbon in the way you want.

With this feature, you can customize the default Ribbon, and create custom tabs or groups with your favorite commands.

To customize the Ribbon, you can right click the Ribbon, choose **Customize the Ribbon** from the context menu to bring out the **Customize Tools** dialog box first, and then follow the steps below.

Customize Quick Access Toolbar							
Show Quick Access Toolbar Below the Ribbon							
Customize the Ribbon							
Minimize the Ribbon							



Choose commands from:	1	Customize the Ribbon:	
Popular Commands Close Highlight Open Rotate Left Rotate Right Save As Comment V Typewriter Undo Zoom In Commout Zoom Out Zoom To	 Add Remove	All Tabs Main Tabs HOME Tools View Edit Comment Page Organization Convert Get Business VCONVERT ØCDNVERT ØCONVERT ØCONVERT VCUST New Tab New Group Rename Customizations: Import Export Reset	

Customize Tools Dialog Box

Create a new tab

To create a new tab, please do one of the following:

- Select the tab after which you want to add the new tab, and then click **New Tab**.
- (Alternatively) Right-click the tab after which you want to add the new tab, and then choose
 New Tab from the context menu.

Add a new group to a tab

To add a new group to a tab, please do one of the following:

- Select the tab to which you want to add the group, and then click **New Group**.
- (Alternatively) Right-click the tab to which you want to add the group, and then choose New
 Group from the context menu.

Rename a tab or group

- Select the tab or group to be renamed, and click **Rename**.
- (Alternatively) Right-click the tab or group to be renamed, and choose **Rename** from the context menu.
- > In the **Rename** dialog box, input the new name and click **OK**.
- For a custom group, you can also choose the display symbol from the **Rename** dialog box.

Symbol: ♣ ♦ ●	Renam	e					100				^
$ \begin{array}{c} {} {} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} {} \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} {} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} $	Symb	ool:									
 ↔ (1) → (▲ ▼) (⊕ ★ 1) ♪ □ □ □ □ □ □ □ □ □ □ □ □ ↓ ↓ ▲ ▲ ○ ↔ □ ○ ○ □ ↓ ↓ ▲ ▲ ○ ↔ □ ○ ○ □ ↓ ↓ ▲ ▲ ○ ↔ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 	2	8	0	0		I.	٠	۲			-
♪	Ð		\square	*-	•	•	e.		睂		
		•	₽	•	۸	▼	►	€	*	î	
L B S → HI □ L L T	۶		▶		Q,	T	T		40	œ	
Display Name:	Ţ	4	2		ଓ			:	٢		
	e.	8	`\$ `	•	_		\square				-
New Group	Displa	ay Na	me:								
	New	/ Gro	up								
Use Large Icon											
OK Cancel						ОК			Ca	incel	

Add commands to a group

- Select the group under which you want to add a command.
- Choose the command category and the desired command from the Choose command from list.
- Click Add to add the selected command to the desired group.

Remove a tab, group or command

To remove a tab, group or command, please do one of the following:

- Select the tab, group or command to be removed, and click **Remove**.
- (Alternatively) Right-click the tab, group or command to be removed, and choose Delete from the context menu.

Reorder the tabs or groups

To reorder the tabs or groups, please do one of the following:

Foxit PhantomPDF Business

User Manual

- Select the tab or group you want to reorder, then click the Up or Down arrow to move accordingly.
- (Alternatively) Right-click the tab or group you want to reorder, and then select Move Item
 Up or Move Item Down to move accordingly.

Reset the Ribbon

> Click **Reset** in the **Customize Tools** dialog box to reset the Ribbon to the default settings.

Import a customized Ribbon

- Click Import.
- > In the **Open** dialog box, select the Ribbon customization file (.xml file), and click **Open**.

Note: After importing a Ribbon customization file, you will lose all the arrangements you have customized previously. If you want to revert to the customization you currently have, it is easier to export the customized Ribbon before importing any customization.

Export a customized Ribbon

- Click Export.
- > In the **Save As** dialog box, specify the file name and path and click **Save**.

Note:

1. After customization, you need to click **OK** in the **Customize Ribbon** tab to save and apply your customizations to the Ribbon.

2. To help you distinguish a default tab or group from the customized ones, the custom tabs or groups in the **Customize the Ribbon** list are tabbed with "(Custom)" after the name (like this:

New Tab (Custom)), but the word "(Custom)" will not appear in the Ribbon.

3. The commands in the default group under a default tab are displayed in grey, and they cannot be renamed, reordered, or removed.

4. You cannot remove default tabs in Foxit PhantomPDF.

Navigation Panels

Show or hide the navigation panels

The buttons on the left side of the navigation pane provides easy access to various panels, such as

the Bookmarks panel button 📕 and the Pages thumbnails button

• To show the navigation panels, use keyboard shortcut F4, or click VIEW > View Setting >

Navigation Panels > Show Navigation Panels.

• To hide the navigation panels, use keyboard shortcut F4, or click VIEW > View Setting >

Navigation Panels Hide Navigation Panels.

- To open a navigation panel, click its button on the left side of the navigation pane.
- To close a navigation panel, click its button on the left side of the navigation pane.

Adjust the navigation pane

Like the toolbars, the navigation pane can be docked in the navigation pane or float anywhere in the workspace. You can choose to hide or close the panels that you don't need and open the ones you do. What's more, you can also adjust the width of the navigation pane easily.

- Viewing a panel in the navigation pane
 By default, all the panels dock in the navigation pane with a set of panel buttons appearing on the left side of the work area. Do the following:
- Select the button for the panel on the left side of the navigation pane.
- 2. Changing the display area for navigation pane
- To change the view area of the navigation pane, drag its right border to adjust the width.
- To minimize or maximize the navigation pane, click on the button
 the top right corner of the navigation pane.
- 3. Docking or floating a navigation pane
- To float a navigation panel, drag the panel button into the document pane.
- To move a panel, drag it by its panel button to another location.
- To dock a floating panel, double-click its title bar.


Working with Layers

A layer or as it is more formally known Optional Content Groups (OCG) is a dictionary representing a collection of graphics that can be made visible or invisible dynamically by users of viewer applications. In a PDF file, each layer may hold any portion of the document's objects, and layers may be made visible or invisible, showing or hiding their contained objects, in any combination.

With Foxit PhantomPDF, you can control the display of PDF layers with the Layer panel. For example, you may divide background imagery, main content areas, and advertisements amongst their own top-level layers, and easily hide the layers that you don't want others to view.

Show or hide PDF layers

In a PDF, information can be stored on different layers. To show or hide related content stored in a variable number of separate layers, you can simply refer to the Layer panel on the left side of the work area. Please note that you cannot create or edit layers in Foxit PhantomPDF. However, you can view layers and choose to show or hide the content associated with each layer.



A. A checkmark indicates a displayed layer B. Hidden layer

1. Open the Layer panel, and then do one of the following:


- To hide a layer, uncheck the layer.
- To show a hidden layer, click the empty box and a checkmark will appear.

2. From the Option menu at the top right corner of the Layer panel, choose one of the following:

- List Layers for All Pages Shows every layer across every page of the document.
- List Layers for Visible Pages Shows layers only on the visible pages.
- Reset to Initial Visibility Resets layers to their default state.
- Expand All Expands all layers.
- Collapse All Collapses all of the current layers in the view.

Status Bar

The status bar is an area of the workspace that displays the page number where you are, the number of total pages, page transition buttons, zoom buttons, etc. for view setting. The status bar is open by default when you open a PDF. In the VIEW ribbon, the items on the View Setting tab help you to show or hide the status bar.



Show Status Bar: If you check it, the status bar will appear in the bottom of the workspace.

Auto-hide Status Bar: If you check it, the status bar is hidden. But if you put the cursor near the bottom of the page, the status bar will appear.

Hide Status Bar: If you check it, the status bar will be hidden.

Customize the Skin

There are five kinds of skin, **Classic, Black, Blue, Orange and Purple** that allow the user to change the look of the software.

To change the skin of the workspace, please do the following:

- Go to FILE > Change Skin.
- Check the skin you like and click OK.

Set Preferences

Many program settings are specified in the Preferences dialog box, including settings for File Associations, Forms, Full Screen, General, History, JavaScript, Languages, OCR, Page Display, PDF/A, Reading, RMS Setting, Security, Signature, and Trust Manager. Once you set preferences, they remain in effect until you change them.

- 1. Choose **FILE** > **Preferences**.
- 2. Select the type of preference you want to change under the list of categories.

Chapter 3 – Read

After getting acquainted with the workspace and the basic tools, you can start the journey of PDF reading. You can open a PDF, reach a specific page easily, adjust the view of a document, read pure texts by text viewer tool, view documents while listening to them, and more. Foxit PhantomPDF also provides a new feature to view PDF portfolios.

Open PDFs

Open PDFs in Foxit PhantomPDF

You can open PDFs within Foxit Phantom in many different ways. The easiest method is to drag and drop a PDF file into the Foxit PhantomPDF window. You can allo use Foxit PhantomPDF's **Open** command to open a recent document, local document, or PDFs in your SharePoint, OneDrive, and Google Drive cloud services.

To open PDFs with the **Open** command, do one of the following:

• Click the **Open** button 🥟 on the Quick Access toolbar. In the **Open** dialog box, select the

file name, and click **Open**. PDF documents are usually identified with a .pdf extension.

Click FILE > Open. To open a recent document or a document stored in the local drive, click Recent Documents/Computer. To open PDFs in SharePoint, OneDrive, or Google Drive, select Add a place, sign into your account, and then you can open your PDF file. The connected Cloud account will be listed in the Open history and the PDF file will be in the Recent Documents list, which will help you open files quickly in the future. To remove an account, just click the Delete icon

Tip:

- If you need to pin a frequently-opened document to the top of the Recent Documents list, click the Pin icon [→] that appears as you hover the cursor over the document name. Likewise, click the Unpin icon [★] to unpin the document from the top of the Recent Documents list.
- 2. To customize the number of document in the recently used list, please choose FILE > Preferences > History.

Open PDFs from Desktop or within Other Applications

If you set Foxit PhantomPDF as your default viewer for PDF files, you are able to launch and open PDF files in the following applications:

- Email Application: in your email applications, you can double-click the attachment icon to open the document.
- Web Application: you can open a PDF document by clicking on the PDF file link in your web browser. Also, you can view the PDF content embedded in the HTML.
- File System: double-click the PDF file icon in your file system.

Open a secured PDF document

If you receive a PDF that is protected by security features, you may need a password to open the document. Some protected documents have other restrictions that prevent you from printing, editing, copying, etc.

- When opening a protected PDF, you will be prompted to enter the password.
- When trying to copy or edit a secured PDF, you will be notified that you are prohibited to do it without the owner's permission.
- If you open a PDF that is encrypted by AD RMS feature of PhantomPDF, please refer to <u>AD</u> <u>RMS Protection</u>.

Save PDFs

After modifying your PDF, you can save the changes to the original PDF or save as a new copy of a PDF. You can also save PDFs as HTML, RTF, TXT and Microsoft Office files. Foxit PhantomPDF enables you to save your PDFs in SharePoint, OneDrive, and Google Drive as well as to local drives. When saving or saving as PDFs, Foxit PhantomPDF will optimize PDFs by removing redundant data including deleted pages, objects, and annotations.

Save a copy of a PDF

- 1. Select **FILE > Save As**.
- 2. In the Save As dialog box, enter the filename and location, and click **Save**.

Save a PDF as a HTML, RTF, TXT, or Microsoft Office File

- 1. Select FILE > Save As.
- 2. Choose the extension name from the Files of Type Option in the **Save As** dialog box.
- 3. Enter the filename and location, and click **Save**.

Save PDFs in SharePoint, OneDrive, or Google Drive

Click FILE > Save As > Add a place > SharePoint/OneDrive/Google Drive, then sign in your account

and choose a folder to save to. The account will be listed in the Save-as history for your convenience. Click the **Delete** icon $\overline{\mathbf{n}}$ near the account name to remove the account from the list.

Close a PDF

Do the following:

If you are in multi-tab browsing, to close the current PDF file you must click the file's **Close** button in the tab bar (instead of the Foxit PhantomPDF application window), or double-click the tab, or click **FILE** > **Close**. To close all PDF files, click the **Close** button in the Foxit PhantomPDF application window.

If you are in the single document interface mode, just click the **Close** button on the PDF file, or click **FILE** > **Close**.

Export PDFs

Export PDF to Office, RTF, Excel, PPT or HTML file

- 1. Select **FILE** > **Export**, or click **CONVERT** > **Export**.
- 2. (Optional) To convert a PDF to Word, you can directly right-click the file and choose **Convert** to Microsoft Office with Foxit PhantomPDF.
- 3. Select the format you want to convert the PDF to.
- 4. You can select the language used in the PDF from "Settings" in the Save As dialog box before saving the file.

Export a PDF as an image

- 1. Select FILE > Export to Image, or click CONVERT > Export.
- 2. Specify the file type of images and the page range (all pages, current page, a range of pages), and click **OK**.
- 3. You can set the quality, color space, and resolution from "Settings" in the Save As dialog box before you save the file. Click **OK** to continue.
- 4. Click Save.

Export all images in the PDFs

With one click of "Export All Images", Foxit PhantomPDF enables you to export all images in your document to separate image files. Please click **CONVERT** > **Export** > **Export All Images**, and configure the settings before exporting via the **Export to Images** dialog box.

See also the tutorial on Export PDF to Word & Other Formats.

Bundle with IFilter

Foxit PhantomPDF has been bundled with Foxit PDF IFilter – Desktop, which allows users to index a large amount of PDF documents and then quickly find text within these documents on the desktop system. You can trigger Foxit PDF IFilter in the installation directory of Foxit PhantomPDF. For more information, please refer to the user manual for Foxit PDF IFilter

Note: If you are in Safe Reading Mode, a dialog box will pop up when you are trying to open an attached file. Check **Disable Safe Reading Mode and Open file**, and then double click the **File**

Attachment icon I to open the attached user manual for Foxit PDF IFilter.

Industry Standard Validation and Creation



With the **Industry Standard** tool in Foxit PhantomPDF, you can specify the PDF's standards for specific industries and functions. Foxit PhantomPDF has PDF/A, PDF/E and PDF/X compliance validation and creation to meet industry standards. Select **CONVERT** > **Compliance** > **Industry**

Standard, then select one of the industry standards, and then click **Analyze** or **Analyze and Fix** in the pop-up dialog box. You can also create standard compliant PDFs by saving them as PDF/X, PDF/A or PDF/E. (*Business* Only)

View PDFs

Foxit PhantomPDF enables you to retrieve recently opened documents, as well as read PDF documents in different view settings: multi-tab reading and single document reading.

Multi-tab Reading & Single Document Reading

Multi-tab Reading

The multi-tab browsing feature enables you to open multiple files in a single instance. Newly opened PDFs will be displayed in tabs.

To enable tabbed browsing, go to FILE > Preferences > Documents > Open Setting > uncheck Allow Multiple Instances.

Mand The Select ▼	abe U_U FFF∧T∧	Note File	Typewriter	Callout		🖍 Pencil 👲 Eraser	Are Highl
Tools	Text Markup	Pin	Туре	ewriter		Drawing	
Pair	nting.pdf	X XF	A form2.pdf	(Untitled-protected	l.pdf	
			~~~				

**Tab Bar** 

#### **Single Document Reading**

Create a new window when you double-click to open a new PDF file.

 To enable single document interface mode, go to FILE > Preferences > Documents > Open Setting > check Allow Multiple Instances.

#### Page through a document


#### Go to Specified Page

Click the **First Page**, **Last Page**, **Previous Page** and **Next Page** buttons in the **Go To** group under the **VIEW** tab, which is also located in the status bar. You can also input the page number to go to that specific page. **Previous View** lets you return to the previous viewed instance and **Next View** goes to the next viewed instance.




#### **Read with Bookmark**

To jump to a topic using bookmarks, click the **Bookmark** button I on the left Navigation pane. And then click the bookmark or right-click the bookmark and choose "**Go to Bookmark**". Click the plus (+) or minus (-) signs to expand or collapse the bookmark contents.



#### **Read with Page Thumbnail**

To jump to a page with page thumbnails, click the Page **Thumbnails** button in the left Navigation pane and click its thumbnail. To move to another location on the current page, drag and move the red box in the thumbnail. To resize a page thumbnail, right-click on the thumbnail and choose "**Enlarge Page Thumbnails**" or "**Reduce Page Thumbnails**".



#### **View PDF Portfolios**

PDF portfolios are a combination of files with different formats such as Word Office files, text documents and Excel files. Foxit PhantomPDF provides viewing and printing PDF portfolios, as well as searching keywords in PDFs in the portfolio.

C > □     □     1     1     0     0     +     Portfolio1.pdf - Foxit PhantomPDF     TOOLS     III     0     0     -     0       ELLE     HOME     CONVERT     EDIT     ORGANIZE     COMMENT     VIEW     FORM     PROTECT     SHARE     HELP     PORTFOLIO     III     PORT	
	23
	ھ <
Layout Details Cover Sheet Sheet View Add Create Add Add Create	
Start Portfolo1.pdf x Search	×
Home > Description In the second seco	
All PDFs in portfolio	•
Painting.pdf 😥 help file.docx 🐨 sheet 1.xisx 🖬 🗖 Desktop	•
What word or phrase would you search for?	ike to
Searching	۶-
Patterns Sear	ch
screenshot.jpg	
(↓ ↓ 1/1   ▶ ) ▶ 🖆 🖳   □ 🗏 175%   ⊖   + ↓	- 🕀 //

#### A Sample PDF Portfolio

- > Download a Sample PDF portfolio (preferably with files in different formats).
- Open it in Foxit PhantomPDF by right clicking and "Open with Foxit PhantomPDF".
- You can view the coversheet, details and layout of the portfolio. To open and read the files in the portfolio, please do any of the following:
  - Double-click a file.
  - Select a file and click ^b button in the upper right corner of the document area.
  - Right-click a file and choose **Open File in Native Application**.
- Right-click a document in the portfolio and choose Show Information or click the

button in the upper right corner of the document area to view the properties of the document.

Search in portfolio by typing keywords in Search box or using shortcut keys CTRL+ Shift
 + F.

#### Search & Index in PDFs

#### **Find Text**

To quickly find text you are looking for, follow the steps below:

- Select the Find Field Find on the menu bar. Click 😳 🔭 to set the search criteria.
  - A. Whole words only -- limits the search to match only whole words. For example, if you search for the word *Read*, the word *Reader* will not be found.
  - B. Case-Sensitive -- makes the search case-sensitive. For example, if you search for the word

*text*, the words *Text* and *TEXT* will not be found.

- C. Include Bookmarks -- enables you to search for a word in the whole text, including bookmarks.
- D. Include Comments -- enables you to search for a word in the whole text, including comments.
- E. Include Form Data enables you to search for a word in the whole text, including form data.
- Type the text in the field and press the Enter button. Foxit PhantomPDF jumps to the first instance of the search term, which appears highlighted.
- Click and or press shortcut keys **Shift+F3** and **F3** to find previous or next result, or press **Enter** to find the next result.

Foxit PhantomPDF supports the advanced search function, which enables you to do the following: search a string in a single PDF file, multiple PDF files under a specified folder, or PDFs in a PDF portfolio. When the search finishes, all occurrences will be listed in a tree view. This will allow you to quickly preview the context and jump to specific locations.

To do the advanced searching, do as below:

• Click the search button <a>A</a>, and select a document or folder you want to search in the Search Panel. Then in the Searching box, type the text you want to search for and click the

button to set the search criteria. See also <u>Search Criteria</u>.

- Check the item **Patterns** and select a pattern. The patterns vary with different countries. Choose **Country** based on the file you are using.
- Click **Search** button. Foxit PhantomPDF jumps to the first instance of the search term, which appears highlighted. And all occurrences will be listed in a tree view, allowing you to quickly preview the contexts and jump to specific locations.
- Press **New Search** in the search panel to start a new search or press the close button in the top of the search panel to finish the search.

**Note**: To find or edit text in a scanned or image-based PDF, you need to convert the content into searchable or editable text using the OCR feature. See also <u>OCR PDFs</u>.

#### Move and Resize Search Box

The advanced search box can float or be docked. You can also resize the box with ease.

- To float the docked search box, please double-click the title bar.
- To move the floating search box, drag it by its title bar to another location in the work area.
- To resize the search box, drag any corner point to adjust.
- To dock the floating search box, double-click on the title bar.

#### **Adjust Page View**

Foxit PhantomPDF provides multiple tools that help you adjust the view of your PDF documents, such as the page magnification and the display of pages.

#### Adjust Page Magnification

Do one of the following procedures:

- **1.** Click the **Zoom In** tool **C** or **Zoom Out** tool **C** in **HOME** > **View**.
- 2. Right-click the document pane and select **Zoom In** or **Zoom Out**.
- **3.** Select or input a magnification percentage in the **Zoom To** Area **145.15% •** on the same tab.
- 5. Using the Marquee tool
- Choose the Marquee tool ^{Q Marquee} in VIEW > Assistant.
- The cursor changes into , drag a rectangle on the page or just click on the page to increase the magnification by one preset level, centering on the point where you clicked.
- Choose the **Marquee** tool, the cursor changes to  $\bigcirc$  as Ctrl-click on the page. Drag a rectangle on the page or just click on the page to decrease the magnification
- 6. Using the Loupe tool
- Choose the Loupe tool Ctoupe in VIEW > Assistant.
- Move the loupe tool to the places you want to view, you will see the amplificatory or decreased objects in the Loupe Tool dialog box.
- (Optional) Select the Lock option in the Loupe Tool dialog box. Click the area of the document you want to view in closer detail. A red rectangle appears in the document, corresponding to the area shown in the Loupe Tool window. You can drag or resize the rectangle to change the Loupe tool view.
- To change the scale ratio of the Loupe Tool, you can either enter a value in the zoom text box, or drag the slider in the Loupe Tool dialog box.

Loupe Tool
the center of the
hen the tool will zc
200 • % 😑 🗍 🕂 Lock

#### Using the Magnifier tool

You can easily magnify areas of the PDF files as you work on Foxit PhantomPDF with this free tool. It is especially useful for visually impaired people with some functional vision.



#### Magnifier

#### **Fisheye Magnifier**

- Choose the Magnifier Magnifier in VIEW > Assistant > Magnifier.
- Move the Magnifier to the places you want to view.
- To switch between Magnifier and Fisheye Magnifier, press the left mouse button.
- To change the size of magnifier window, press the right mouse button.
- To turn off the Magnifier, choose any other tools.

#### Resizing a Page to Fit the Window

There are four types for you to choose:

- To resize the page to fit entirely in the document pane, click the Fit Page button ¹ Fit Page in HOME > View, or right-click the Document Pane and choose Fit Page.
- To resize the page to fit the width of the window, click the Fit Width button ^(D) Fit Width in HOME > View, or right-click the Document Pane and choose Fit Width. Part of the page may be out of view.
- To resize the page to its actual size, click the Actual Size Size in HOME > View, or right-click the Document Pane and choose Actual Size.

To resize the page to fit the visible width of the window, removing the margins, click the Fit
 Visible button Fit Visible in HOME > View.

#### Adjust the Page Display

To change the Page Orientation, do one of the following:

- Click the Rotate View button Rotate View in VIEW > Page Display.
- Click the Rotate Left button  $\square$  or the Rotate Right button  $\square$  in HOME > View.
- Right-click the document pane and choose the **Rotate Right** tool.

**Note:** You can change the page view in 90-degree increments, but the change only affects screen display instead of its actual orientation. You cannot save the changes in page view.

To change the page display, Foxit PhantomPDF provides the following page layouts:

- Single Page Displays one page in the document pane at a time.
- **Continuous** Arranges the pages in the document pane in a continuous vertical column.
- Facing III Arranges the pages side by side, displaying only two pages at a time.
- **Continuous Facing** Arranges the pages side by side in a continuous vertical column.
- Show Cover Page During Facing
   If a document has more than two pages, the first page can be displayed alone on the right side of the document pane in Facing and Continuous Facing views.
- Split  $\Box$  View a PDF with the document pane divided into two panes (Vertically/ Horizontally Split command) or four panes (Spreadsheet Split command).

# **Note:** To revert back to single-pane view, choose **VIEW** > deselect **Vertically**/ **Horizontally**/ **Spreadsheet Split**.

With the **Vertically/Horizontally Split** view, you can scroll, change the magnification level, or turn to different pages in the active pane, as it will not change the other panes (above or below it).

The **Spreadsheet Split** view is useful if you want to keep column headings and row labels visible while scrolling through a large spreadsheet or table. In this mode, changing the magnification in one pane changes the magnification in all panes. Also, scrolling is coordinated between the panes. Scrolling a pane horizontally scrolls the pane above or below it; scrolling vertically also scrolls the

pane to the left or right of that pane.

#### **View Mode**

#### **Read Mode**

User interface settings, such as the navigation pane, toolbar, and status bar, will be hidden when a PDF is displayed in Read Mode. The document pane is enlarged, reducing wasted reading space while leaving the menu bar available for necessary operations.

To view a document in Read Mode, please choose one of the following:

- Click the **Read Mode** button Read Mode in **VIEW** > **Document Views**.
- Press the shortcut key "Ctrl + H" on the keyboard.
- Right-click the document pane and select **Read Mode**.

In Read Mode, a basic toolbar will float when the cursor is put at the bottom of the screen or when you scroll through the document by dragging the slider. This offers basic tools, such as save, print, zoom in/out, etc.

If you open multiple PDFs, please press "Ctrl + Tab" on the keyboard to switch through them in Read Mode.

To exit the Read Mode, please do any of the following:

- Click the **Read Mode** button Read Mode in **VIEW** > **Document Views**.
- Press the shortcut key "Ctrl + H" on the keyboard.
- Click the **Read Mode** button III on the floating basic toolbar at the bottom of the screen.

#### **Full Screen Mode**

In Full Screen mode, Foxit PhantomPDF Document Pane fills the entire screen, with Menu Bar, Toolbar, Status bar, and Bookmarks pane hidden behind. The mouse pointer remains active in Full Screen mode so that you can click links.

- 1. To set Full Screen preferences, please go to **FILE > Preferences > Full Screen**.
- 2. To enter Full Screen mode, please do one of the following:
  - Right-click the Document Pane and select Full Screen.
  - Press the shortcut key **F11**.

3. To adjust the view in Full Screen mode, right-click the document and work with the Context Menu.

**Note:** This feature will not be available unless you clear **Left click to go forward one page; right** *click to go back one page checkbox in the* **Preference** > **Full Screen**.

- 4. To exit Full Screen mode:
  - Press Esc key.
  - Press the shortcut key **F11**.
- 5. Page Transition in Full Screen

Foxit PhantomPDF supports page transition to turn pages in Full Screen mode. It helps you to turn pages as the transition feature in Microsoft Power Point. There are 10 transition types: Split, Blinds, Box, Wipe, Dissolve, Glitter, Push, Cover, Uncover and Fade. Also, you could set the direction, speed and page range for the transition.

To edit page transition, click the Page Transitions 1 in VIEW > Page Display.

Page Transitions
Page Transition
Transition: No Transition
Direction:
Speed:
Page Range
All Pages     All Page
Selected Pages
◎ From 72 ▼ To 72 ▼
OK Cancel

Note:

- This change only works for the current PDF.
- The pages will be turned in the same way the next time you open and view the document in full screen mode.
- If you want to set page transition to all PDF documents opened by Foxit PhantomPDF, please choose FILE > Preferences > Full Screen.

Pre	ferences			x
	Accessibility Commenting Create PDF Documents Editing Export PDF File Associations Forms Full Screen General History	H	Full Screen Navigation  Show Scroll bar  Show Status bar  Show Tab bar  Show Navigation panels  Show Navigation panels  Left click to go forward one page; right click to go back one page  Full Screen Appearance Background:	
	Identity Languages Layout Grid OCR Page Display PDF Sign Print	Ŧ	Full Screen Transitions  Ignore all transitions  Default transition: No Transition  Direction:  OK Cance	I

#### **Reverse View**

To read documents in a backward order, please do one of the following:

- Choose VIEW > Document Views >Reverse View Reverse View .
- Right-click on the document pane and choose Reverse View.

#### **Text Viewer**

With Foxit Text Viewer, you can work on all PDF documents in pure text view mode. It allows you to easily reuse the texts scattered among images and tables, and acts like Notepad. Also, you can adjust some settings to meet your needs.

To Enter Text View mode, do one of the following:


- Choose VIEW > Document Views > Text Viewer
   .
- Press the shortcut key **Ctrl** + **6**.

#### ♦ Customizing Text Viewer

As soon as Text Viewer is activated, you can use the Font Setting Tools to customize your own work area. Right-click the text area to select **Font Setting**.

1. To change text font when reading with Text Viewer

- Right-click and choose Font Setting > Font....
- Choose Font name, Font Style, Font Size, Effects, Color and Script from respective fields in Font dialog box. The suggested font for best screen display is Courier New.



- 2. Toggle between regular style and Bold style, choose Font Setting > Bold.
- 3. Toggle between regular style and Italic style, choose Font Setting > Italic.
- 4. Change the text color and the background color
- Right-click and choose Font Setting > Color....
- Text Viewer Colors dialog box pops up.

Text Viewe	er Colors			X
- Foregi red:			0	
green:	0			
blue:	0			
Backg	round			
red:	255		,	
green:	255		,	
blue:	255			
		123	45	
			OK Can	cel

- Drag respective sliders or type the value to change the Foreground (Font) Color and Background (page) Color. You can preview the changes in the box with a word "Sample".
- Click **OK** to complete the procedure, or click **Cancel** to abandon the changes.
- 5. Change Text Viewer settings
  - Right click the text area > select **Setting...**

• The text Viewer Settings dialog box pops up.

Text Viewer Settings		×
Current page width		
Minimal width:	78	🖉 Auto Width
Keep Column		Auto Rotate
Current document widt	th	
Minimal width:	78	🗹 Auto Width
Keep Column		V Auto Rotate
System default width		
Minimal width:	78	🗹 Auto Width
Keep Column		V Auto Rotate
		OK Cancel
		OK Cancel

- Below are the text viewer settings:
  - A. Set page width at three different levels: Current page width, Current document width and System default width.
  - B. Minimal width the valid value for this field is 0-1024. It is set to 78 by default.
  - C. Keep Column for PDF tables or text columns, you can check Keep Column to retain appropriate column in text viewer mode. It is checked by default.
  - D. Auto Width for PDF tables or text columns, you can check Auto Width to keep proper width between texts automatically. It is checked by default.
  - E. Auto Rotate you can check Auto Rotate to ensure consistent orientation with that of the printer. It is checked by default.

#### ♦ Navigating in text viewer mode

1. To go to next or previous page, do one of the following:

- Choose VIEW > Go To > Previous Page ◀ or Next Page ►.
- Click the **Previous Page** icon ◀ or **Next Page** icon ▶ on the Status Bar.
- Put the cursor in the Document pane, press the **Left** or **Right Arrow** on keyboard to move the pages up or down.
- 2. To go to the first or last page, do one of the following:
  - Choose VIEW > Go To > First Page ◀ or Last Page ▶.
  - Click the **First Page** icon **I** or **Last Page** icon **I** on the Status Bar.

• Press the **Home** or **End** keys.

**3.** To go to a specific page, do one of the following:

- Choose VIEW > Go To > input the specific page number > press Enter.
- Input or select the specific page number on the Current Page Number Box
   185 / 185 

   on Status Bar, and press Enter.

#### ♦ Changing the magnification level of a document

Do one of the following procedures:

- 1. Click the **Zoom Out** button  $\bigcirc$  or the **Zoom In** button  $\bigcirc$  on the status bar.
- 2. Choose HOME > View > Zoom In  $\bigcirc$  or Zoom Out  $\bigcirc$ .

**Note:** The **Zoom To** box 100% is unavailable in Text Viewer mode.

#### ♦ Finding text in Text Viewer mode

To find text you are looking for, please refer to Find Text.

#### ♦ Copying and pasting text in Text Viewer mode

#### 1. Select text

- Select a word: Double-click the word you want to select.
- Select a line of text: Click and drag the cursor on the line of text you want to select.
- Select all the text: Press Ctrl + A or right-click the Document Pane > choose Select All.
- **2.** Copying text, do one of the following:
- Right-click the selected text > choose **Copy**.
- Select the text and then press shortcut key **Ctrl + C**.

#### 3. Pasting text

To paste the selected text on Clipboard to another application, please follow the paste command of the specific application.

### **Read Out Loud**

#### What's Read Out Loud?

Read Out Loud is a Text-to-Speech (TTS) tool. This tool can read the text in comments and alternate text descriptions for images and fillable fields. With this feature, you can obtain information without having to view the page, helping to effectively relieve eyestrain. It also enables you to view other materials while listening to a PDF's content.

#### To use the Read Out Loud, please do as below:

• Choose VIEW > Assistant > Read > Read Current Page/Read from Current Page.

#### **Setting Reading Preferences**

Please go to FILE > Preferences > Reading.

#### Page vs Document:

- 1. Only read the currently visible pages Read the visible page displayed on the current window.
- 2. Read the entire document Read every page of the document in order.
- 3. For large documents, only read the currently visible pages If you open a large PDF, the system will only read the current, visible page.
- 4. **Minimum number of pages in a large document** Set a minimum number of pages to define a PDF as a "large document".

#### **Reading Actions**

In Read Out Loud Mode, some simple actions are offered for users to control the reading status, including read this page, read this document, pause, resume, rate up, rate down and stop.

Choose an action in **VIEW** > **Assistant**.




Read Out Loud uses the available voices installed on your system. If you have SAPI 5 voices installed from text-to-speech or other language applications, you can choose to have them read your PDFs.

Note: Read Out Loud isn't a screen reader. Some operating systems may not support it.

### **Rulers, Guides, Grids & Line Weights**

### Using Rulers & Guides

Foxit PhantomPDF provides horizontal and vertical ruler guides to help you align and position text, graphics or other objects on the page. They can also be used to check the size and margins of your documents.



#### **Rulers & Guides**

#### A. Rulers B. Guides

To show or hide rulers/guides, select **VIEW** > check or uncheck **Rulers/Guides**.

To create ruler guides, follow the steps below:

- Drag down the horizontal ruler to create a horizontal guide, or drag to the right of the vertical ruler to create a vertical guide.
- Double-click a location on the horizontal ruler to create a vertical guide, or double-click a location on the vertical ruler to create a horizontal guide.

To move ruler guides, select the Hand tool, click and hold the guide, and then drag it to a new location.

To change the unit of measurement, right-click the horizontal ruler or the vertical ruler, and select a measurement system for the rulers.

To delete ruler guides, please do one of the following:

- To delete a guide, click the guide to select it, and then press the **Delete** key.
- To delete all guides on a certain page, scroll to the page, right-click the ruler area and choose **Clear Guides** on Page.
- To delete all guides, right-click in the ruler area and choose **Clear All Guides**.

#### Grids

You can use grids to line up form fields in a PDF document. When you create or move a form field, **Snap to Grid** can align the form field with the nearest grid line.

To show or hide the grid, navigate to VIEW > Page Display > and check/uncheck Grid.


To turn on or off the **Snap to Grid** option, navigate to **VIEW** > **Page Display** > and check/uncheck **Snap to Grid**.

You can also customize the grid appearance from **FILE** > **Preferences** > **Layout Grid**.


- Width/Height between lines: sets the spacing between grid lines.
- Grid offset from left/top edge: sets the origin of the grid.
- **Subdivisions**: sets the number of subdivisions within each grid square. Subdivision lines are lighter than grid lines.
- Grid line color: sets the color of grid lines.

### **Line Weights View**

In Line Weights View, the lines will be displayed with the weights defined in the PDF file. When Line Weights View is turned off, the lines will be displayed with the constant stroke width (1 pixel), regardless of zoom. The following screenshots show the comparison of the PDF file displayed in Line Weights View and Non-Line Weights View.



PDF in Line Weights View



PDF in Non-Line Weights View

- To enter Line Weights View, please choose VIEW > Page Display, and then check Line Weights
  option.
- To exit Line Weights View, please choose VIEW > Page Display, and then uncheck Line Weights
  option.

### **Compare PDF Files**

The Document Compare feature lets you see the difference in two versions of a PDF, as well as select the type of differences you're looking for to verify that the appropriate changes have been made. The Document Compare feature does not compare comments in the PDF.

#### Comparing a revised PDF to an earlier version

• Choose VIEW tab > Compare group > Compare

Compare (initial document)						
Document:	7.0 New Feature Descriptions_1.pdf					
Ol <u>d</u> er From:	Ol <u>d</u> er From: 1 ▼ 10: 5 ▼					
<u>T</u> o (changed d	ocument)					
Document: 7.0 New Feature Descriptions_2.pdf   Choose						
Newer <u>F</u> rom: 1 <b>v</b> T <u>o</u> : 5 <b>v</b>						
Type of Comparison						
Page by page visual differences     Image of the second seco						
<ul> <li>Include font information (style, size, typeface)</li> </ul>						
Highlight differences only when documents differ by less than this percentage: 60 %						
✓ Include page reassembled changes						
· · ·	is are replaced, it will ignore the text					
-Compare (initia	document)	To (changed document)				
. 55						
1		Elizabet     Elizabet				
1 of 5(1)		1 of 5(1)				




- Specify the two documents to be compared. Click **Choose...** to select the file and choose the specific pages you want to compare by dragging the slider or clicking the list box to select the page number.
- Type of Comparison:

**Page by page visual differences** – Compares by visual differences, including texts, images, annotations, etc.

**Textual differences** – Compares texts only between the two documents. Check **Include font information (style, size, typeface)** if needed. You can also set to highlight differences when documents differ by less than a percentage to easier find out the differences.

**Include page reassembled changes** – If you check this option, the application will automatically ignore the textual differences of the pages that were replaced or inserted and will indicate that the pages will be inserted in the comparison result.

- You can preview pages after you check **Show preview** option. Choose the specific page you want to preview by dragging on the page range bar or select the page number by clicking the list box near the range bar.
- Click **OK**. And then a PDF document named "The result of Comparison.pdf*" will be automatically created and opened with PhantomPDF. The first page shows a summary of the comparison results and the differences will be classified with different colors.



# Select & Copy

With Foxit PhantomPDF, you can copy texts and images to other applications.

### Select and Copy Text

The Select Text tool lets you select horizontal and vertical text or columns of text in a PDF. PhantomPDF sets each ribbon with the hand tool and Select tools for user's convenience. To copy

text, click Select Text Tool hand do the following:

#### Select text

- Select a line of text: Drag the cursor  $\mathbb{I}$  toward a line of text you want to select.
- Select a column of text: Put the cursor between the lines, drag the cursor 🏥 toward a column of text you want to select.
- Select a word: Double-click the word you want to select.
- Select multiple paragraphs through pages: Click at the start of the selection, scroll to the end of the selection without releasing your mouse.
- Select all the text: Press Ctrl + A, or select some text, right-click it and then choose Select All.
- Deselect all the text: Click any area of the text.

#### Copy text

After selecting the text, do one of the following:

- Right-click the selected text > choose **Copy**.
- Press shortcut key **Ctrl + C**.

*Tip:* The style (including font, bold, color, etc.) of the text will be copied to the clipboard as well when you copy text in PDF.

#### Paste text

To paste the selected text on Clipboard to another application, please follow the paste command of the specific application.

### **Copy Content Using Snapshot Tool**

You can use the snapshot tool in SnapShot to copy individual images or selected content (text,

images, or both) to the clipboard or other applications. Text and images will be copied as an image.

To copy an image or a combination of text and images, do the following:

- Select the **Snapshot** tool by choosing **HOME** > **Snapshot**.
- The cursor changes into a Cross ⁻[!]- automatically.
- Click and drag the mouse to draw a rectangle around the content you want to copy.
- You will be prompted that the selected area has been copied to the clipboard. To deselect it, click anywhere on the page.
- (Optional) Right-click the selected area, and then choose Copy Select Graphic.
- Paste the selected image to desired destinations.

#### Note:

- 1. The selected area will be highlighted in blue.
- 2. With the snapshot tool, click anywhere or right-click anywhere in the page and choose "Select All" to copy the entire page.
- 3. You can also copy the selected area and paste it to a PDF document as a stamp annotation.

# Word Count

Similar to Microsoft Word, Foxit PhantomPDF counts words, characters, pages, lines and other information in all or part of your document. With no text selected, click **VIEW** > **Proofing** > **Word Count**, and you will see a pop-up **Word Count** box for the statistics of the entire document. For a

partial word count, just select the text you want to count, and then click **VIEW** > **Proofing** > **Word Count**; or right click the selected text and choose **Word Count** from the context menu.

# **Check the Accessibility of PDFs**

A document is accessible if it can be used by people with disabilities, such as visually impaired people. Foxit PhantomPDF allows users to evaluate the accessibility of your documents and identify areas that may be in conflict with Foxit's interpretations of referenced guidelines with Accessibility Checker.

Use Accessibility Full Check to check whether a PDF is compliant with accessibility standards of Section 508. You can choose which kinds of accessibility items to check for and how to view the results.

To check accessibility with Full Check, please do as below:

1. Choose FILE > Accessibility Checker > Accessibility Full Check

Accessibility Check						
Standard: Section 508 Web-based intranet and internet information and applications(§1194.22)						
Checking Options						
🛙 (a) Text equivalents	<b>V</b> (g) Table headers	🗹 (m) Applets & plug-ins				
(b) Multimedia presentations	(h) Complex tables	🗹 (n) Forms				
🔽 (c) Color	🔽 (i) Frames	🗹 (o) Navigation links				
🔽 (d) Readability	<b>V</b> (j) Flicker rate	(p) Timed responses				
(e) Server-side image maps	📝 (k) Text-only alternative					
🗹 (f) Client-side image maps	☑ (I) Scripts					
Select All Clear All						
Report Options:						
Create Accessibility Report	Folder: C:\Users\Administrator\Documents	Choose				
Options		Start Checking Cancel				

2. In the Accessibility Check dialog box, select options you need to check for.

- 3. In Report Options section, check **Create Accessibility Report** option if needed to save the results as an HTML file and specify its Save Path.
- 4. Click **Options** button and specify the page range to do a full check.
- 5. Click Start Checking.
- 6. When the check is completed, the accessibility report appears in the Accessibility report

panel in the left Navigation Pane. And the result report file is also created in the specified folder.

The report includes the name of the PDF document, Detailed Report and Summary. Detailed Report displays if there are any areas with problems. Summary clearly lists one of the following statuses for each item check:

- Passed automatic verification The item is accessible.
- Needs manual verification by user The Full Check feature couldn't check the item automatically. Please verify the item manually.
- Not applicable There is no applicable content for this item.
- The items with problems are totaled. For detailed information, please refer to Detailed Report.

**Note:** Because some content types are difficult to be distinguished clearly by the checker, some issues reported may not affect readability. It would be better to review all issues to definitely decide which ones are not accessible.

7. (Optional) If you didn't choose to create a report in Step 3, you can click button in the Accessibility report panel to save the results. You can also open a report by clicking button.

To view Full Check results:

- 1. Choose FILE > Accessibility Checker > Open Report 🗟.
- 2. In the Open dialog box, select the report file from the folder where you saved the report file and click **Open**.
- 3. The report file will be opened with the associated PDF.

# **Asian Languages**

If you try opening PDF files directly that contain Eastern Asian Languages such as Traditional and simplified Chinese, Japanese, and Korean, you can open them with Foxit PhantomPDF directly now. The add-on of Eastern Asian Language has been integrated into the Foxit PhantomPDF package, so you won't be prompted to download and install the required language font kits. Foxit PhantomPDF lets you view, search, and print PDF documents with Asian language text.

**Note:** To update the Eastern Asian Language font kits, users still have to go to **HELP** > **Check for Update** to download and **HELP** > **Install Update** to install the updated version.

# **PDF** Properties

To view the PDF properties, please choose **FILE** > **Properties**. You can acquire all relevant information as follows:

### Description

This tab shows some basic information about the document. The person who created the document in the source application may have set the title, subject, author, and keywords. You can easily edit the document information within the PDF document, a useful way for searching and indexing files.

### **Initial View**

When a user opens your PDF document, they see the initial view of the PDF. You can set the initial view to the magnification level, page and page layout that you want. If your PDF is a presentation, you may want to set the initial view to Full Screen Mode. After you define the initial view of the PDF, you can add page transitions to selected pages of the entire document.

#### Define the initial view as Full Screen mode

When setting the initial view of a PDF to Full Screen mode, you must define how the document opens.

- 1. Choose **FILE > Properties**.
- 2. In the Document Properties dialog box, select Initial View.
- 3. For best results, do the following:
  - ♦ Choose Page Only from the Navigation tab menu.
  - ♦ Choose Single Page from the Page layout menu.
  - ♦ Set **Open to page** to the page on which you want to start the presentation.
- 4. Select **Open in Full Screen mode** to open the document without the menu bar or toolbar displayed. Click **OK**. (You have to save and reopen the file to see the effects.)

**Note:** Users can exit Full Screen mode by pressing **Esc** if their preferences are set this way. However, in Full Screen mode, users cannot apply commands and select tools unless they know the keyboard shortcuts. You may set up page actions in the document to provide this functionality.

### Security

This tab describes security permissions and what functionality is allowed within a PDF. All the

security information is listed here if a password has been applied to the PDF.

See also "Checking PDF Security"

### Fonts

The Fonts tab lists the fonts and the font types used in the original document, as well as the encoding used to display the original fonts.

# **Chapter 4 – Create**

Up to 3 times faster than other PDF tools, Foxit PhantomPDF makes creating PDF and PDF/A documents simple and streamlined. With a click you can quickly convert virtually any kind of file to PDF without having to open the source application.

# **Create a PDF in Different Ways**

With Foxit PhantomPDF, you can easily create PDFs from files in other formats.

See also the tutorial on how to <u>Create Industry-Standard PDFs</u>.

### **One-click PDF Creation from Any File**

Foxit PhantomPDF can create any kind of printable files to PDF simply by dragging the file into the program window; alternatively, you can use Foxit PhantomPDF to quickly convert files to PDF directly from within Windows[®] Explorer.

To create a PDF with one click:

- Drag the document you want to convert on to the Foxit PhantomPDF desktop icon
- If the Foxit PhantomPDF is open, drag the file directly into the application window.
- Right click the document icon you want to convert and choose **Convert to PDF in PhantomPDF**.

### **Create PDFs in the Foxit PhantomPDF Application Window**

#### Create a PDF from a File

You can create a PDF from Office, email, a web site, or from any file that prints.

1. Launch Foxit PhantomPDF, choose FILE > Create > From File, or choose CONVERT > Create > From Files > From File.

2. In the **Open** dialog box, select a file. You can browse all file types when you select All Supported Files (*.xls, *.xlt, ...) from the File type menu.

3. Select a file you want to convert and click **Open** to convert the file to a PDF.

4. Type a filename and specify a location in the pop-up **Save** dialog box.

**Note:** Depending on the type of file being converted, a progress dialog box appears and Foxit PhantomPDF opens automatically.

#### Create a PDF from multiple files

You can easily merge files of different types into a single PDF.

- Choose FILE > Create > From Multiple Files, or choose CONVERT > Create > From Files > From Multiple Files, or right-click a file you want to convert to PDF and choose Combine files in Foxit PhantomPDF....
- 2. In the **Convert Multiple Files** dialog box, click **Add Files...** to select the files you want to combine.
- 3. Adjust the order of files as desired by using **Move Up/Down**, click the title of the table or drag and drop to change the file order.
- 4. Choose a type of converted PDF file and click **Convert**:
- **Convert multiple files to PDF files** All the files will be converted to different PDF files.
- Merge multiple files into a single PDF file All the files will be converted to a single PDF file

*Tip:* Foxit PhantomPDF uses original filename as a bookmark as default when combining multiple files into a single PDF.

#### Create a PDF from a blank page

You can create a PDF from a blank page rather than beginning with a file, a clipboard image, or scanning.

- 1. Choose FILE > Create >Blank, or choose CONVERT > Create > Blank.
- 2. Choose EDIT > Edit Content > Add Text tool or COMMENT > Typewriter > Typewriter.
- 3. Click on the blank page to start typing the text you want to add to the blank page.
- 4. As needed, select other tools and options that you want to apply to the PDF.
- 5. Choose **FILE** > **Save**, and select a name and location for the PDF file.

#### Create a PDF from Clipboard


You can create a PDF directly from your clipboard.

- 1. Choose FILE > Create > From Clipboard, or choose CONVERT > Create > From Clipboard.
- 2. The texts or images in the clipboard will be converted to a new PDF file.

### Create PDFs in Microsoft Word, Excel and PowerPoint

Foxit PhantomPDF enables you to create professional and secure PDF files from Microsoft Office (Word, Excel and PowerPoint and Outlook), automatically keeping bookmarks, links, hyperlinks, outline and more of the source files in the created PDF.

In Microsoft Office 2007/2010/2013/2016, Foxit PhantomPDF appears as a tab, which allows you to quickly create PDF files and change your conversion settings in just a few clicks.



#### Microsoft Word 2013 Foxit PDF Tab

#### **Create PDFs**

To create a PDF in Microsoft Word, Excel and PowerPoint, please do as below:

Open a file in Microsoft Word, Excel or PowerPoint, click the **Foxit PDF** tab and do one of the following:

- To create a PDF using the current settings, click the **Create PDF** button. Then enter the file name, specify the location and click **Save**.
- To create and email a PDF using the current settings, click **Create PDF and Email**. Then enter the file name, specify the location and click **Save**. The created PDF file will be attached to your mail system automatically for you to send out.
- To customize your PDF conversion settings before creating a PDF, check the desired options in the **General Settings** group.

**View PDF Results** – Once the conversion is finished, the converted PDF will be opened with PhantomPDF automatically. This option is checked by default.

**Prompt for File Name** – Before conversion, the PDF file will prompt you with a dialog box to name the file being created. This option is checked by default.

**Preserve Document Properties** – Keeps the document properties of the source file in the converted PDF during the conversion. This option is checked by default.

• For more settings, click the **Advanced** button and the Foxit PhantomPDF Add-in dialog box pops up.

For the **Settings** tab:

**Support PDF/A-1b Standard** – Creates a PDF that is compliant with the PDF/A-1b standard.

**Create Bookmarks** – Keeps the bookmarks of the source file in the converted PDF. (Word Only) This option is checked by default.

For the Watermarks, Headers/Footers, and Security tabs, please see <u>Setting Foxit</u> <u>PhantomPDF Printer Properties</u>. In the Security tab, you can add RMS protection. For instructions on how to add RMS protection, please refer to <u>AD RMS Protection</u>.

	nPDF Add-in	
No Prot	tion 🔻	
No Prot	tion	
	Protection	
	e Protection en the document	
RMS Pro	ection	
	ocument open password:	
	Repeat password:	

#### **Create PDFs Using Word's Mail Merge**

Foxit PhantomPDF allows you to convert personalized email messages, letters, or labels created from Microsoft Word's **Mail Merge** function to PDFs all at once. You can also change the settings to send the PDFs via email attachments to a number of individuals if needed.

1. To create PDFs from Mail Merge, open the Word file and click Mail Merge

**PDF** tab or click **Merge to Foxit PDF** in the **MAILINGS** tab. (*Note: The Word file must be a mail merge document before you merge them to PDFs. For information on how to create a mail merge document, please refer to Microsoft Word Help.*)

2. In the Mail Merge Settings dialog box, you can specify the set by a range of record numbers. Then specify the name of the PDFs by filling in the field for the file name or by choosing a field from the list of fields available in your data source. (Note: If you type ReplyLetter in the Name box, the mail-merged PDFs will be named ReplyLetter1, ReplyLetter2, ReplyLetter3, and so on.) Click OK to continue.

Mail Merge Settings	×
Record Range	
Current	
From: 1	To: 3
PDF File Name	
Specify PDF File Name:	TypeLetter
Choose a field:	First_Name 👻
Email Settings	
Automatically send PDF file	es by email
To:	Email_Address 👻
Subject line:	< <add here="" subject="" your="">&gt;</add>
Message:	
Please see the attache	d PDF File.
	OK Cancel


- (Optional) If you need to email the created PDFs as attachments, check the Automatically send PDF files by email option and adjust the relevant settings as needed.
- 4. Specify a save path for the PDFs and click **OK**.
- 5. If you checked the **Automatically send PDF files by email** option, you will be prompted to choose an email profile. Click OK to send the PDF files.
- 6. A message box will pop up to prompt you if the process was successful.

#### **Create a redacted PDF**

The Foxit PhantomPDF plugin in Microsoft Word, PPT and Excel also enables users to quickly create a redacted PDF, which can be encrypted into an RMS-protected PDF as well. For a redacted and RMS-protected PDF, authorized users are granted access to view the full document while unauthorized users are only able to view the redacted document. PDF redaction permanently removes visible text and images from PDF documents to protect confidential information. This feature allows for improved sharing of non-sensitive information within a protected document. To create a redacted PDF or a redacted and RMS-protected PDF, select the text you want to redact and click **Mark for Redaction**. Click the **Create Redacted** button and choose **Standard Redaction** to create a redacted PDF document, or choose **RMS Redaction** to create a redacted and RMSprotected PDF document. Then enter the file name, specify the location, and click **Save**. For more detailed information about redaction and AD RMS integration, please refer to <u>Redaction</u> and <u>Template Creation and Editing</u>.

### **Create PDFs or PDF Portfolios with Microsoft Outlook**

Foxit PhantomPDF helps you create a PDF file or PDF portfolio from the selected email message(s) or folder(s).



Microsoft Outlook 2013 Foxit PDF Tab

To create a new PDF or PDF portfolio from the selected message(s), please select the message(s) you want to convert and click Selected Message > Create New PDF..., or right-click the selected message(s) and choose Convert to Foxit PDF. Then specify the name and the location of the created PDF or PDF portfolio to begin the conversion.

#### Note:

- 1) To create a new PDF portfolio, the **Output PDF Portfolio** option should be checked in **General Settings** group. Each message will be converted to a single PDF.
- 2) If the **Output PDF Portfolio** option is not checked, the selected message(s) will be merged into one continuous PDF according to the time of each message was sent or received, i.e. the latest message is on the first page.
- *3)* The default name of the created PDF or PDF portfolio will be the title of the selected message or the folder name of the selected messages.
- To create a new PDF or PDF portfolio from the selected folder(s), please click Selected Folder > Create New PDF..., or right-click a folder and choose Convert to Foxit PDF. Select folders you want to convert in the pop-up Convert folder(s) to PDF dialog box. Then specify the name and the location of the created PDF or PDF portfolio to begin the conversion.

Convert folder(s) to PDF					
Please select one or more folders to create PDF from.					
E-Devin0910@sina.com					
Deleted Items					
Inbox					
Outbox					
Sent Items					
Suggested Contacts					
Junk Email					
undone undone					
PAD					
Notice					
RSS Subscriptions					
Tasks					
Notes					
Journal					
Drafts					
E Contacts					
Calendar					
···· News Feed					
Quick Step Settings					
Sync Issues					
Conversation Action Settings					
$\overleftarrow{}$ Convert this folder and sub folders					
OK					

#### Note:

- 1) To create a new PDF portfolio, the **Output PDF Portfolio** option should be checked in **General Settings** group. Each message will be converted to a single PDF and then the created PDF will be put into corresponding folders in the portfolio.
- 2) If the Output PDF Portfolio option is not checked, all messages in the selected folders will be merged into one continuous PDF. If you create a PDF file from one folder, the latest email message will be arranged on the first pages of the created PDF file. If you create from multiple folders, the order is based on the order how each folder is displayed on the Convert folder(s) to PDF dialog box first and then the time each message was sent or received.
- To append to an existing PDF or PDF portfolio from the selected message(s), please select the message(s) you want to convert and click Selected Message > Append to Existing PDF..., or right-click the selected message(s) and choose Append to Foxit PDF. Select the existing PDF or PDF portfolio you want to append to and click Open. The selected message(s) will be appended to the end of the existing PDF. If the existing PDF is a PDF portfolio, the selected messages will be created to single PDF files and then put into corresponding folders in the existing PDF portfolio.
- To append to an existing PDF or PDF portfolio from the selected folder(s), please click Selected Folder > Append to Existing PDF..., or right-click a folder and choose Append to Foxit PDF. Select folders you want to convert in the pop-up Convert folder(s) to PDF dialog box. Select the existing PDF or PDF portfolio you want to append to and click Open. All messages of the selected folder(s) will be appended to the end of the existing PDF. If the existing PDF is a PDF portfolio, each message of the selected folders will be created to single PDF files and then put into corresponding folders in the existing PDF portfolio.

• To customize your PDF conversion settings before creating PDF, check desired options in **General Settings** group.

**View PDF Result** – Once the conversion finishes, the converted PDF will be opened with PhantomPDF automatically.

**Output PDF Portfolio** – Creates a new PDF portfolio from the selected email message(s) or folder(s) and keeps the folder information of the selected folders in the created PDF portfolio (i.e., the location path information of the folder in your email system). If you don't want to keep the folder information during conversion, please click the **Advanced** button and uncheck **Convert folder information** option in the Settings tab. For instructions on how to modify a PDF portfolio, please refer to <u>Customize PDF Portfolios</u>.

**Include Attachment** – Keeps the attachments of the selected email messages or folders as the created PDF's attachments, with the file types of the attachments unchanged.

Support PDF/A-1b Standard – Creates a PDF that is compliant with PDF/A-1b standard.

For more settings, click Advanced button and a Foxit PhantomPDF Add-in dialog box pops up. You can add headers/footers, watermarks, security, etc. See also <u>Setting Foxit</u>
 <u>PhantomPDF Printer Properties</u>. In the Security tab, you can also add RMS protection. For instructions on how to add RMS protection, please refer to <u>AD RMS Protection</u>.

Foxit PhantomPDF Add-in				
Settings Watermarks Headers/Footers Security				
General				
View PDF Result				
Support PDF/A-1b Standard				
Application Settings				
Include Attachment				
Output PDF Portfolio				
☑ Convert folder information				

Foxit PhantomPDF supports automatic email archiving based on your settings. Click
 Automatic Archival 
 and check Enable Automatic Archival in the pop-up Automatic
 Archival dialog box to do archival settings:

A	det val Carriera	
Automatic Ar	chival Setting	
Enable A	Automatic Archival	Run Archival Now
Frequency:	C - 1	
	C Daily	
	Weekly Sunday _	
	C Monthly 1 🔽 Day of M	onth
Run at:	4:00:00	
Kun at.	+.00.00	
Maintain	Log of Archival	
Log File:		Choose File
Log File:	1	Choose File
Choose Fold	ers for Automatic Archival	
Choose Fold	ers for Automatic Archival	
		o\outlook\inbox.pdf
Folders	PDF Archive File	o\outlook\inbox.pdf
Folders	PDF Archive File	a\outlook\inbox.pdf
Folders	PDF Archive File	a\putlook\inbox.pdf
Folders	PDF Archive File C: \Users\Administrator\Desktop	
Folders	PDF Archive File	o\outlook\inbox.pdf Change Archive File
Folders	PDF Archive File C: \Users\Administrator\Desktop	
Folders	PDF Archive File C: \Users\Administrator\Desktop	

• Specify the frequency and the time of the day to do the automatic archiving.

• (Optional) Enable "Maintain Log of Archival" to create a record for each archiving. Click Choose File ... to name the log file and specify its storage location.

• In Choose Folders for Automatic Archival box, click Add to select email folders you need to archive and specify the name (Check the box for Append the archive date to the specified archive file name so that the older archived files will not be overwritten) and location of the archived email PDF. You can also click **Delete** to remove folders from the list or click **Change Archive File**... to modify the name and location of the archived email PDF.

• (Optional) You can start archiving email right after you choose the folders for automatic archival by clicking **Run Archival Now** button in the top right corner of the Automatic Archival dialog box.

Click **OK** to complete setting.

Note: All archived email PDFs are PDF portfolios.

### Create PDFs in Microsoft Visio (Business Edition Only)

PhantomPDF Creator Plugin in Microsoft Visio provides quick and easy PDF creation from Visio files, while preserving the document properties in the created PDFs depending on the conversion settings.

wan wa Vie	NSERT DESIGN	 PROCESS	REVIEW	VIEW	FOXIT PDF
Create Create	rompt for File Name reserve Document Pr	Layers Retain A	All -	Advanced	

To create a PDF in Microsoft Visio, please open a file in Microsoft Visio, click the **Foxit PDF** tab and do one of the following:

- To create a PDF using the current settings, click the **Create PDF** button. Then enter the file name, specify the location, and then click **Save**.
- To create and email a PDF using the current settings, click the Create PDF and Email

enter the file name, specify the location, and click **Save**. The created PDF file will be attached to your mail system automatically for you to send out.

 To customize your PDF conversion settings before creating PDFs, please refer to <u>Conversion</u> <u>Settings in Microsoft Word</u>. You can retain all layers or flatten all layers in the created PDFs by choosing **Retain All** or **Flatten All** for the **Layers** setting. If you choose to flatten layers, the created PDF will seem like the original Visio drawing, but without any layer information.

#### Note:

- 1. If you check **Create Bookmarks**, the created bookmarks will be named after the page name in Visio files.
- 2. Only shapes and guides that are printable and visible in the Visio drawing will be converted and will appear in the created PDF.

### **Create PDFs using the Print command**

Foxit PhantomPDF Printer works like a standard printer, so you can use it to print your files from any windows applications (such as Notepad, Outlook Express and Internet Explorer) as if you would print to a real printer.

- 1. Open the file in its authoring application.
- 2. Choose **FILE > Print**.


3. Select the printer named Foxit PhantomPDF Printer, and click the **Print** button. If you need to deploy print settings, click the **Preferences** button (See also <u>Setting Foxit PhantomPDF Printer</u> <u>Properties</u>).

4. Specify the name and the storage location in the pop-up dialog box and click **Save** to start printing. After the printing is finished, the generated PDF file will be opened directly.

Foxit PhantomPDF supports to append newly generated PDF files to a previously generated one which are created by **Print** command in other application using Foxit PhantomPDF Printer. More details please refer to the steps below.


1. Change settings in Foxit PhantomPDF. Run and open the application window. Click FILE > Preferences > Documents > uncheck Allow Multiple Instances, if it is checked. And click FILE > Preferences > Create PDF > check Insert printed PDF into previous generated one, exclude the PDF files created from PhantomPDF application.

2. Open the file you want to convert to PDF and use the Print command to generate a new PDF. The generated PDF file will be opened automatically with PhantomPDF. A Print Job pane appears in navigation pane and the name of the file will be displayed on the pane. Do not close and save the PDF file.



3. Open another file you want to append to the PDF file generated on Step 2. Convert the file with **Print** command to PDF.

4. You will see that the name of the file in Step 3 is also added to the Print Job pane. That is to say, the generated PDF file on Step 3 is appended to the generated PDF file on Step 2.



5. Click **FILE** > **Save**. In the pop-up Save As dialog box, specify the name and location and click **Save**.

### **Create PDFs using Print to Evernote**

Foxit PhantomPDF adds a new printer "Print to Evernote" after installation. This feature enables the user to send the PDF file as an attachment to Evernote, as well as the option to create a PDF the same as Foxit's PDF printer does.

To create a PDF using Print to Evernote, see below:

- 1. Install the Evernote application and sign in to an Evernote account.
- 2. Open the file you want to convert to PDF, and choose File > Print > Print to Evernote.
- 3. Set the print properties and then click **Print**. Name the PDF file and specify the storage location.
- 4. You will see that the PDF file is created and also attached in Evernote.

#### **Create PDFs using Scanner**

Foxit PhantomPDF allows you to create a PDF directly from a paper document using your scanner. You can scan a document to PDF directly with custom settings or by using preset preferences that you configured before.

See also the tutorial on <u>Scan Documents into PDF</u>.

#### Scan with custom settings

To scan a document to PDF with custom settings, please follow as below:

- Choose FILE > Create > From Scanner > the From Scanner... button, or choose CONVERT > Create > From Scanner, or choose HOME tab > Convert group > Scan button > Scan command.
- Select a scanner and related options in Scan dialog box.
   Note: You must have the manufacturer's scanning software installed on your computer.

Scan		x
Scann <u>e</u> r:	Please select a scanner 🗸 🔻	Advanced Options
-Configure scanner 😔	)	
Configure scanne	r using scanner interface	
Source:	-	
<u>C</u> olor Mode:	Ţ	
<u>P</u> aper Size:	▼	
Resolution:		0
Optimize Scanned PD	F 🛇	
Reduce size and	optimi <u>z</u> e	Optjons
Make Searchable	(run OCR)	Op <u>t</u> ions
Save	as <u>P</u> reset <u>S</u> can	<u>C</u> ancel

Scan dialog box

Advanced Options (Windows only): clicks to open the Scanner Options dialog box. (Available only after you select a scanner.)

**Transfer Mechanism**: Native mode transfers data by default in your scanner. Buffered memory mode scans in resolutions of over 600DPI.

Scanner Options		×
Transfer Mechanism:	Native mode	•
	Native mode Buffered memory mode	

#### Configure scanner:

**Configure scanner using scanner interface**: Checks this option and directly use the scanner interface to scan. Then the following items (i.e. Source, Color Mode, Paper Size and Resolution) will not be available and the settings in the scanner interface will not be able to saved as a preset.

Source: Chooses one paper source supported by your scanner.

**Color Mode (Windows only)**: selects a basic color mode (Black and White, Grayscale, Color or Auto Detect) supported by your scanner.

Paper Size (Windows only): selects a paper size.

Resolution (Windows only): selects a resolution supported by your scanner.

#### **Optimize Scanned PDF:**

**Reduce size and optimize**: checks this item and clicks **Options** to customize compression and filtering. The **Optimization Options** dialog box for image settings controls how scanned images are compressed for the PDF. Default settings are suitable for a wide range of document pages, but you may want to customize settings for higher quality images and smaller file sizes.

Optimization Opti	ons
Image Settings	·
Color/Gray:	JPEG 🔹
Low Quality	High Quality
Monochrome:	JBIG2(Lossy)
Deskew:	On 👻
	OK Cancel

**Color/Gray settings:** when scanning color or gray pages, select JPEG, JPEG2000(Lossless) or JPEG2000(Lossy) to apply JPEG compression to the entire gray or RGB input page. Select **High-Compression** to apply image compression in high-quality with small size (Available in *Business* Only).

**Low/High Quality:** drags the slider to set the balance point between file size and quality.

**Monochrome:** when scanning black-and-white or monotone images, select one of the following:

- JBIG 2(Lossless)/ JBIG2(Lossy): apply an image compression standard for bilevel images which is suitable for lossless or lossy compression.
- CCITT Group 4: applies CCITT Group 4 compression to black-and-white input page images.
- High-Compression: applies to high-quality with small size compression.
   (Available in *Business* Only)

**Deskew**: chooses **On** to automatically rotate any page so that the text is vertically aligned, which is of great use for cleaning up scanned PDFs.

**Make Searchable(run OCR)**: checks this item and clicks **Options** to run OCR in scanned PDFs. See also "<u>Recognize Text</u>".

**Save as Preset**: saves the current scanning settings as a preset with which you can quickly start a scan next time. In the pop-up **Save Preset** dialog box, rename the preset as needed and click **Save**.

- Click Scan.
- After completing scanning, the scanned PDF will appear with a new tab named "**POST-SCAN OPTIONS**" and two messages in the message bar.

					POST-SCAN OPTION	5	
Optimize Scanned PDF	OCR Current File	Page Organize	Edit Document Information	Close			
Start		Unti	tled.pdf *	×			•
<ol> <li>Scan com</li> </ol>	plete. If you wa	ant to scan	more pages you ne	ed to clic	ck the "Continue Scan".	Continue Scan	×
(1) There are	page(s) which	don't have	editable text, they	r are scan	ined or image-based.	Recognize Text(Make searchable/editable)	×

#### POST-SCAN OPTIONS tab:

**Optimize Scanned PDF**: optimizes the scanned PDF for a smaller size and better display effect. See also "<u>Custom Scan</u>".

Optimize Scanned	PDF	×
Page Range		
Current Pag	2	
All Pages		
Pages:	1-3,	0
Optimization Opt	ions	
Color/Gray:	JPEG	•
Low Quality	·	High Quality
Monochrome:	JBIG2(Lossy)	•
Deskew:	On	•
OCR Options		
Make Search	able(run OCR)	Options
	ОК	Cancel

**OCR Current File**: runs OCR in the current scanned PDF after saving the document. See also "<u>Recognize Text</u>".

**Edit Document Information**: modifies the scanned document information including Author, Title and File name.

Close button: clicks this button to close the POST-SCAN OPTIONS tab.

#### In the Message Bar:

You can click **Continue Scan** to continue scanning more pages or click **Recognize Text (Make searchable/editable)** to run OCR in the current scanned PDF after saving the document (See also "<u>Recognize Text</u>").

• Choose FILE > Save, and specify a name and location for the scanned PDF file.

#### Scan with a Configured Preset (Windows)

You can configure scan parameters or options and save three sets of scan preset. When you are ready to scan you can choose one of them with just one click. To scan a paper document to PDF using a configured preset, please choose **HOME** tab > **Convert** group > **Scan** button > select a preset

to scan documents. See also "Configure presets".

#### **Configure presets**

To configure a new preset, please do as the following:

• Click **HOME** tab > **Convert** group > **Scan** button.

an			
Scan <u>n</u> er:	HP LJ M1530 Scan TWAIN	▼ Advanced Options	
Configure scanne	rr ⊙ anner <u>using</u> scanner's interface		
Source:	Single side from flatbed	•	
Color <u>M</u> ode:	Auto Detect	•	
Paper Size:	A4	•	
<u>R</u> esolution:	75 DPI	• 1	
Optimize Scanne	d PDF 🔗		
Reduce size	and optimi <u>z</u> e	Options	
Make Searchable(run OCR)			
S	ave <u>a</u> s Preset Scan	Cancel	

- Select a scanner and then complete the settings (See also "<u>Custom Scan</u>").
- Click Save as Preset to save the preset. Or click Scan to start a scan with the preset.

**Note**: To modify or delete a configured preset, please re-configure the settings in **Scan** dialog box to overwrite it.

#### **Optimize Scanned PDF**

Foxit PhantomPDF supports the size optimization of scanned PDFs during PDF creation from a scanner or by choosing **FILE** > **Optimize Scanned PDF** in an existing scanned or image-based PDF. See also "<u>POST-SCAN OPTIONS tab</u>".

# **Create and Customize a PDF Portfolio**

You can use Foxit PhantomPDF to quickly create a blank PDF portfolio or a new PDF portfolio from any file. After creation, you can also add more files/folders, create folders, delete files/folders and more within the PDF portfolio.

To create a blank PDF portfolio, please click CONVERT > Create > PDF Portfolio > Create a blank

**PDF portfolio**, or click **FILE** > **Create** > **PDF Portfolio** > **Create a blank PDF Portfolio**. In the ribbon appears the PORTFOLIO tab with buttons to add files/folders and create folders.

🖸 🍃 🗄 🖶 🖃 🏝 🥠 🔿 =	Portfolio1.pdf - F	oxit PhantomPDF	:	-	TOOLS		22 O O 23
FILE HOME CONVERT EDIT OF	GANIZE COMMENT VIEW	FORM PR	ROTECT SHARE	HELP	PORTFOLIO	Find	ه 🖉 Þ 📲 🔍
Layout Details Cover View Sheet Add Add Create Fiels Folder Add							
Start Portfolio1.pdf	×					<ul> <li>Search</li> </ul>	×
Home >		_				All PDFs in po	
Painting.pdf	help file.docx	si si	sheet 1.xlsx		×	🧮 Desktop	•
Verter refer New Yes						What word or search for?	phrase would you like to
			_			Searching	<del>،</del> م
			×			Patterns	Search
screenshot.jpg						-	
	<b>♦</b> (	1/1	- 🕨 🕪 🖷 🖫			175% -	⊝+ € ⊕ ///

To create a new PDF portfolio from a file, please click **CONVERT** > **Create** > **PDF Portfolio** > **Create** a new PDF portfolio, or click **FILE** > **Create** > **PDF Portfolio** > **Create** a new PDF **Portfolio from existing files**. Select the files you want to attach to a PDF portfolio and click **Open**. You can also add more files or folders after creation.

**Tip:** To quickly add files/folders, you can also copy-and-paste or drag-and-drop files/folders to the portfolio.

To customize a PDF portfolio, you can edit PDF files in the portfolio using PhantomPDF's tools as needed and do any of the following:

- To delete a file, select it and click **u** button in the upper right corner of the document area, or right-click it and choose **Delete**.
- To extract a file from the portfolio, select it and click 🗎 button in the upper right corner of the document area, or right-click the file and choose Extract from Portfolio.... Then specify the name and location of the extracted file.

Tip: You can do more actions by right-clicking a file in the portfolio.

# OCR PDFs into searchable and editable PDFs

Optical Character Recognition, or OCR, is a software process that enables images or printed text to be translated into machine-readable text. OCR is most commonly used when scanning paper

documents to create electronic copies, but can also be performed on existing electronic documents (e.g. PDF).

#### ♦ Recognize text

Foxit PhantomPDF can detect whether a PDF file is scanned or image-based and make corresponding suggestions to initiate OCR when opening a scanned or image-based PDF as below:

To recognize image-based or scanned text in a file, perform the following steps:

 Click HOME > Convert > OCR > Current File, in the Select OCR Engine dialog box, specify the range you need.

Select OCR Engine	
Page Range	
Current Page	
All Pages     All Page	
Pages From	Γο of 1
Settings	
Current Language Supported:	
<ul> <li>Arabic</li> <li>Chinese-Simplified</li> <li>Chinese-Traditional</li> <li>Czech</li> <li>Danish</li> <li>Dutch</li> <li>Finalish</li> </ul>	•
🖲 Searchable Text Image 👔	🔘 Editable Text 🚹
s not to use this information in a fies You. Foxit maintains user login maycollect your Foxit product log iformation occurs in accordancew	s not to use this information in a files You. Foxit maintains User login maycollect your Foxit product log formation occurs in accordance
	OK Cancel

- 2. Choose the language used in your document. You can select multiple languages as well.
- In the output type, check Searchable Text Image to make the image text searchable (or check Editable Text to enable the image text to be edited with Foxit PhantomPDF). Click OK to recognize the text.

- 4. (Optional) if you check Find All Suspect (Show all OCR results that may need to be changed.), the OCR suspects will be enclosed in red boxes for you to check and correct right after the recognition completes. (OCR suspects refer to the text that can hardly be recognized or may not be recognized correctly and need to be corrected manually.) How to correct OCR suspects, please refer to Find and Correct OCR Suspects.
- 5. A recognition text process bar will pop up to show the progress.
- 6. Do the search function, the text on your image or scanned document will be searchable.

*Tip:* Foxit PhantomPDF provides a *Quick OCR* tool under *HOME/CONVERT* tab to recognize all pages of a scanned or image-based PDF with default or previous settings by one-click.

To recognize text in multiple files:

- 1. Click HOME > Convert > OCR > Multiple Files.
- 2. In the OCR Multiple Files dialog box, click **Add Files** to add files or folders. Use **Move up**, **Move down**, and **Remove** to adjust the order of the files and click **OK**.
- 3. In the **Output Options** dialog box, select the destination folder and choose to name the new file or overwrite an existing one.

4. Click **OK**. After recognition, a message box will pop up to prompt you the recognition is finished. *Note:* When you are using the CJK OCR engine for the first time, the system will remind you to download and install the engine from the Foxit server.

#### ♦ Find and Correct OCR Suspects

After recognizing image-based or scanned texts in the PDF file, you can pick out and correct the texts or characters that are uncertain as the steps below:

 Click HOME > Convert > OCR > Suspect Results > First Suspect. A pop-up Find OCR Suspects dialog box appears with a Foxit PhantomPDF box appearing to prompt you with Find Completed.

Find OCR Suspects				
To correct an OCR suspect, click on the highlighted object in the document and type in the new text. After making the correction, click "Accept and Find" to identify the next OCR suspect.				
Original Document OCR text				
mountains, mountains,				
© Search <u>P</u> age				
Not Text				
Find Next Accept and Find Close				

Find OCR Suspects dialog box

**Note:** By default, the suspect results are based on the Search Document. You can also select Search Page to find suspects on the current page and redo this step.

- 2. The Find OCR Suspects dialog box shows both the original document text and the OCR text. You can edit text in the OCR text box directly if needed. If the highlighted text is incorrectly identified, click Not Text. Click Find Next to find the next suspect or click Accept and Find to accept the suspect and find next.
- 3. If you choose HOME > Convert > OCR > Suspect Results > All Suspects. The Find OCR Suspects dialog box also pops up and all the OCR suspects will be highlighted with red boxes as below:

The bird painting is peculiar to China as birds are always appeared with flowers. From of old, all kinds of flowers, plants, and birds were given various symbolic meanings. Flowers and birds can be compared to almost all thoughts and feelings of human being. They can symbolize feminine beauty, virtues, political authority, omens, and lucky niceness. And once established, this tradition became popular in every dynasty. Therefore, their symbolic meaning grow increasingly rich and specific.

#### Original Document Text in the PDF file

The bird painting is peculiar to China as birds are always appeared with flowers. From of old, all kinds of flowers, plants, and birds were given various symbolic meanings. Flowers and birds can be compared to almost all thoughts and feelings of human being. They can symbolize feminine beauty, virtues, political authority, omens, and lucky niceness. And once established, this tradition became popular in every dynasty. Therefore, their symbolic meaning grow increasingly rich and specific.

#### Suspect Results of the OCRed Text

You can check the highlighted text by clicking any highlighted parts. Click the place where it is incorrect and input the correct text in the OCR text box in the Find OCR Suspects dialog box.

4. Click **Close** to exit the Find OCR Suspects dialog box.

# Create a table of contents from bookmarks

You may want to conveniently create a table of contents from existing bookmarks for a hierarchy structure when viewing a PDF file. Foxit PhantomPDF offers two ways to create a table of contents. The new table of contents page will be inserted as the first page of the PDF.

- To create a table of contents when merging multiple files into a single PDF file, please select "Add a new table of contents page converted from bookmarks" in the Convert Multiple Files dialogue box. The table of contents page will be created from the filenames of the selected files.
- To create a table of contents in a current PDF, please click the button on the bookmark panel. The table of contents page will be created from the bookmarks of the current PDF.

# Chapter 5 – Edit

Foxit PhantomPDF provides not only general editing features to create bookmarks, add links, attach files, add images, play and insert multimedia files on PDF files, but also advanced editing features to select, insert, modify, remove and rotate texts, images, graphics and shadings. You can go to the **EDIT** tab directly to use different editing features to easily and efficiently change contents in any existing PDF files.

Right-click any PDF file and choose **Edit with Foxit PhantomPDF**, then the PDF will be opened with the toolbar automatically navigating to the **EDIT** tab, ready for your editing.

# **Undo and Redo**

When making quick adjustments to your document, you may want to undo or redo the most recent action performed. You can undo and redo up to 10,000 actions in Foxit PhantomPDF.

#### Undo your last action

- Click **Undo** on the Quick Access toolbar of Foxit PhantomPDF window.
- Press Ctrl + Z.

**Note:** Some actions can't be undone, such as clicking any command on the File menu. If you can't undo an action, the **Undo** command will be grayed out .

#### **Redo actions**

- Click **Redo** On the Quick Access toolbar of the Foxit PhantomPDF window.
- Press Shift + Ctrl + Z.

### Links

This function helps you to lead the readers to related articles, references, or the intended web page.

Generally speaking, there are three options of links for you: rectangle link tool 🛛 🏶 Link , Web Links

💊 and Bookmark 붭 in Foxit PhantomPDF.

### **Rectangle Link**

#### Add a rectangle link

Rectangle Link tool enables you to add a link with the shape of rectangle on the PDFs.

To add a rectangle link, please do the following:

- Choose EDIT > Links > Link ^{® Link}.
- Position the cursor on the place you want to add the link, hold and drag your mouse button to draw a rectangle.

*Tip:* To draw a square link, press Shift key when you hold and drag your mouse button.

- Pops up **Create Link** dialog box. Specify the appearance and destination of the link.
  - Appearance
  - A. Thickness the thickness of the four sides of the rectangle. The higher of the value, the thicker of the sides. You can choose the thickness from 0-12, while the default is 1.
  - B. Border Style the style of the rectangle's border. There are three types of the border styles:

*Solid:* the border is solid, but not hollowed out.

Dashed: the border is drawn as a dashed line.

Underline: the sides are visible except the underline.





Solid Style

Dashed Style

**Underline Style** 

#### Three types of border style


C. Highlight - the effect when you click the rectangle link. There are four types of the highlighting effects:

*None:* doesn't change the appearance of the link.

*Invert:* changes the link's color to its opposite.


Outline: changes the link's outline color to its opposite.

*Inset:* creates the appearance of an embossed rectangle.



### Four types of highlight

D. Color - the border color of the rectangle. Click the color button to choose any colors you like, or you may choose Other Color to add a customized color. The default color is red.



Choose the color

### Destination

The destination refers to any point or location, for example, a web page, a named file or position the link goes to. There are four options for you to choose:

A. Go to a page view – designate the link to a specific page view. Not only can you designate the link to a page in the current PDF, but you can also set the link to the page in another PDF. Also, you may change the current zoom setting and then set the position.

To go to a page view, choose this option, click the **Next** button and do one of the following:

- ♦ Set the position in current document scroll the current document, go to a new position where you want to set and click Set this position.
- Set the position in another PDF document click the **Open** button *on* the Quick Access toolbar of the application window > select the PDF you want to set position to > scroll this document and go to a position where you want to set > click **Set this position**.

**Note:** The new PDF document should be opened in the existing window but not a new window.

- Change the view magnification -- scroll in the current document or another document > go to a new position where you want to set > change the magnification of the position > click Set this position.
- ♦ Click Cancel to cancel out of your operation.

B. Go to a named position – designate the link to a named position that has been set by the creator of the current document.

To go to a named position, choose this option and click the Next button > select a named position for the pop-up list > click **OK**.

**Note:** An empty pop-up list indicates that no position has been named by the document's creator.

C. Open/execute a file – designate the link to open another file. To do this, please follow the steps below:

♦ Choose Open/execute a file > click the Next button > select the destination file and click Select.

D. Open a web page – designate the link to open a web page. Do the following:

Choose Open a web page > click the Next button > enter the URL of the destination web page or click the drop-down button to select a web site you have opened before.

E. Others (use action property page) – add an action to the link. Please refer to <u>"Actions tab</u> <u>for the button properties</u>" for more details.

### Move or resize a link

You can move and resize the link after you create it.

- Select one of the link tools or the Annotation Selection Tool 
   , and then move the cursor

   over the link until the cursor turns into an arrow
- Then do one of the following:
  - A. To move the link, drag it to the desired area.
  - B. To resize the link, drag any corner point to adjust.

### Delete a link

• Select one of the link tools or the Annotation Selection Tool  $\searrow$  , and then move the cursor

over the link until the cursor turns into an arrow **•**.

- Select the link you want to delete.
- Press the **Delete** key.

### Web Links

Foxit PhantomPDF allows users to check URLs in the PDF document automatically and add link annotations directly to the related URLs.

### Create web links from URLs

To create web links, please do as following:

1. Click **EDIT** > **Links** > **Create links from URLs** A message box will pop up to prompt you whether to proceed because the operation cannot be undone. Click **Yes** to continue.

2. In the pop-up **Create web links** dialog box, choose **All** to create links from all URL in the document, or choose **From** ...**To** and enter a page range to create links on selected pages. Click **OK**.

3. A message box will pop up to prompt you how many web links were added to the document.

To remove all web links, choose EDIT > Links > Remove all links

### Bookmark

Please refer to "Add a bookmark".

## **File Attachments**

You can attach PDF files and other types of files to a PDF. There are two options for you to add an attachment: attaching a file as a comment and attaching a file to the entire PDF. An attached file

as a comment will appear in the page with the File Attachment icon  $\uparrow$  by default, while the attached file to the PDF file acts invisible and only can be seen when you click the Attachment panel in the navigation pane.

### Add a file as a comment

- 1. Choose **COMMENT > Pin > File**.
- 2. Position the cursor to the place where you want to attach a file as a comment > click the

selected position.

- 3. In the Open dialog box, select the file you want to attach, and click **Open**.
- 4. The File Attachment Icon 🕂 appears at the place you designated in the PDF file.

### Work on the attachment comment

You can open the attachment, add a description, move and delete it, and set the preferences.

♦ Open an attachment

Select the Hand Tool  $\overset{\circ}{\mathbb{V}}$  or Annotation Selection Tool  $\checkmark$  and do the following:

- 1. Double-click the File Attachment icon ∔
- 2. In Open file attachment dialog box, select one of the three options and click **OK**.


Open File Attachment
This attachment may harm your computer. Open this file only if you are sure that it is safe. Would you like to :
Open this file attachment
Always allow opening file attachments of this type
Never allow opening file attachments of this type
OK Cancel

### Open file attachment dialog box

- A. Open the file attachment open this file attachment and the dialog box will always pop up when you double-click the File Attachment icon.
- B. Always open file attachments of this type open this file attachment and the files of this type will be opened automatically when you double-click the File Attachment Icon next time.
- C. Never open file attachments of this type forbid to open the file attachments of this type. Whenever you double-click the File Attachment Icon, the files of this type will be forbidden to open and you'll be prompted that "File attachment of this type cannot be opened because of your security settings".

See also "Doing security settings".

**Note:** If you are in **Safe Reading Mode**, a dialog box will pop up when you open an attachment. Check **Disable Safe Reading Mode and Open file**, and then double click the **File Attachment icon** 



### ♦ Move a file attachment icon

Select the Hand Tool ⁴ or Annotation Selection Tool ⁴, click and drag the File Attachment Icon to move it to other place.

### ♦ Delete an attachment comment

Select the Hand Tool Selection Tool , and do one of the following:

- Right-click the File Attachment icon 🕂 and choose **Delete**.
- Click the File Attachment icon and press **Delete** key.

### ♦ More options with an attachment comment

You are able to work on the attachment comment just like an ordinary comment, including set status, mark with checkmark, open popup note and add some descriptions, reply to the comment, and change the icon's appearance. For all the operations, please refer to <u>"Chapter 7 – Comment"</u>.

### Add a file to the entire PDF as an attachment

1. Click the attachment button on the navigation pane and click **Add** button is , or choose

## EDIT > Insert > File Attachment

- 2. In the **FILE Attachment** dialog box, click the **Add Files...** button.
- 3. Select the file you want to attach in the pop-up dialog box, and click **Open**.
- 4. Click **OK** after adding the desired files.
- 5. The added document will be displayed in the attachment panel.

**Tip:** An easy method to add a file attachment to PDFs, you can just drag and drop the file you want to attach to the attachment panel. Foxit PhantomPDF will pop up a window to ask you whether to attach the selected file to current PDF document. Click **OK** to complete the operation. Check "Always attach file when dragging files to the attachment panel" option and the next time the file will be attached directly without this pop-up window.

### ♦ Work on the attachments

You can open, save, edit descriptions, delete and do settings to the attachments. Click the

attachment button  $\checkmark$  on the navigation pane > Open button  $\checkmark$  /Save button  $\checkmark$  /Add button

Edit Description button 📿 /Settings 🗟 /Delete button 🧰 .

	Attachments					₩ 4
m	🗁 🗄 🕞	D 🔓	<b>İ</b>			
	Name	Description	Size	Modified	Location in document	
	FoxitPhantomP		976 KB	4/12/	Page 14	
	Foxit PDF IFilter		1 MB	4/12/	Page 23	
~~	FoxitPhantomP		1 MB	7/24/	Page 51	
Z	FoxitPhantomP		6 MB	4/12/	Page 59	
	Quick Start for		216 KB	4/12/	Page 154	
뭑	SharePointConf		363 KB	4/12/	Page 167	
R						
<u> </u>						
0						


### **Attachments Panel**

### ♦ Security settings

To change the security settings you have set when you open the attachment file as a comment,

Click the **Settings** button in the Attachment Panel and do one of the following:

- To add a new extension, click the **Add** button to input the file extension in the Security Settings dialog box.
- To delete an extension, click one of the existing extensions and click the **Delete** button.
- To change the settings of how to open the attachments of the type, choose one of the three options listed.



## **Bookmarks**

Bookmarks are navigational tools that make your PDF files easier to read. They are usually generated automatically during the PDF creation.

Bookmarks are useful for users to mark a place in a PDF file so users can return to it with ease. Or you may like to have your own bookmark structure and new bookmark names. With Foxit

PhantomPDF, you can easily nest, edit, or delete bookmarks in a PDF file if the security settings allow.


### Add a bookmark

- 1. Go to the page where you want the bookmark to link to.
- 2. (Optional) If there is no bookmark in the document, click EDIT > Links > Bookmark

the New Bookmark icon 🤌 at the top of the Bookmarks panel.

3. Select the bookmark after which you want to place the new bookmark. If you don't select a bookmark, the new bookmark is automatically added at the end of the bookmark list. Click **EDIT** >

**Links** > **Bookmark**, or click the New Bookmark icon at the top of the Bookmarks panel, or right-click the selected bookmark and choose **Add Bookmark**.



4. Type or edit the name of the new bookmark, and press Enter.

### Move a bookmark

Select the bookmark (named "Bookmark A") you want to move, and then do one of the following:

- Hold the mouse button down and then drag "Bookmark A" icon directly to the desired place. The Line icon ►-- shows the place where the icon will be located.
- Right-click "Bookmark A" icon and choose the Cut option > right-click the bookmark(named "Bookmark B") under which you want to place "Bookmark A", choose "Paste after Selected Bookmark" if you want to put "Bookmark A" after "Bookmark B", which will be in the same hierarchy with "Bookmark A"; or choose "Paste under Selected Bookmark" if you want to put "Bookmark B", which will be the parent bookmark A" under the "Bookmark B", which will be the parent bookmark.

*Note:* The bookmark links to its original destination in the document although it is moved.

### Organize a bookmark hierarchy

A bookmark hierarchy is an outline or stratified structure that places some bookmarks within others. In Foxit PhantomPDF, multilevel bookmark hierarchy can be defined by properly dragging the bookmark icon in the Bookmark panel.

To nest a bookmark or move a bookmark out of nested position, please refer to Move a bookmark.

### ♦ To expand or collapse a bookmark

Click the plus sign (+) next to the bookmark icon to show any children. Click the minus sign (-) to

collapse the list. Or click to collapse all bookmarks.

### Edit a bookmark

In Foxit PhantomPDF, you are able to rename a bookmark, reset a bookmark's destination, or customize the text appearance of a bookmark with ease if the security settings allow.

### ♦ To rename a bookmark

Right-click the bookmark you want to rename in the Bookmarks panel > Rename> type the new bookmark name. Or you double click the bookmark you want to rename and then type the new name.

### ♦ To reset a bookmark's destination

- In the document pane, move to the location you want to specify as the new destination.
- (Optional) Adjust the view magnification.
- Right-click the bookmark, choose **Set Destination** and select **Yes**.
- $\diamond$  To customize the text appearance of a bookmark
- In the Bookmarks panel, right-click the bookmark > choose **Properties**.
- In the Bookmark Properties dialog box, click the Appearance tab, and select the font style and color for the text.

**Note:** After defining a bookmark's appearance, you can set it as bookmarks' default property by right-clicking the bookmark and then selecting the option of **Use Current Appearance as New Default**.

### $\diamond$ To add an action to a bookmark

• Right-click a bookmark, and choose **Properties**.

- In the Bookmark Properties dialog box, click Actions.
- Choose an action from the Select Action menu and click Add, and then refer to the section of <u>"Actions tab for the button properties"</u>.
- ♦ To delete a bookmark, please do one of the following:
- Select the bookmark you want to delete and click the **Delete** button ^[o] at the top of the Bookmarks panel.
- Right-click the bookmark you want to delete and choose **Delete**.

*Note:* Deleting a bookmark deletes all the bookmarks that are subordinate to it.

## Images

You can specify a rectangle on any part of a PDF page and then insert an image into that rectangle. This feature is helpful when you want to explain or show something more dynamically.

### Add an image

You can add an image to a PDF with the Image Annotation tool is . After you insert a new image, you can adjust its size and position, change the appearance and other settings, etc.

To add an image, do the following:

- Choose EDIT > Insert > Image Annotation
- Drag a rectangle on the page to define the canvas area for the image.
- In the Add Image dialog box, click the **Browse** button to select the image that you want to insert and click the **Open** button. You will see the URL of this image has been added to the Location field.
- Click the **Advanced...** button to edit the setting of the image.

# Foxit PhantomPDF Business

**User Manual** 

Image placement	x
<u>W</u> hen to scale:	Always 👻
<u>S</u> cale:	Non-Proportionally
Border	Image (50,50)
Use this dialog to scaled to fit insid	o change the way the image is le the border
Reset	OK Cancel

Image Placement dialog box

- A. When to scale choose when to scale the image you insert.
- B. Scale choose to scale the image non-proportionally or proportionally. This option will be disabled when you select Never in the field of When to scale.
- C. Border drag and move the scroll bar to change image's position in the rectangle. The coordinates change when you move the scroll bar.
- Click **OK** for your changes to take effect, or click Reset to reset the data to the original settings.
- Click OK. •

### Apply an image to other pages

After adding an image, you may want to place the same image on additional pages while maintaining the original location and settings.

To apply an image to other pages, please do the following:

- 1. Right click on the image you wish to apply to other pages.
- 2. Choose the option Place on Multiple Pages in the menu.
- 3. Specify the page range.
- 4. Click OK.

### Move and resize an image

To move an image, please do the following:

- Select the Annotation Selection Tool or the Image Tool , put the cursor over the image and the cursor changes into an arrow
- 2. Click and drag the image to another place you like.

To resize an image, please do the following:

1. Select the Annotation Selection Tool 🕠 or the Image Tool 🕡 , put the cursor over the image

and the cursor turns into an arrow  $\$  , and then click the image.

2. Place the cursor on any corner point. The cursor changes into the cursor showing the direction at which the rectangle will be resized.



### To resize the image

3. Drag the cursor outside, it will increase the size of the rectangle proportionally. Drag the cursor inside and it will decrease the size of the rectangle proportionally.

### Set properties of an image

- 1. Double-click the image or right-click it and select Properties....
- 2. In the Appearance tab, do any of the following:

Annotation is hidden from view – The image annotation will be invisible in Hand tool mode. Border – Select the border width of the image and the border's style and color.

- ♦ Locked When selected, prevents any further changes to any image properties.
- Close Applies and saves the current properties, and closes the image properties dialog box.
- 3. In the Settings tab, follow the steps in <u>"To add an image"</u>.
- 4. For the Actions tab, Please refer to <u>"Actions tab for the button properties"</u>.

### Delete an image

1. Select the Annotation Selection Tool 4 or the Image Tool 4, put the cursor over the image

and the cursor turns into an arrow  $\uparrow$ , and then click the image.

2. Press **Delete** or right-click the image > **Delete**.

### Select multiple images


- 1. Select the Annotation Selection Tool  $\begin{tabular}{|c|c|c|c|} \hline \end{tabular}$  or the Image Tool  $\begin{tabular}{|c|c|c|c|c|} \hline \end{tabular}$  .
- 2. Press and hold Shift or Ctrl and click the images you want to edit.

### Align images


- Select two or more images that you want to align.
- Click EDIT tab > Arrange group > Arrange button > select a type of alignment, or right-click the anchor > Align, and then choose a command as follows:
  - A. To align a column of images, choose Left, Right, or Vertically to align them respectively to the left edge, right edge, or vertical axis of the anchor image.
  - B. To align a row of images, choose Top, Bottom, or Horizontally to align them respectively to the top edge, bottom edge, or horizontal axis of the anchor image.

**Note:** When you right-click or Ctrl-click one of the selected images, it will be highlighted in red, indicating that it's the anchor image. The align menu commands move the other selected images to line up with the edges of the anchor image.

### Below is an example:



A. Suppose that you want to set A as the anchor image.




**B.** Select these two images > right-

click A and choose **Align** > **Left**. You will see the other image is placed to the left edge of A.

### **Center images**


This function enables you to center the rectangle enclosed by the images you select vertically, horizontally or both.

Below is an example:



A. Select two images. You can see

these two images consist of an area with the shape of rectangle (marked with red).



B. Right-click one of the images >


**Center** > **Vertically**. You will find that the red rectangle is centered vertically in the page.

### Distribute images


This function will be available when selecting three or more images.

- To distribute the images evenly between the topmost and bottommost images, choose **Distribute > Vertically**.
- To distribute the images evenly between the leftmost and rightmost images, choose Distribute > Horizontally.

Below is an example:



A. Select three images A, B and C. A is the topmost image and C is the bottommost image.




B. Right-click any one of the images > Distribute > Vertically. And you will see that B is distributed evenly between A and C.


### **Resize images**

You can adjust multiple images with the same height, width, or both. Select one of the images as the anchor, and the rest of the images will be resized with the same height or width as that of the anchor image.

Below is an example:



A. Select images A and B. Suppose that you want to set A as the anchor image.



B. Right-click A > Size > Height. And you will see that the height of B is resized to be the same as that of A.

### Setting properties of multiple images

- Select multiple images > right-click one of them > Properties...
- A dialog pops up with an Appearance tab. Follow the steps specified in <u>"Setting properties of</u> <u>an image"</u>.

## **PDF Optimizer**

With the PDF optimizer, users can compress the images, clear out the data redundancy of PDF objects and update your PDFs.

- Choose FILE > PDF Optimizer.
- Setting the properties in the PDF Optimizer dialogue box.

## Foxit PhantomPDF Business

User Manual

PDF Optimizer		
Reduce file size by compressi	ng contents, unembedding fonts and discarding objects.	Audit space usage
<ul> <li>Unembed Fonts</li> <li>Discard Objects</li> <li>Discard User Data</li> <li>Clean Up</li> </ul>	Color/Grayscale Images: Downsample: Bicubic Downsampling v to 150 ppi for images above Compression: JPEG v Quality: Medium v	225 ppi.
	Monochrome Images: Downsample: Bicubic Downsampling to 300 ppi for images above Compression: JBIG2 Quality: Lossless Compress images only if there is a reduction in size	450 ppi.
	Restore Default O	K Cancel

### **PDF Optimizer Dialog Box**

- Click **Audit space usage** to see the space usage of the current PDF file and then you can decide which items are needed to be optimized.
- For Compress Images, you can specify color/grayscale and monochrome image settings, including image downsampling and image compression. Choose the appropriate down sampling method in the Downsample list box (including average the downsampling, subsampling and the bicubic downsampling) or you can choose the Off item to turn off the option. Set the right pixels and image compression (including retaining existing, JPEG and high compression).

**Note:** If you check the option "Optimize images only if there is a reduction in size", the images will not be optimized when there are no reductions.

- For **Unembed Fonts**, move the embedded fonts to the right list to lift to embed.
- For **Discard Objects**, please check the objects settings you want to discard.
- For **Discard User Data**, please check the user related information you want to discard.
- For **Clean Up**, please check the Cleanup settings you want to optimize the document.
- Click **OK** button and save the optimized PDF file.

## Work with Video & Audio

Foxit PhantomPDF does not only support playing videos and audios in PDFs, but only allows users to add and edit multimedia files to a PDF.

### Play a Movie or a Sound Clip

Some PDF files may be multifaceted with multimedia, including sound, music, and video clips. Each movie and sound file usually includes a play area from which the media can be activated. The play area typically appears on the PDF page as an image or a blank rectangle, but can also be invisible. To play the media files, please make sure you have the necessary media player installed on your computer.

To play a movie or a sound, please do the following:

• Select the Hand tool  $\overset{\text{(b)}}{\longrightarrow}$ , and click the play area of the movie or sound file.

**Note:** To protect your computer from viruses, Foxit PhantomPDF pops up a dialog box soliciting your approval before playing multimedia files.



**Do not show this message until this document is closed** – check this option to apply this setting to the media content which can be played directly without this dialog box pop-up the next time you click to play the media content.

### Adding a movie or a sound clip

Adding movies or sounds to PDFs is as easy as inserting an image. "Movies" are desktop video files with formats such as FLV, AVI, QuickTime, and MPEG, and file extensions such as .avi, .wmv, .mov, .qt, .mpg, and .mpeg. An animated GIF file always has a .gif file extension, while "Sounds" are like midis, wavs, and mp3 files.

**Note:** If an alert message tells you that no media handler is available, you must install the appropriate player before you can add clips to the PDF. For example, you must install QuickTime if you want to embed an MOV file in a PDF.

### Adding movies or sounds

- 1. Choose EDIT > Insert > Video & Audio
- 2. Press and hold mouse button down, drag to select an area on the page where you want the movie or sound to appear. For movies, the play area is the exact size of the movie frame.
- 3. In the pop-up Add Video & Audio dialog box, you will see some options listed below:

Add Video & Audio			×
-Content Settings	5		
Location:			Browse
Content Type:	Click here to select a	a content type 🔹	
Embed conte	nt in document	Show Player	
Poster Settings			
O not use a	poster		
Create poster	from file		
File:			Browse
		ОК	Cancel

- Embed content in document: includes the media file into the PDF file. This option will increase the file size of the PDF. It is selected by default. If the check box is cleared, you will not be able to play it if you open this PDF file on other computers.
- Poster Settings: choose whether to display an image in the play area when the movie isn't playing. You can choose to use no poster, or create poster from file.

### Edit the play area

To move, resize, align, center or distribute a multiple clip, please refer to "Images".

### Set Video & Audio properties

In Foxit PhantomPDF, you can specify properties for the multimedia files you added, such as the appearance of a movie's play area, whether the movie plays once or continuously, create alternate renditions, etc.

To set video & audio properties, please do the following:

- 1. Select the Video & Audio tool  $\square$ , or the Annotation Selection Tool  $\square$ .
- 2. Double-click the play area or right-click the play area > **Properties**.
- 3. For the Appearance tab, please refer to "Setting properties of an image".

**Note:** If you select Locked on any tab, it will lock all options for this multimedia file, but not just the options on that tab.

4. In the Settings tab, there are many options listed below:

Video & Audio Properties	<b>X</b>
Appearance Settings Actions	
Annotation Title: Annotation from Kalimba.mp3	
Alternate Text:	
Renditions	
List Renditions for Event: Mouse Up	
Rendition from Kalimba.mp3	Up
	Down
Add Edit Delete	
Cocked	Close

- **Annotation Title** -- Type the title of the movie or sound in the Annotation Title box. This title does not determine which media file is played.
- Alternate Text -- Type a description of the media file in the Alternate Text box.
- **Renditions** Allows you to create alternate or other renditions to ensure that users can play the movie or sound clip on their systems.
  - A. List Renditions for Event -- You can assign different renditions to different actions but Mouse Up is chosen by default. Mouse Up means that when the mouse button is clicked and released, the rendition is played.
  - B. Add Rendition There're three ways for you to choose: Use a File, Use a URL, By Copying an Existing Rendition
  - C. Edit Rendition When clicking the Edit Rendition button, the Rendition Settings dialog box appears, which allows you to specify the playback location, and other settings to differentiate it from other renditions.

Media Settings -- Specifies the general properties for the movie or sound clip:

Rendition Settings	X
Media Settings Playback Set	tings Playback Location
General Rendition Settings	
Rendition Name:	Rendition from 151209a.mp3
	Rendition is accessible to JavaScript
Rendition Media Settings	
Media Clip Location:	<embedded content=""> Browse</embedded>
Content Type:	audio/mp3 🔹
	☑ Embed content in document
Rendition Alternate Text:	
Allow Temp File:	If document properties allow content extraction for accessibility
Use current playback se	ttings as default for this type of media OK Cancel

- Rendition Name: Enter the name for the rendition, which will appear in the list of • renditions. (This name does not determine which media file is played.)
- Media Clip Location: Specify the clip by typing or navigating to it.
- Content Type: Will be selected automatically when you specify the clip location. Changing the Content Type setting may cause problems playing the media.
- Embed content in document: Includes the media file into the PDF file. This option will increase the file size of the PDF. It is selected by default. If the check box is cleared, you will not be able to play it if you open this PDF file on other computers.
- **Rendition Alternate Text:** Type a description of the rendition.
- Allow temp File: Specify whether writing a temp file is allowed and when. Some media players write a temp file when they play a movie or sound clip. If you want to prevent users from easily copying the media content in a secure document, you may want to disallow the creation of temp files. However, selecting this setting may prevent the movie from being played by media players that require the use of temp files.

Playback Settings – Use this tab to determine how the movie or sound clip is played.

a Settings Playbac	k Settings Playback Lo	ocation			
Playback Settings					
Keep Player	Open: For normal leng	th of content	•		
Ve	olume: 100 🚔 🛛	% of volume of the con	tent		
	Show player	controls			
	Repeat				
	Continue	ously			
	Times	2			
Player List					
Name			Status		
		Add	Edit	Delete	
		Add	Edit	Delete	

- Keep Player Open: Select whether you want the player to close after it plays the movie or sound clip.
- Volume: Lets you specify how loud the movie will be played.
- Show Player Controls: Select to display a controller bar at the bottom of the play area allowing users to stop, pause, or play the media, provided the media player supports player controls.
- **Repeat:** Lets you replay a clip two or more times, or continuously.
- Player List: Click Add to specify a player and the settings that are required, preferred, or disallowed to play the movie or sound clip. Select the name of the player and the status. If you set the status of more than one player to Required, only one of the required players may be used to play the rendition. If you set the status of players to Preferred, these players are selected over nonpreferred players (but not over required players). If you set the status of players to Disallowed, they are not used to play the rendition.
- Add/Edit/Delete button: Allows you to add a new player, as well as edit or delete the selected player in the Player List.

**Playback Location** – Determines whether a movie or sound clip is played in the PDF, remains hidden while played (recommended for sound clips), is played in a floating window, or is played full screen. The options for Floating Window Settings are unavailable except when you choose Floating Window.

Rendition Settings		×
Media Settings Playback Set	Ings Playback Location	
Playback Location Settings		
Playback Location:	In Document	
Background Color:		
Floating Window Settings		
	Show title bar	
<b>T</b> (1, <b>T</b> , 1,	Show control closing window	
<u>T</u> itle Text:		
<u>R</u> esize:	Don't allow user to resize window	
Window Position:	Top center - Relative To: Document window -	
Wi <u>d</u> th:	Height:	
If Window is Offscreen:	Play anyway v	
Use current playback se	ttings as default for this type of media OK Cane	cel

- Playback Location: Selects the location for playing a movie or sound clip.
- Background Color: Selects the background color for the media player.
- Show title bar: Selects to show or hide title bar when playing the media in a floating window.
- Show control closing window: Selects to show or hide the close button at the top right corner in a floating window.
- **Title Text:** Adds a title for the media that will be showed on the title bar when playing the media in a floating window.
- Resize: Determines to allow or forbid users to resize the floating window. There're
  three options for you to choose: Don't allow user to resize window, Allow user to
  resize window but maintain original aspect ratio, or Allow user to resize window.
- **Window Position:** The window position is determined relative to the document window, application window, the virtual desktop or document monitor.
- Width/Height: Specifies the width and height of the floating window.
- If Window is Off-screen: Selects to play, do not play, or move window onto screen to play the media file if the floating window is off-screen.

Use current playback settings as default for this type of media: Set your settings as the new default for all the multimedia files you create in future.

- D. Delete Renditions Deletes the selected renditions.
- E. Up/Down Arranges the order of the renditions. If the first rendition cannot be played, the next available rendition is played.
- 5. Actions tab for the Video & Audio properties

Please refer to <u>"Actions tab for the button properties"</u>.

## **Paragraph Editing**

With **Edit Text** tool , you can edit texts in a paragraph like Microsoft Office Word as well as changing their font, font size and color.

To edit texts in a paragraph, please do the following:

- Select **EDIT** > **Edit Content** > **Edit Text** tool . (*Tip: You can also right-click the selected text* with the *Select Text* tool and choose *Edit Text* to start editing text in the paragraph quickly.)
- Click on the desired paragraph to start editing. Foxit PhantomPDF will automatically change a line when the text comes to the margin of it. You can also start a new line by pressing **Enter**. See also the tutorial on <u>Edit PDF</u>.
- You can set the font and paragraph in the EDIT > Font/Paragraph. More editing features please refer to Edit Objects.

**Note**: Clicking on a scanned or image-based PDF with **Edit Text** tool, you'll be prompted to run OCR or convert this file to other format. To not show the prompted message again, you can go to **FILE** > **Preference** > **Editing** > uncheck the option "Alert when there's no editable text when using 'Edit Text' tool".

## Objects

When reading a PDF, you may need to frequently edit text, image, or other objects in this PDF file. With Foxit PhantomPDF, you can add, edit, modify, join and split objects.

## **Add New Objects**


You can add or insert new text, image or shape objects into a PDF using respective tools in **EDIT** tab.

### Add new text objects

To add text objects, please do the following:

- Select EDIT > Edit Content > Add Text tool T.
- Click on the specific page you want to input the text and type new text in the position where the cursor is blinking. You can also paste or delete the text you input.
- You can choose the text font format as you want in the **Font** group. In **Paragraph** group, you can also align the text and set other paragraph formats including word spacing, character scale,

line spacing, etc.



### Add new image objects


To add image objects, please do one of the following:

• To add a self-created image or embed an image from the clipboard, locate the page where you want to insert the image in the document, and choose EDIT > Edit Content > Add Images

tool •> New Image Object •. Add New Image dialog box pops up as below. You may specify the parameters and click OK. Then you are switched to the Image Editor window.

Add New Image			X
Width:	300	pixels -	ОК
Height:	300	pixels 🔻	Cancel
Resolution:	96 🌲	pixels / inch	
Color Mode:	RGB Color	Fill Color:	
Compress imag	je		

A. In the **IMAGE** tab, draw your image from scratch. Or click **Paste** button on the toolbar to insert an image from the clipboard and then edit the image.



B. To draw or edit image, you can use the tools on the tool bar and the Image Editor Function Panel at the right side of the window. For more information on the Image Editor, please refer to "<u>About the Image Editor</u>".

C. Click Apply Changes button 🗹 to save the changes and exit the Image Editor. Or click

**Exit Image Editor** button it to exit ignoring the changes on the image and to go back to the Document window. After the image is successfully inserted, you can resize the image and drag it to any place you want.

• To add an image from file, locate the page where you want to insert the image in your document, and choose EDIT > Edit Content > Add Images tool

宿 . Choose the target image file in the Open dialog box and click **Open**. Then your current

main window is switched to the IMAGE Editor and you can begin to edit the image in the **IMAGE** tab. How to edit image objects, please refer to "<u>To Add a Self-created Image</u>".

### Add new shape objects

With Foxit PhantomPDF, you can also directly insert path and shading objects like rectangles, curve, straight line, etc. into your PDF as well as text objects and image objects. Shading objects are generally used to make shadows or nice backgrounds.

### Add a path object


### Add a shading object

### ♦ Add a path object

To add a path object, please do the following:

• Locate the page where you want to insert the path in the document, and choose EDIT >

Edit Content > Add Shapes  $\bigcirc$  > Add Path > choose one path you need. The cursor changes into a cross  $\stackrel{+}{\rightarrow}$ . Click and drag the cursor to draw the path you want. Then the FORMAT tab and the ARRANGE tab will appear in the ribbon for you to modify the path with the tools.



• When you are drawing a path, it stays selected until you click elsewhere on the page and a wireframe with sizing handles appears to let you adjust the size and shape.

**Note:** Sizing handles are the small circles or squares that appear at the corners and sides of a selected object. You drag these handles to change the size of the object.

• When drawing a path, you can press the Ctrl + Z or Ctrl+ Y to undo or redo your operation. After creating the path you intended, click anywhere outside the path.

/		$\bigcirc$	$\bigcirc$	3	$\bigcirc$	2	$\mathcal{O}$		
А	В	С	D	Ε	F	G	н	I	

A. Line tool
B. Rectangle tool
C. Round Rectangle tool
D. Ellipse tool
E. Polyline tool
F. Polygon tool
G. Bezier tool
H. Close Bezier tool
I. Free Paint tool

### To draw a straight line

- 1. Choose the Line tool 🖊 .
- 2. Click a region in the document where you want to create the drawing and draw the line.
- 3. Drag the handles to adjust the line size if necessary.
- 4. Click outside the path when you are done to set the line.

### To draw a rectangle

1. Choose the **Rectangle** tool to create a square-cornered path, or click the **Rounded** 

**Rectangle** tool  $\bigcirc$  to create a round-cornered path.

- 2. Click a region in the document where you want to create the drawing and draw a rectangle.
- 3. Drag the sizing handle diagonally in the direction you want.

### To draw an ellipse

- 1. Choose the Ellipse tool 🥯 .
- 2. Drag the pointer to draw an ellipse, or draw a circle with Shift.
- 3. Click outside the path when you are done to set the ellipse.

### To draw a polygon, polyline, Bezier, or Close Bezier

- 1. Choose the **Polygon** tool  $\bigcirc$ , **Polyline** tool  $\stackrel{>}{\sim}$ , **Bezier** tool  $\stackrel{>}{\sim}$  or **Close Bezier** tool  $\bigcirc$ .
- 2. Drag the pointer to draw a straight line.
- 3. Click once at each position where you want a new line segment to appear.
- 4. Click outside the path when you are done to set the path.

### To draw a custom path

- 1. Choose the **Free Paint** tool .
- 2. Draw a path you want by dragging the pointer.
- 3. Click outside the path when you are done to set the path.

### ♦ Add a shading object

To add a shading object, please do the following:

• Locate the page where you want to insert the shading in your PDF document, and choose

EDIT > Edit Content > Add Shapes  $\checkmark$  > Add Shading > choose the shading you need.


			SHADING FORMAT	ARRANGE
			FORMAT	ARRANGE
	Opacity Gradient Stops - Line	Clipping Shear		
Shading Style		Effect		

 When you are adding a shading (See also <u>Drawing a path</u>), it stays selected until you click elsewhere on the page and a wireframe with sizing handles appears to let you adjust the size and shape.

In the **FORMAT** tab, you can choose a shading style to preset different shading colors and do any of the following to move the colors and change the shading effect:

1) Opacity: Drag the slider to change the opacity.

**2)** Gradient Stops: Describes the location and color of a transition point in a gradient. After choosing a shading style, you can also edit the shading color, like add new colors, delete existing colors, etc.




♦ Move colors

Each color can be moved by clicking and dragging the slider 🚊.



### $\diamond$ Change colors to a shading

Double-click one color  $\hat{\mathbf{D}}$  you want to change, select the color you like in the Color dialog box and click **OK**.



### $\diamond$ Add colors to a shading

Select one color you like and click between any two sliders underneath the preview bar. There will be new colors added to the shading.




### ♦ Delete colors to a shading


Click the slider **a** of the color you want to delete, and click **Delete** button **b**. Also, you can move it away from the preview bar. The color will be removed from shading.



**3) Reference Line:** A line along which the field of shading varies between the start and end coordinates and from which the field of shading extends infinitely away. The start and end point are shown, connected by a line. The transition from one color to another varies linearly along the line. The color gradient begins at the start point and finishes at the end point.



You can drag either start or end point to move it individually, or drag the line to move them both at the same time. This movement will change the shading effect. Compared with Shading 1, Shading 2 is dragging the start point to move, Shading 3 is dragging the end point to move, and Shading 4 is dragging the line to move.



## Link and Join Text Objects

To make editing easier, Foxit PhantomPDF supports linking multiple text blocks together or connecting separate text blocks into one single paragraph.

### Link and Unlink Text Objects


Using **Link** tool, you can link multiple text blocks together and then editing text in these blocks will be treated as editing one paragraph. You can link text blocks not only in one page but also across pages. Text will reflow in these linked blocks and will not cover the page contents that are located among these blocks.

To link text blocks, please do the following:


 Click EDIT > Edit Content > Link & Join Text and a FORMAT tab appears in the ribbon. Select text blocks you need to link together and the selected blocks will be marked with numbers as you click them (See the example as below.).



Click Link tool in the FORMAT tab, or right-click the selected blocks and choose Link Text
 Boxes. Then the three blocks will be linked together.



• Then when you add or edit text in these blocks with **Edit Text** tool . the text will reflow in these linked blocks and will not cover the image among them. And when the text added exceeds the final block, content followed the linked blocks will be covered because they have not been linked together.



To unlink a text block, please click EDIT > Edit Content > Link & Join Text, select the text block you

need to unlink and then click **Unlink** tool **I** in the **FORMAT** tab. You can also right-click the selected block and choose **Unlink Text Blocks**.

### Note:

You can select and link text blocks which are discontinuous or in different columns, or that are not arranged from top to bottom or from left to right on the page.

### Join and Split Text Objects

With **Join** tool, you can connect blocks of text into one single paragraph in a block to improve text reflow. Blocks of text may be joined together when you need to join text as one object. Otherwise, a block of text can be divided up into several parts with the **Split** tool.

To join text blocks, do the following:

- 1. Click EDIT > Edit Content > Link & Join Text button.
- 2. Click the text blocks you want to join. The text blocks you selected will be numbered.
- Click Join tool in the FORMAT tab, or right-click the selected blocks and select Join Text
   Boxes. Then the selected blocks will be joined together as one block.

To split a text block, please click **EDIT** > **Edit Content** > **Link & Join Text** button and click the text block you want to split. Click **Split** tool in the **FORMAT** tab, or right-click the selected block and select **Split Text Boxes**. Then the selected block will be divided.

Note: All selected blocks should be on the same page.

See also the tutorial on <u>Advanced Text Editing</u>.

## **Edit Objects**

You can freely edit any selected object(s) by the related tools.

### **Edit Text Objects**

To edit text objects, click **EDIT** > **Edit Content** > **Edit Object** > **Text**. And click on the text you want to edit. A selected object usually is outlined by a bounding box. Double-click the box or choose **Edit** in the context menu. Then the cursor will be blinking, and you can add, paste or replace text only if the font used for that text is installed on your system. More editing information, please

refer to "Add New Text Objects".

### Merge and Split Text Objects

You can also merge and split text objects by using **Merge Text** tool and **Split Text** tool. To remove the space between the letters of words to improve the appearance of text content, you can click

EDIT > Split > Merge Text  $\square$  > Remove Kerning  $\square$  .

To merge text objects, Shift-click the objects with Edit Object tool and click EDIT > Split > Merge

**Text** . To split a text object, please do the following:

• Select the object and click EDIT > Split > Split Text Text . The Split Text dialog box pops up.

Split Text	×		
Text object:			
ing holding his newborn son Sakyamuni to			
II	• • • • • • • • • • • • • • • • • • • •		
	OK Cancel		

• Drag the slider and click the position you want to split. Click OK and the text object will split into parts.

Split Text	
Text object:	
depiction of the Heaven King holding his ner	
OK Cancel	]

### **Convert Text Objects to Shape Objects**

Foxit PhantomPDF supports to convert the selected text object(s) into path(s), which will meet the pre-press requirement. For those computers that do not support or display certain embedded fonts, this new feature helps to overcome that issue. To convert text objects to paths, please do the following:

- Select the text objects that you want to convert to paths.
- Select the **Convert to Shape** button II to convert.

### Edit Image and Shape Objects

To edit image objects, click **EDIT** > **Edit Content** > **Edit Object** > **Image**. Double-click an image or choose **Edit Object** in its context menu. Your current main window is switched to the Image Editor window. For further information about editing image objects, please refer to "<u>Add New Image Objects</u>".

To edit shape/shading objects, click **EDIT** > **Edit Content** > **Edit Object** > **Shape/Shading**. Click a shape/shading and edit it with the tools in **FORMAT/ARRANGE** tab. Further information about editing shape/shading objects, please refer to "Add New Shape Objects".

Tip: When editing text, image, shape and shading objects together, you can edit all the objects by

choosing EDIT > Edit Content > Edit Object 🦻 > All.

## Modify, Arrange and Delete Objects

A selected object is usually outlined by a bounding box. And the corresponding **FORMAT** or **ARRANGE** tab in the ribbon will appear after you select objects. With the tools in **FORMAT** or **ARRANGE** tab, you can modify and arrange objects.

Select **EDIT** > **Edit Content** > **Edit Object** tool > select **All/Text/Image/Shape/Shading**, and do one of the following:

1. To select one or multiple objects, please do one of the following:

- Click the object to select it, or press **Ctrl/Shift** and select more objects.
- Hold the pointer over the objects and drag a rectangle around them.
- Press **Ctrl + A** on keyboard. All objects on the current page are selected.

*Note:* To deselect all the objects, click any blank area in the document.

- 2. Move and resize an object
  - To move an object, select the object and drag the object to the desired place. Or rightclick the object and choose **Cut** from the context menu and then right-click the desired place and choose **Paste**.
  - To resize an object, drag a handle of the object. Drag the handles of the four corners to retain the original aspect ratio.

### 3. Rotate an object

To rotate an object, put the cursor over the selected object, the cursor will change to **>**, then do one of the following:

- In ARRANGE tab, click Rotate group > Rotate > Clockwise/Counter-clockwise by 90 degrees.
- Click and drag 🔮 to rotate the image as you need.
- Right-click the selected and choose **Rotate**.
- 4. Shear an object

To shear an object, select the object and do the following:

Click **EDIT** > **Effect** > **Shear** (or click **Effect** > **Shear** in **FORMAT** tab when shearing a shape/shading object), or right-click the object and choose **Shear** in the context menu. Enter a value in the pop-up dialog box to shear the object and click **OK** to finish.

### 5. Arrange objects

After selecting multiple objects, you can arrange them in the documents. In the **ARRANGE** tab you can align, page-center or distribute objects. Or choose **Align/Center/Distribute** after right-clicking one of the selected objects. (See also "<u>Align Images</u>", "<u>Center Images</u>" and "<u>Distribute Images</u>".)

- 6. Clip an object
  - Select the object and click EDIT > Effect > Clipping 4 (or click Effect > Clipping 4 in the FORMAT tab when clipping a shape/shading object), or right-click the object and choose Add clip path in the context menu. Choose one clipping shape in the drop-down list.
  - Click on the object and it will turn to the clipping mode where the selected object will be enlarged and the cursor changes to a cross ----. Drag the cursor to draw a clipping shape.

The cursor then changes to . You can adjust the shape's position by dragging the

cursor 🚸 to move.

- Drag the dots of the clipping shape in the direction you want until the clipping shape displays the results you want.
- (Optional) You can choose other clipping shapes to do further clipping on the object if needed.
- (Optional) To delete clipping shapes, click EDIT > Effect > Clipping + > Edit Clipping (or

click Effect > Clipping + > Edit Clipping in FORMAT tab), select one clipping shape and press Del or right-click the clipping shape and select Delete. To remove all clipping shapes,

please click EDIT > Effect > Clipping + > Clear Clipping (or click Effect > Clipping + > Clear Clipping in FORMAT tab).

- Click on the area outside the objects to exit the clipping mode.
- 7. Move an object in front or behind other elements

Select an object and click **Z-order** > **Send to Back** or **Bring to Front** in the **ARRANGE** tab to send it to the front or back of the other elements on the page.

- 8. Delete an object
  - Select one or more objects, press the **Delete** key or right-click and choose **Delete** from the context menu.

## **Object Properties**

When you right-click an object or multiple objects with the same type, and choose **Properties...**, you can view and change the options in it.

### Set objects properties

- 1. With Edit Object tool, right-click text objects, images objects, shape objects (or path objects) and shading objects, and choose **Properties...**.
- 2. There are General tab and Appearance tab in the properties dialog box. The general tab is as below: (Take image objects properties for example.)

Image Object Prop	verties		×
General Appe	arance		
Positior	n X: 1.25	Width:	6.31
Position	Y: 8.12	Height:	1.34
		Unit:	Inches
			Close

Image Object Properties Dialog Box

You can specify a number of properties that are common to all objects in the General properties.

- **Position X and Y:** Allow you to set the precise horizontal and vertical position of the objects.
- Width and Height: Displays the selected object's width and height values.
- 3. In Image Object Properties dialog box, please do as the following.

Image Objec	t Properties		×
General	Appearance		
	Opacity: 100	%	 û
			Close

- In the Appearance tab, drag the slider or enter a value to specify the opacity of the image object. Opacity can range from 1% to 100%. For transparent paint or a weak effect, specify a low percentage value; for more opaque paint or a strong effect, specify a high value.
- 4. In shape object properties dialog box, please do any of the following:

Shape Object Properties		×
General Appearance		
Line Color:	RGB 👻	
Fill Color:	RGB 🔻 🎽	
Line Width:	1.00	Dashed:
Miter Limit:	10.00	Line Cap Style: Flat
Line Join Style:	Miter 👻	
Opacity:	100 %	·û
		Close

### Shape Object Properties

• Stroke Color: The stroke color is used to paint the border of paths and text that are


stroked.

- *Fill Color:* The fill color is used to paint the interior of paths and text characters that are filled.
- *Line Width:* The line width specifies the thickness of the line used to stroke a path and is measured in user space units. A line width of 0 specifies the thinnest line that can be rendered on the output device. The default value is 1.

*Note:* A line width of 0 is an inherently device-dependent value. Its use is discouraged because the line may be nearly invisible when printing on high-resolution devices.

 Miter limit: When two line segments meet at a sharp angle it is called a Miter join and has been specified as the line join style. It is possible for the miter to extend far beyond the thickness of the line stroking the path. The miter limit imposes a maximum on the ratio of the miter length to the line width, as shown in the following figure. When the limit is exceeded, the join is converted from a miter to a bevel.

The value for miter limit is a number that must be greater than or equal to 1, and has a default value of 10.



Miter length

- *Line Join Style:* The line join style specifies the shape to be used at the corners of paths that are stroked. The allowed values are Miter joins, Round joins and Bevel joins.
  - Miter the outer edges of the strokes for the two segments are continued until they meet. If the extension projects too far, as determined by the miter limit, a bevel join is used instead.
  - Round a circular arc with a diameter equal to the line width is drawn around the point where the segments meet and filled in, producing a rounded corner.
  - Bevel the two path segments are drawn with butt end caps (see the discussion of line cap style), and the resulting notch beyond the ends of the segments is filled in with a triangle.



## Foxit PhantomPDF Business

**User Manual** 

Miter	Round	Bevel
Square line cap style	Round line cap style	Flat line cap style

- *Line Cap Style:* The line cap style specifies the shape to be used at the ends of open sub paths when they are stroked. Allowed values are Butt end caps, Round end caps, and Projecting Square End.
  - Square: --- the stroke is squared off at the endpoint of the path.
  - Round: --- a semicircular arc with a diameter equal to the line width is drawn around the endpoint and filled in.
  - Flat: --- the stroke extends beyond the end of the line by a distance that is half the line width and is squared off.



- **Dash:** Select a type of line, dashed or solid.
- Opacity: Enter a value, or drag the slider to specify the opacity. Opacity can range from 1% to 100%. For transparent paint or a weak effect, specify a low percentage value; for more opaque paint or a strong effect, specify a high value.
- 5. In text object properties dialog box, please do any of the following:

Text Object Properties			and a local		×
General Appearance					
FontName:	(Embedd	ed Font)	) ABCDEE+Calibri		•
Font size:	10		Horizontal scale:	100	%
Character space:	0.0		Word space:	0.0	
Text mode:	Fill text				
Text mode.	FILLEXL	_			•
Stroke Color:	GRAY	-			-0
Fill Color:	GRAY	-			-0
Opacity:	100	%	-		-0
					Close
					Ciuse

#### **Text Object Properties**


Font Name- Changes the font used by the selected text to the font you specify.

Font Size – changes the font size to the size that you specify.

**Horizontal Scaling** – adjusts the width of characters by stretching or shrinking them in the horizontal direction. The scaling is specified as a percent of normal width of the characters, with 100 being the normal width. The scaling always applies to the x coordinate. The following figure shows the effect of horizontal scaling.

Word	100 (default)
WordWord	50

**Text Mode** – determines whether text is stroked or filled. There are four types of text modes: Fill Text, Stroke text, Fill then stroke text, and Text with no fill and no stroke.



1. Fill text 2. Stroke text 3. Fill then stroke text 4. Text with no fill and no stroke

Character Space – inserts uniform spacing between two or more characters in selected text.

Character	0 (default)
Character	0.25

Word Space - inserts uniform spacing between two or more words in selected text.

Word S	Space	0 (default)
Word	Space	2.5

For stroke color, fill color, and opacity; please refer to Path Object Properties.

## About the Image Editor

🖸 🍃 🗄 🖶 🗉 🖄 🌖 🔿 न		Painting.pdf * - Foxit Phant	omPDF	_	IMAGE EDITOR	
FILE HOME CONVERT ED	IT ORGANIZE	COMMENT VIEW FORM	PROTECT SHAR	_	IMAGE 🔯 Find	 ∧ (
Image: Save to File     Image: Save to File       Imag	Color Brush		Filter	<b>V</b>	Replace Replace Replace Hide Function Panel View	Apply Exit Image Changes Editor Close
Clipboard Tool Painting.pdf * x			riter		Images View	▼ ×
						· 100 ¢ % · 100 ¢ % · K · K · K · K · K · K · K · K
					Opacity: Mode: Normal	- 100 ¢ %
		<b>4 2</b> /6		• 🖆 🖳	100%	• 🗇 —— 🖶 🕀 ///

Image Editor is an image-editing program that includes various tools and the function panel.

## **Tools group**

You can select a tool by clicking its icon in the Tools tab in IMAGE EDITOR. Positioning the pointer over a tool will display a tool tip with the tool's name. There are selecting tools and painting tools.

Select	* 14 0	1 8 1	<b>⊿</b> * ◆ ∢	• € €	Color	Brush
			То	ols		

### **Selecting Tools**

Selecting tools include Rectangular Marquee tool, Magic Wand tool, lasso tools (Lasso tool and Polygonal Lasso tool), etc. To see how to use these tools, please follow the steps as below.

Rectangular Marquee tool:

- Select the rectangle tool  $\Box$  from the Tools tab.
- Drag over the area you want to select.

### Magic Wand tool:

- Select the magic wand tool
- In the Image Editor Function Panel, drag the slider to specify the Tolerance, or enter a value ranging from 0 to 255.
- To select only adjacent areas using the same colors, select Contiguous. Otherwise, all pixels using the same colors will be selected.
- In the image, click the color you want to select. If Contiguous is selected, all adjacent pixels within the tolerance range are selected. Otherwise, all pixels in the tolerance range are selected.

*Tip:* The magic wand tool lets you select a consistently colored area without having to trace its outline. You can specify the tolerance for the magic wand tool's selection.

Lasso tools:

### Lasso tool:

- Select the lasso tool 🗭 from the Tools tab.
- Drag to draw a freehand selection border.

### Polygonal Lasso tool:

- Select the lasso tool 🎽 from the Tools tab.
- Click in the image to set the starting point.
- Double click the image to close the selection.

### Cutting, copying, and pasting selections:

- Select the area you want to cut /copy.
- Choose **Cut Out** tool 🧭 or **Copy** tool 🛅 from the Clipboard tab.
- Paste the selection into the same image or another application.

### **Deleting selections**

• To delete a selection, select the part you want to delete, and press the **Del** key.

## **Painting Tools**

Painting tools include Eyedropper tool, Brush tool, Paint Bucket tool, Dodge tool, Burn Tool and Eraser tool, etc. These tools are generally used in combination with the options in Image Editor Function Panel.

## 1. Setting options for painting

You can set options for a painting tool in the Function Panel.

## Selecting a blending mode

The blending mode controls how pixels in the image are affected by a painting or editing tool.

To select a blending mode for a tool, choose from the Mode drop-down menu.

### Normal

Edits or paints each pixel to make it the result color. This is the default mode.

#### Color Burn

Looks at the color information in each channel and darkens the base color to reflect the blend color by increasing the contrast. Blending with white produces no change.

### Color Dodge

Looks at the color information in each channel and brightens the base color to reflect the blend color by decreasing the contrast. Blending with black produces no change.

### Darken

Looks at the color information in each channel and selects the base or blend color-whichever is darker--as the result color. Pixels lighter than the blend color are replaced, and pixels darker than the blend color do not change.

### Difference

Looks at the color information in each channel and subtracts either the blend color from the base color or the base color from the blend color, depending on which has the greater brightness value. Blending with white inverts the base color values; blending with black produces no change.

Exclusion

Creates an effect similar to but lower in contrast than the Difference mode. Blending with white inverts the base color values. Blending with black produces no change.

### Hard Light


Multiplies or screens the colors, depending on the blend color. The effect is similar to shining a harsh spotlight on the image.

## Lighten

Looks at the color information in each channel and selects the base or blend color-whichever is lighter--as the result color. Pixels darker than the blend color are replaced, and pixels lighter than the blend color do not change.

### • Hard Mix

The result of Hard Mix is either 0 or 255 for each channel. If the sum of upper layer value and lower layer value is greater than 255, then it is 255, otherwise the result will be 0. This mode is useful for color enhancement or special effects. See the Example shown below:



### Linear Dark/Light

Burns or dodges the colors by decreasing or increasing the brightness, depending on the blend color. If the blend color (light source) is lighter than 50% gray, the image is lightened by increasing the brightness. If the blend color is darker than 50% gray, the image is darkened by decreasing the brightness.

### Multiply

Looks at the color information in each channel and multiplies the base color by the blend color. The result color is always a darker color. Multiplying any color with black produces black. Multiplying any color with white leaves the color unchanged. When you're painting with a color other than black or white, successive strokes with a painting tool produce

progressively darker colors. The effect is similar to drawing on the image with multiple magic markers.

### Overlay

Multiplies or screens the colors, depending on the base color. Patterns or colors overlay the existing pixels while preserving the highlights and shadows of the base color. The base color is not replaced but is mixed with the blend color to reflect the lightness or darkness of the original color.

## Pin Light

Replaces the colors, depending on the blend color. If the blend color (light source) is lighter than 50% gray, pixels darker than the blend color are replaced, and pixels lighter than the blend color do not change. If the blend color is darker than 50% gray, pixels lighter than the blend color are replaced, and pixels darker than the blend color do not change. This is useful for adding special effects to an image.

## Screen

Looks at each channel's color information and multiplies the inverse of the blend and base colors. The result color is always a lighter color. Screening with black leaves the color unchanged. Screening with white produces white. The effect is similar to projecting multiple photographic slides on top of each other.

## Soft Light

Darkens or lightens the colors, depending on the blend color. The effect is similar to shining a diffused spotlight on the image.

## Specifying opacity or flow

You can specify opacity or flow in the Function Panel for the following tools:

- Opacity specifies the maximum amount of paint coverage applied by the brush, clone stamp, and paint bucket tools.
- Flow specifies how quickly paint is applied by the brush tool.

## To specify opacity or flow

Enter a value, or drag the slider for Opacity or Flow in the Function Panel.

Opacity or flow can range from 1% to 100%. For transparent paint or a weak effect, specify a low percentage value; for more opaque paint or a strong effect, specify a high value.

## 2. Using the Eyedropper tool

The eyedropper tool samples color to designate a new foreground or background color. You can sample from the active image. You can also specify the area sampled by the eyedropper tool. For example, you can set the eyedropper to sample the color values of a 3-by-3-pixel area under the pointer.

### To sample color with the eyedropper tool:

- Select the eyedropper tool <a>✓</a> from the Tools tab.
- In the Pipette palette of Function Panel, choose an option from the Sample Size menu.


**Note:** 3 by 3 Average or 5 by 5 Average to read the average value of the specified number of pixels within the area you click.

• Click the area containing the color you want to copy.

## 3. Using the Brush tool

Image Editor provides the brush tool to let you paint with the current foreground color.

- Select the Brush tool I from the Tools tab.
- Do one of the following:



- Specify a blending mode (See "<u>Selecting a blending mode</u>")
- Specify an opacity and a flow rate (See "<u>Specifying opacity or flow</u>")
- Drag the image to paint.

## 4. Using the Paint Bucket tool

The paint bucket tool fills adjacent pixels that are similar in color value to the pixels you click.

- Select the paint bucket tool 
   from the Tools tab.
- Do one of the following in the Function Panel:
  - Specify a blending mode (See "<u>Selecting a blending mode</u>")
  - Specify an opacity (See "<u>Specifying opacity or flow</u>")
  - Specify a tolerance

Note: The tolerance defines how similar in color a pixel must be to be filled. Values can range

from 0 to 255. A low tolerance fills pixels within a range of color values very similar to the pixel you click. A high tolerance fills pixels within a broader range.

• Click the part of the image you want to fill.

### 5. Using the Dodge tool

The dodge tool is used to lighten areas of the image.

## To use the dodge tool:

- Select the dodge tool
- Do the following in the Function Panel:
  - Set brush options: Diameter to control the size of the brush. (See "<u>Using the brush</u> tool")
  - Select what to change in the image: Shadows to change the dark areas; Highlights to change the light areas.
- Drag over the part of the image you want to modify.

### 6. Using the Burn tool

The burn tool is used to darken areas of the image.

### To use the burn tool:

- Select the burn tool 🔊 .
- Do the following in the Function Panel:
  - Set brush options: Diameter to control the size of the brush. Hardness to control the size of the brush's hard center (See "<u>Using the brush tool</u>").
  - Select what to change in the image: Shadows to change the dark areas; Highlights to change the light areas.
- Drag over the part of the image you want to modify.

### 7. Using the Eraser tool

- Select the Eraser 🛷 from the Tools tab.
- Do one of the following in the Function Panel:
  - Specify opacity and a flow rate (See "Specifying opacity or flow").
- Drag the pointer over the area you want to erase.

### 8. Using the Spot Healing Brush tool

The spot healing brush tool effortlessly removes dust, scratches, blemishes, and other flaws and automatically preserves the shading, lighting, and texture of the original image.

## To use the healing brush tool:

- Select the spot healing brush tool 😵 .
- Do the following in the Function Panel:
  - Specify the diameter option to control the size of the brush.
  - Specify the roundness option to control the ratio between the brush's short and long axes.
- Press down **Ctrl** key and click an area to define a source to repair.

## 9. Using the Clone Stamp tool

The clone stamp tool takes a sample of an image, which you can then apply over another image or part of the same image. Each stroke of the tool paints on more of the sample.

## To use the clone stamp tool:

- Select the clone stamp tool  $\stackrel{\bullet}{=}$ .
- Do one of the following in the Function Panel:
  - Set brush options: Diameter to control the size of the brush. Hardness to control the size of the brush's hard center (See "<u>Using the brush tool</u>").
  - Specify a blending mode (See "<u>Selecting a blending mode</u>")
  - Specify opacity and a flow rate (See "Specifying opacity or flow").
- Press down **Ctrl** key and click an area to define a resource. Then move the cursor to copy the located image.

## 10. Choosing foreground and background colors

You can use the Levels palette to select the foreground or background color by choosing from a color spectrum or by defining colors numerically.

You can designate a new foreground or background color using the eyedropper tool (See "<u>Using</u> <u>the eyedropper tool</u>") and the Levels palette.

The default foreground color is black, and the default background color is white.

Levels palette:

The Levels palette displays the color values for the current foreground and background colors.

Entering the value in the Levels palette or clicking the arrows 🕒 to increase or decrease the

value, you can edit the foreground and background colors according to several different color models.



### Levels palette

**Note:** Image Editor uses RGB mode to work with images.

### 11. Using the Layer palette

The Layers palette lets you set layer opacity, fill layers and choose a blending mode.

Layer			
Fill:	,	0 100	\$ %
Opacity:		0 100	<b>\$</b> %
Mode:	Normal		•



#### Setting layer opacity

A layer's opacity determines to what degree it obscures or reveals the layer beneath it. A layer with 1% opacity appears nearly transparent, while one with 100% opacity appears completely opaque.

#### To specify opacity for a layer

- 1. Select a layer or layer set in the Layers palette.
- 2. In the Layer palette, enter a value in the Opacity text box or drag the Opacity slider.

#### 12. Hiding/Displaying the Function Panel

To hide/display the Function Panel, please select **Hide Function Panel** button **Fill**, or **Show** 

Function Panel button

## **Filter group**

Using filters, please select an item from the Filter tab to add an effect to the image. Move the cursor over one type of filter to preview how the image will look after adding the filter. The filter will be applied only when you click it. And the image with the applied filter will be the original one

to be added another filter later if any. To undo the application, you can click **Undo** button in the Quick Access toolbar.



The Filter group

## Flipping and Replacing Images

Flipping tools are to flip images horizontally or vertically. And you can also replace the original image with other images with the **Replace** tool

To flip images, please do one of the following:

- In the Toolbox, click  $\Lambda$  or  $\stackrel{<}{=}$  to flip the entire image horizontally or vertically.
- To flip the image you select, click **Rectangle** tool or **Lasso** tool to select an area, and click **Flip** tool A or

To replace images, please do as the following:

- 1. On the Images tab, click **Replace** button
- 2. In the pop-up Open dialog box, search the image file you want and click **Open** button.

*Note:* Only BMP, PCX, TIF, and JPEG format file can be opened.

3. You get a confirmation message asking you if you want to continue to replace the current active image. If yes, click the **Ok** button to finish.

Note: The replaced image will never be recovered.

## **Spelling Check**

Foxit PhantomPDF allows users to check the spelling of PDF files and provides suggestions to correct misspelled words. This feature is useful when users want to proofread text. You can check for possible mistakes and then confirm each correction.

To perform a spellcheck, please do the following:

- Click EDIT > Edit Content > SpellCheck button  $\checkmark$ .
- In the pop-up Spelling dialog box, you will see the suspect word and suggestions for correction.
   Ignore Click Ignore if no correction is needed.

Ignore All – Click Ignore All to skip all further occurrences of the current "misspelling". Change – Click Change after selecting one suggestion to make the suggested correction. Add To Dictionary – Click Add to Dictionary if the suspect word is spelled correctly but doesn't appear in Foxit PhantomPDF's dictionary. Choosing Add to Dictionary adds the word to Foxit PhantomPDF's custom dictionary, which is a supplemental list of spelled-correctly words used to proofread a document.

Cancel – Click Cancel to exit the Spelling dialog box.

Spelling		×
Suspect:	enu	Ignore
Change To:	menu	Ignore All
Suggestions:	menu emu ennui en Venus	Change Add To Dictionary Cancel

Spelling dialog box

# **Chapter 6 – Organize**

Foxit PhantomPDF comes with a built in functionality to combine various PDF files & split one PDF into various small single & multiple page PDF files according to page numbers as well as page range. You can rearrange pages and composing page outlines with the tools under the **ORGANIZE** tab, which allow you to insert, move, replace and crop pages, split documents, add page marks (such as header & footer) to PDFs, and more.

See also the tutorial on Organize PDF Documents.

## **Insert Pages**

Foxit PhantomPDF enables you to insert pages from files (either from a page range or the entire file), a folder, a scanner, clipboard and a blank page. You can also insert pages into multiple documents at a time.

## Insert pages from file

Foxit PhantomPDF allows you to insert pages from a file or multiple files into a PDF.

To insert pages from a file or multiple files into a PDF, open the PDF and do either of the following:

- Directly drag the page thumbnails from a PDF file or files (not limited to PDFs) to the Page panel of navigation pane and drop at the place where you want to insert. If you need to insert certain pages from a non-PDF file, please choose the other method.
- Choose ORGANIZE > Pages > Insert > From File, or click the Insert button bottom on Page panel

of navigation pane, or right-click one page thumbnail and choose **Insert Pages...** > **From File**. In the pop-up dialog box, select the files that you want to insert into the target document, and click **Open**. If the files are non-PDF files and you only want to add certain pages not the whole files, please choose to preview first in the pop-up Foxit PhantomPDF message. Then do the following steps to finish:

Add Files					1	Fotal 3 Files
Name	Location	Size	Туре	Added Time	Selec	ted Page Range
overview.docx TEST.txt Painting.pdf	C:\Users\Sh C:\Users\Sh C:\Users\Sh	62 Bytes	Text Document	2015-12-13 1 2015-12-13 1 2015-12-13 1	N/A	
Move Up   Move D	own F	III Remove				
Select Source Pages Page: 1-4 Sample:1,5-9,12	of 4		Insert To Before pa After pag Beginning End of de	ge 1	of of	19 19
Show Preview						

### Insert Files dialog box

1. In the Insert Files dialog box, you can still add files, folder and open files further by clicking **Add Files...** button.

2. Then choose one file you added, specify where you want to insert to the current PDF document (at the beginning or the end, or before or after a designated), and page range (insert from ...to ...) of the file that you want to insert.

3. Check **Show Preview** in the lower left corner, and you can preview the target page and the insert page in preview boxes. Click **OK** to insert the pages.

4. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

**Note:** When a whole file is inserted, its bookmarks will be inserted at the end of the bookmarks of the original PDF. The links of the bookmarks inserted remain unchanged. And the combined bookmarks will be the bookmarks of the combined PDF file.

## Insert pages from folder

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert** > **From Folder**, or right-click one page thumbnail and choose **Insert Pages...** > **From Folder**.

2. The **Browse For Folder** dialog box pops up. Select the folder that you want to insert into the target document, and click **OK**. (See also "Insert pages from file".)

Browse For Folder		x
All supported files in the se be added.	lected folder and subfolde	rs will
📃 Desktop		<u>^</u>
D Contraction C		
In the second		Ξ
Image: Second		
Network		
1, 2		
<b>3</b>		-
	OK Can	<b>cel</b>

## Insert pages from open files

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert** > **From Open Files**, or right-click one page thumbnail and choose **Insert Pages...** > **From Open Files**.

2. (Optional) Directly drag the page thumbnails from an open PDF file and drop at the target place of the current PDF file.

3. In the pop-up Open PDF Files dialog box, select files you want to insert and click **Add Files** to continue. (See also "<u>Insert pages from file</u>".)

## Insert pages from a scanner

You can insert pages from a paper document using Foxit PhantomPDF and your scanner.

Open the PDF that you want to serve as the basis of the combined file, and choose ORGANIZE >
 Pages > Insert > From Scanner, or right-click one page thumbnail and choose Insert Pages... >
 From Scanner. In the pop-up From Scanner dialog box, specify the place you want to insert pages.

From Scanner				×
Destination				
Before page	4	of	5	
After page	4	of	5	
Beginning of d	locument			
End of docum	ent			
		OK		Cancel
		OR		curren

2. Then select a scanner, the input and documents options in the Custom Scan dialog box, and then click **Scan**.

Scanner:	Please select a scanner	<ul> <li>Advanced</li> </ul>	Options
Configure scanne	r 🖂		
Configure sca	nner using scanner interface		
Source:		-	
Color Mode:		-	
Paper Size:		-	
Resolution:		•	
Optimize Scanned	I PDF 📀		
Reduce size a	and optimize	Optio	ns
Make Searcha	able(run OCR)	Optio	ns

#### Scan dialog box

#### See also "Create a PDF Using Scanner"

3. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

## Insert pages from clipboard

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert** > **From Clipboard**, or right-click one page thumbnail and choose **Insert Pages...** > **From Clipboard**.

2. In the pop-up From Clipboard dialog box, specify the place you want to insert pages. Then the content in the clipboard will be inserted.

3. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

## Insert pages from a blank page

- Open the PDF that you want to use as the basis of the combined file, and choose ORGANIZE > Pages > Insert > Blank Page, or right-click a page thumbnail and choose Insert Pages... > Blank Page.
- 2. In the Insert Blank Pages dialog box, specify where in the document you want to insert the blank pages (as well as how many blank pages you want to insert), and click **OK**.

Insert Blank Pages				×
Destination				
Ø Before page	4	🌲 of	6	
After page	4	of v	6	
Beginning of	document			
End of docur	ment			
Insert Pages Count:	2	* *		
		ОК		Cancel

## Insert Blank Pages dialog box

3. To leave the original PDF intact as a separate file, choose **Save As**, and type a new name for the merged PDF.

## Insert pages into files

- Open the PDF file (i.e. source file) from which you want to choose a range of pages (i.e. source pages) to be inserted into other files. Click ORGANIZE > Pages > Insert > Into File, or right-click a page thumbnail and choose Insert Pages... > Into File.
- 2. In the pop-up **Open** dialog box, choose the file (i.e. target file) to which you want to insert the source pages and click **Open**.
- 3. In the pop-up Insert Pages Into dialog box, you can add more target files by clicking Add Files....
- 4. Then specify the page range to be inserted and the destination in the target files.
- 5. Choose whether to keep the source pages in the source PDF file after inserting.
- 6. Click **Output Options** to specify the output folder and the file names.
- 7. Check **Show Preview** in the lower left corner, and you can preview the target page and the insert page in preview boxes. Click **OK** to insert the pages.

## Rotate, Move, Swap and Delete Pages

## **Rotate Pages**

You can rotate all or selected pages in a document.

- 1. Open the PDF document within which you want to rotate pages.
- 2. (Optional) To rotate one page, choose ORGANIZE >Transform > click Rotate Pages

**L** > **Left/Right**. Rotation is based on 90° increments.

3. To rotate one or more pages, please use one of the following methods:

- ♦ Choose ORGANIZE > Transform > click Rotate Pages 5 > Multi-page rotate.
- ♦ Right-click the selected page thumbnails and choose Rotate Pages.
- ♦ Select multiple page thumbnails in Page panel and click the Rotate

**Counterclockwise** button is and **Rotate Clockwise** button is based on 90° increments.

- 4. In the pop-up Rotate Pages dialog box, specify the direction you want to rotate the pages and the page range.
- 5. Click **OK**.

*Note:* To temporarily change your view of the page, choose *VIEW* > *Page Display* > *Rotate View* > *Rotate Left* or *Right*. The original page orientation is restored the next time you open the PDF.

## **Move Pages**

The Move Pages feature allows you to move pages within a PDF document.

#### Move one or more pages within a PDF document

- 1. Open the PDF document within which you want to move pages.
- Choose ORGANIZE > Pages > Move
   Or right-click the page thumbnail and choose
   Move Pages....
- 3. In the Move Pages dialog box, specify where you want to move pages within the document, and page range that you want to move.
- 4. Click OK.

**Note:** Tagged bookmarks affect the order that reading devices follow, such as devices for the visually impaired. Tagged bookmarks do not change the sequence of pages in a PDF.

### Move one or more pages within a PDF, using page thumbnails

- 1. Click the Pages button to open the Pages panel, and select one or more page thumbnails.
- 2. To move a page, drag the page thumbnail(s) to the new location.

## **Swap Two Pages**

The Swap feature is useful sometimes if you want to swap two different pages within a PDF document.

- 1. Open the PDF document within which you want to swap pages.
- 2. (Optional) Directly drag and drop the page thumbnail to the target location in the Page panel of navigation pane.
- Choose ORGANIZE > Pages > Swap
   Pages....
- 4. In the Swap Two Pages dialog box, select or enter two different page numbers in the **Swap** and **For** options.
- 5. Click **OK**.

## **Delete Pages**

After combining PDF files, you can delete unwanted or blank pages.

## Delete Pages using the Delete command

- 1. Open the PDF document where you want to delete pages.
- 2. Choose ORGANIZE > Pages > Delete 🔍

Delete Pages			×
Page Rar	ige		
Page:	2,	of	6
	Sample:1,5-9,12 🚯		
Delete:	Even and odd pages 🔹 👻		
Show I	Preview		Cancel

### Delete Page dialog box

3. Specify a page range and click **OK** to delete the selected pages.

**Note:** If you want to retain a copy of the original PDF, make sure that you save the new document using **Save As** rather than **Save**.

### **Delete Pages using page thumbnails**

- 1. In the Pages panel, select a page or group of pages:
  - ♦ Drag the mouse to select the page thumbnails.
  - ♦ Shift-click or Ctrl-click to select a range of page thumbnails.

2. Press **Delete** to delete the selected pages. Or right-click the selected pages, choose "Delete Pages..." in the context menu and click **OK**.

## Extract, Duplicate and Replace Pages

## **Extract Pages**

Extraction is the process of reusing selected pages of one PDF in a different PDF. Extracted pages contain not only the content but also all form fields, comments, and links associated with the original page content.

You can leave the extracted pages in the original document and create a new PDF that includes all of the extracted pages during the extraction process - comparable to the familiar processes of cutting-and-pasting or copying-and-pasting, but on the page level.

Note: Any bookmarks or article threading associated with pages are not extracted.

1. Open the PDF in Foxit PhantomPDF and choose ORGANIZE > Pages > Extract

Show Preview to preview the current document in the pop-up Extract Pages dialog box.

 (Optional) Right-click the page thumbnails that you want to extract and choose Extract Pages... to open Extract Pages dialog box.

Extract Pages				×
Page Ran	ge			
Pages:	З,		of	6
	Sample:1,5-9,12	2 🚹		
Extract:	Even and odd ;	oages 👻		
Extract M	lode			
Extrac	t pages as one P	DF		
Extrac	t each page as a	PDF		
🔲 Immed	liately save extra	cted pages		
🔲 Delete	the pages after	extraction		
🔲 Show I	Preview	ОК		Cancel

### Extract Pages dialog box

- 3. In the **Extract Pages** dialog box, specify the page range to be extracted. To extract even or odd pages, the page range should include both one even page and one odd page at least.
- 4. Choose a type of **Extract Mode** and then check the following options as needed:

**Immediately save extracted pages:** save the extracted pages into a new PDF file after you click **OK**. The saved file will not be opened in Foxit PhantomPDF automatically. If the item is not checked, a new PDF file that includes the extracted pages will be opened without being saved. You will have to manually save it.

Delete the pages after extraction: delete the selected pages from the original document.

5. Click **OK** after setting.

## Note:

- 1. If you choose **Extract pages as one PDF**, the extracted pages will be placed in a new PDF document named "Extracted pages from [*original document name*].pdf".
- If you choose Extract each page as a PDF, the Immediately save extracted pages option is not available. You will need to choose a folder to store the generated PDFs after clicking OK. Each extracted page will be placed in a separate PDF named "[original document name]_1.pdf", "[original document name]_2.pdf", and so on.
- The creator of a PDF document can set the security to prevent the extraction of pages. To view the security settings for a document, choose FILE > Properties, and select Security tab.

## **Duplicate Pages**

The Duplicate Pages feature allows you to copy pages within a PDF document.

- 1. Open the PDF document within which you want to copy pages.
- Choose ORGANIZE > Pages > Duplicate ¹, or right-click the page thumbnail and choose Duplicate Pages....
- 3. In the **Duplicate Pages** dialog box, specify where you want to copy pages within the document and the page range that you want to copy.
- 4. Click **OK**.

## **Replace Pages**

You can replace an entire PDF page with another PDF page. The text, images and comments on the original page will be replaced.

To quickly update a PDF, you can replace individual pages.

## Foxit PhantomPDF Business

#### User Manual

1. Open the PDF that contains the pages you want to replace. Choose ORGANIZE > Pages >

**Replace** or right-click the page thumbnails that you want to replace and choose **Replace Pages...**.

2. Select the PDF document containing the replacement pages, then click **Open**.

Replace Pages	X
Select pages to replace Replace pages: From: 2	Select replacement pages Select file: Painting-ds.pdf Browse Replace with pages: Page: 1-6 of 6 Sample:1,5-9,12 (
Show Preview	OK Cancel

**Replace Pages dialog box** 

- 3. In the pop-up **Replace Pages** dialog box, from the original PDF file select pages you want to replace and select replacement pages from the selected file. You can click **Browse** to change the selected file.
- 4. Click **OK** to finish.

**Note:** The bookmarks associated with the original pages will be unavailable after the replacement.

## Split PDFs into multiple files

The Split Document feature is a process of splitting one or more documents into multiple smallersize documents.

1. Open the PDF document you want to split.

2. Choose **ORGANIZE** > **Pages** > **Split** , or right-click on the target page thumbnails and choose **Split Document** in the context menu.

3. In the Split Document dialog box enter the maximum number of pages or file size after splitting, or choose whether to split by the top-level bookmarks if the document has bookmarks.

4. Click **Select More Files...** to split more files. Click **Output Options** to specify the storage location, the file names and other settings.

5. Click **OK**.

## **Crop Pages**

The Crop Pages feature allows you to adjust the visible page area. You can create a PDF document with pages of different sizes.

### Crop one or more pages

- 1. Open the PDF document you want to crop.
- 2. Right click the target page(s) on the Pages thumbnails, choose **Crop Pages**.
- 3. In the pop-up Crop Pages dialog box, specify the settings in the Margin Control: select CropBox, ArtBox, TrimBox, or BleedBox (they are displayed in the preview box in black, red, green and blue respectively) and adjust the proportions to crop. You can preview all the boxes on the right after checking the item **Show All Boxes**.

Crop Pages	×
Margin Controls TrimBox Constrain Proportions Top: 3  Bottom: 3  Left: 3  Right: 3  Right: 3  Page Range Page: 2, of 6 Sample:1,5-9,12 Crop: Even and odd pages	Show Al Boxes Units: Inc
	TrimBox size: 2.50 × 5.00 inch

CropBox – Defines the content boundary of the page when it's displayed or printed.

**ArtBox** – Defines the meaningful content of the page including blank space.

TrimBox – Defines the final dimensions of the page after trimming.

**BleedBox** – Defines the clipping path when the page is printed professionally to allow for paper trimming and folding. Printing marks may fall outside the bleed area.

**Constrain Proportions** – Locks the cropped proportions and each margin will have the same distance from each side to the border.

**Remove White Margins** – Crops the page to the artwork boundary, which is useful for trimming the edges of presentation slides saved as PDFs.

Set To Zero – Restores all the crop margins to zero.

**Reset** – Resets all the margins to the original dimensions.

- 4. A rectangle in the page thumbnail showed in the preview box shows the boundaries of the cropped area.
- 5. Choose the page range you want to crop.
- 6. Choose the unit of the margin cropping values.
- 7. Click **OK**.

### Crop one page

1. Choose **ORGANIZE** > **Transform** > **Crop** , the cursor will change to -. Drag the

cursor to select an area you want to crop. Then double-click the area you cropped.

2. In the pop-up Crop Pages dialog box, the margin measurement indicates the size of the area you selected. You can directly click **OK** or provide new settings in the dialog box.

**Note:** Cropping does not reduce file size because information is not discarded but merely hidden. So you can restore the page and its content to its original dimensions by resetting the page size.

## **Flatten Pages**

The Flatten Pages feature can discard interactive annotations in the PDF file and make them become part of objects of the PDF pages.

- 1. Open the PDF document where you want to flatten pages.
- 2. Choose **ORGANIZE** > **Transform** > **Flatten**
- 3. In the Flatten Pages dialog box, specify the page range (current page, all pages, a range of pages), and click **OK**.

**Note:** If you want to retain a copy of the original PDF, make sure that you save the new document using **Save As** rather than **Save**.

## Header & Footer, Watermark & Background to PDFs

Add Header/Footer, Watermark/Background to PDFs with Text, image and PDF, making your PDFs more professional and easy to view, navigate watermark and place marks on documents.

See also the tutorial on Professionalize Documents.

#### **Header & Footer**

- ♦ To add a new header & footer, please do the following:
- 1. Choose ORGANIZE > Page Marks > Header & Footer > Add.
- 2. Edit the text of header & footer in the "Add Headers and Footers" dialogue box.

Add Headers and Footers			×
Saved Settings: [None specified]  Font	elete Save Settings	Margin (Inches)	
Name: Helvetica 👻 Size	e: 9 🗸 🔳 🔟 🗉 Embed F <u>o</u> nt	<u>T</u> op: 0.5	Bottom: 0.5
Appearance Options		Left: 1	Right: 1
Left H <u>e</u> ader Text	<u>C</u> enter Header Text	Right <u>H</u> ead	er Text
	* *	* *	۸. ۳
Left <u>F</u> ooter Text	Center Footer Te <u>x</u> t	R <u>i</u> ght Foote	er Text
	A 	A 7	۸ ۳
Show Preview Insert Page Number	Insert <u>D</u> ate Page n	umber and date format	Page Range Options
			O <u>K</u> Ca <u>n</u> cel

### Add Headers and Footers Dialog Box

- 3. (Optional) Click **Save Settings** at the top of the dialog box to save the current settings as a profile that can be applied directly to future documents.
- 4. Click **OK** to activate the operation.
- ♦ To update the header & footer, please do the following:
- 2. Choose ORGANIZE > Page Marks > Header & Footer > Update.
- 3. Update the content in the "Update Headers and Footers" dialogue box.
- 4. Click **OK** to activate it.
- ♦ To remove the header & footer, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Header & Footer** > **Remove**.
- 2. Click "Yes" in the pop-up message box.

#### Background

- $\diamond$  To add a new background, please do the following:
- 1. Choose ORGANIZE > Page Marks > Background > Add.
- 2. Edit the background in the "Add Background" dialogue box.
  - Choose one color as the background, or add the file from your computer via clicking the browse button. If the file has many pages, you can select one of them.
  - Set the appearance by choosing the rotation degree, the opacity. You also can choose to

make the scale relative to the target page or not. Click "Appearance Options" to set when to display the background.

- Set the vertical and horizontal distance between the target page and the background.
- Choose the page range to play the background. You can select all pages or specify the page range, or choose even pages or odd pages via clicking the right items in the subset list.
- Check or uncheck the **Show Preview** option to preview the changes or not.

dd Background	×
Saved Settings: [None specified] -	Delete Save Settings
Source	
From color	
File	Browse
Page Number: 1	Absolute Scale: 100%
Appearance	
Rotation: 0° 🚔	
Opacity:	100%
Scale relative to target page	100%
Appearance Options	10070
Position	
Vertical Distance: 0	Inches
Horizontal Distance: 0	Inches
Page Range Options	
Show Preview	OK Cancel

- 3. (Optional) Click **Save Settings** at the top of the dialog box to save the current settings as a profile that can be applied directly to future documents.
- 4. Click **OK** to activate it.
- ✤ To update the background, please do the following:
- 1. Choose ORGANIZE > Page Marks > Background > Update.
- 2. Update the content in the "Update Background" dialogue box.
- 3. Click **OK** to activate it.
- ♦ To remove the background, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Background** > **Remove**.
- 2. Click "Yes" in the pop-up message box.

### Watermark

- ♦ To add a new watermark, please do the following:
- 1. Choose ORGANIZE > Page Marks > Watermark > Add.
- 2. Edit the watermark in the "Add Watermark" dialogue box.
  - Input the text as the background and choose the font, size and the color, or add the file from your computer via clicking the browser button. If the file has many pages, you can select one of them.
  - Set the appearance by choosing the rotation degree and the opacity. You can also choose to make the scale relative to target page or not. Click "Appearance Options" to set when to display the watermark.
    - If you choose the "appear behind page", the page content will obstruct your view of some part of the watermark.
    - If you choose the "appear on the top of page", the watermark will cover some content, but you can adjust it via setting the opacity of the watermark.
  - Set the vertical and horizontal distance between the target page and the watermark.
  - Choose the page range to play the watermark. You can select all pages or specify the page range, or choose even pages or odd pages via clicking the right items in the subset list.
  - Check or uncheck the **Show Preview** option to preview the changes or not.

## Foxit PhantomPDF Business

Watermark	User N	//an
Saved Sett	tings: [None specified]  Delete Save Settings	
Source		
Text:		
© File:	Font: Helvetica - Size: - I	
0.1.6	Page Number: 1 Absolute Scale: 100%	
Appearance	ce	
Rotation:	⊙ -45°  None ○ 45° ○ Custom 0° 🚔	
Opacity:	50%	
Scale ı	relative to target page 50%	
Location:	<ul> <li>Appear behind page</li> <li>Appear on top of page</li> </ul>	
<u>Appearan</u>	nce Options	
Position		
Vertica	I Distance: 0 🔄 Inches 🔻 from Center 👻	
Horizontal	Distance: 0 inches rom Center r	
Page Ran	ige Options	

- 3. Click **Save Settings** at the top of the dialog box to save your current settings as a profile that can be applied to other documents directly next time.
- 4. Click **OK** to activate it.
- ✤ To update the watermark, please do the following:
- 1. Choose ORGANIZE > Page Marks > Watermark > Update.
- 2. Update the content in the "Update Watermark" dialogue box.
- 3. Click **OK** to activate it.
- ✤ To remove the watermark, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Watermark** > **Remove**.
- 2. Click "Yes" in the pop-up message box.

## **Bates Numbering**

### What's Bates Number?

Bates numbering is used in the legal, medical, and business fields to place identifying numbers and/or date/time-marks on images and documents. These numbers may be solely numeric or may contain a combination of letters and numbers. It is a unique serial number attached to every page of a document collected and is also a method of indexing legal documents for easy identification

and retrieval.

#### Add Bates Number

- 1. Choose ORGANIZE > Page Marks > Bates Numbering > Add.
- In the "Add Bates Numbering" dialog box, add the files, folders or opened files by clicking Add Files, Add Folders or Add Open Files. In the files list, you can change the order by clicking Move Up or Move Down and delete a file by clicking Remove.

dd Bates Numbe	ring			X
Add Files	]			
Arrange Your File	25			
Name	Location	Size	Modified	
Move Up	Move Down	Remove		
Output Options			ОК	Cancel

- 3. Click **Output Options**. Here, you can set the target output folder, name the file and create the log file in the dialogue box. Click **OK** to exit the box after completing these settings.
- 4. Click **OK** and a dialog box to add Headers and Footers will pop up for you to insert Bates Numbering on the PDF documents.

Saved Settings: [None specified	<b>]</b> ▼ <u>D</u> elete	Save Settings	Margin (Ir	(hos)		
Name: Helvetica		Embed Fon		-	Bottom: 0.5	×
Appearance Options			<u>L</u> eft:	1	<u>R</u> ight: 1	×
.eft H <u>e</u> ader Text	<u>C</u> ent	ter Header Text		Right <u>H</u> eader Te	ext	
	*		*			
left <u>F</u> ooter Text	Cent	ter Footer Te <u>x</u> t		Right Footer Te	xt	
	*		* *			A. 
Show Preview	es Number	Insert Date Page	e number and date	format	Page Range Optior	ne

- Click Insert Bates Number...
- Another dialog box will appear for setting the number of digits used, the start number,

rotate angle and the prefix/suffix, if needed. Click **OK** to finalize the setting.

Bates Numbering Options	; <b>X</b>
Number of Digits:	6
Start Number:	1
Rotate Angle:	0° 🚔 🚺
Prefix:	
Suffix:	
	OK Cancel

• Click **OK** button.

#### **Remove Bates Number**

Choose ORGANIZE > Page Marks > Bates Numbering > Remove.

## **Adding Format Page Numbers**

If your PDF file contains front matter likes document cover and copyright page, the page numbers on the document pages (i.e. printed page number) may not start from the document cover but from the body pages. You may need to synchronize the page numbers displayed below the page thumbnails (i.e. format page number) with printed page numbers. Foxit PhantomPDF enables users to add format page numbers to meet different needs.

To add custom format page number, please do as below:

- Click ORGANIZE > Page Marks > Format Page Numbers
   Or right-click a page thumbnail and select Format Page Numbers....
- 2. In the Page Numbers dialog box, specify a range of pages you want to number and set the style of page number and the number you want to start at. You can also add a prefix to the number, like adding a letter "P" before the number. You can preview the result viewing the Sample at the bottom of the dialog box.
- 3. If you need to continue the numbering sequence from previous pages without interruption, please check **Extend numbering used in preceding section to selected pages**.
- 4. Click **OK** to finish.

All Pages					
Selected					
Pages From	2	То	6	of 6	
Numbering					
Begin new sec	tion				
Style:	1, 2, 3,			•	
Prefix:	Ρ				
Start:	1				
Extend number	ering used	in prece	ding sect	ion to selected pages	
	-		-		

Page Numbers dialog box

# **Chapter 7 – Comments**

A comment is a written note intended as an opinion, an explanation, an illustration, or a statement of fact or opinion, especially a remark that expresses a personal reaction or attitude. You can type a text message or add a line, circle, or other shape to make comments on PDFs you are reading with Foxit PhantomPDF commenting tools. You can also edit, reply, delete, and move the comments with ease.

## **Commenting Tools**

There are various annotation tools with different functions for you to choose: Text Markup Tools, Pin Tools, Typewriter Tools, Drawing Tools, Measure Tools and Stamp Tools. You can add different comments by selecting the annotation tools from the Comments tab or Toolbar.

See also the tutorial on Commenting Tools.

### **Operating Systems**

- Microsoft <u>Windows® XP Home, Professional, c</u> Text Markup (32-bit & 64-bit).
- Windows vista Iome Basic, Home Premium, E without Service Pack 1 (32-bit & 64-bit).
   Note
   Nindows 7 (32-bismie64-bit).
   Windows 8 (32-bit & 64-bit)
   Microsoft Office
   2003 or later version (requir
   For users utilizing the Active Directory Rights I integration capability, Windows 7 or Windows

## **Text Markup Tools**

You can use Text Markup tools to indicate where text should be edited or noticed. Text Markups do not change the actual text in the PDF. Instead, they indicate which text should be deleted, inserted, highlighted or underlined. Text Markup tools include Highlight Tool, Squiggly Tool, Underline Tool, Strikeout Tool, Replace Tool, and Insert Tool.

To select a markup tool:

• Choose **COMMENT** > **Text Markup** > select [Markup tools name]. Then click and drag from the beginning of the text you want to mark up.

Text Markup Tools

# Foxit PhantomPDF Business

**User Manual** 

Button	Tool Name	Description
abc	Highlight Text Tool	To mark important passages of text with a fluorescent (usually) marker as a means of memory retention or for later reference.
<u>U</u>	Squiggly Text Tool	To draw a squiggly line under. Similar to Underline Tool.
U	Underline Text Tool	To draw a line under to indicate emphasis.
Ŧ	Strikeout Text Tool	To draw a line to cross out text, making others know the text is deleted.
Ŧ	Replace Text Tool	To draw a line to cross out text and provide a substitute for it.
T_	Insert Text Tool	A proofreading symbol (^) used to indicate where something is to be inserted in a line.

Note: If you want to add multiple comments without reselecting the same tool, you can check Keep Tool Selected at COMMENT > Manage Comments.

## **Pin Tools**

You can use pin tools to add comments by adding notes and attaching a file. In note comments you

can type a text message. Using the tool , you can attach a file in the document as a comment.

### Add a Note Comment

To add a note comment, please click the **Note** tool  $\overline{\mathbb{V}}$ , click where you want to place the note and make comments in the box. You can also add bullets to the text message to keep the comments organized from EDIT > Paragraph.

m	nents > T <mark>res</mark>	writer > Typewri	te	Note icon
te	er between t	he letters to activ	va	Note icon
ıg	es to the te ■ _{Note}	2013/3/25 12:48:58		Close button
ef	Shirley	Options -		Options menu
tir	Note Comment.		e	Text message
tl			oi	
				Resize corner
- L. J			-	

### Add a file attachment

To add a file attachment as a comment, do the following:

- ♦ Click the button → on the Pin group under the COMMENT tab.
- Position the pointer to the place where you want to attach a file as a comment > click the selected position.
- In the Add Attachment dialog box, select the file you want to attach, and click **Open**.

**Note:** If you try to attach certain file formats (such as EXE), Foxit Phantom PDF warns you that your attachment is denied because of your security settings.

 $_{\diamond}$  The File Attachment Icon  $\stackrel{\bigstar}{=}$  appears at the place you designated.


# **Typewriter**

The Typewriter tools include Typewriter Tool, Callout Tool, and Textbox Tool.

### **Typewriter Tool**

You can use the Typewriter Tool to add comments anywhere on a PDF, which doesn't appear as annotations.

Note: The Typewriter Tool can be used to fill forms. See also "Filling non-interactive forms".



- Add comments with typewriter
  - Choose COMMENT > Typewriter > Typewriter Tool.
  - Put the cursor on the area to type any text you want. The COMMENT FORMAT tab appears for you to specify the font format, add bullets, align text, etc.
  - Press Enter if you want to start a new line.
  - To finish typing, click anywhere outside the text you have inputted.

*Tip:* It's easy to copy-and-paste text to PDF document as a typewriter annotation from a text document or webpage.

#### ♦ Editing the typewriter comment

- Choose **COMMENT** tab > **Typewriter** group > **Typewriter** tool.
- Put the pointer between the letters and double-click to activate the typewriter text field.
- Do any changes to the text you have inputted by using the COMMENT FORMAT tab. Use **Backspace** or **Delete** keys to delete the characters before or after the pointer.
- To finish editing, click anywhere outside the text field.

*Tip:* You can use the Arrow Keys to move the pointer right and left or up and down.

#### ♦ Spell Checking Typewriter Input

You are able to use the Spell Checker to check your typewriter input give you correcting suggestions if the security settings allow. The Spell Checker component has been integrated into Foxit PhantomPDF. However in the future when an update of this component is available on the Foxit server, you have to manually download the component by going to **Check for Updates** in the Help menu of Foxit PhantomPDF.

If you have installed Spell Checker, when you use typewriter to insert any English text, this tool will try to find any spelling errors and highlight them with squiggly lines.

- Right click on the misspelled words, and you will see a list of suggested words.
- Choose one of the suggested words to correct your input or ignore the squiggly line.

### ♦ Move the typewriter comment

Do one of the following:

Choose COMMENT tab > Typewriter group > Typewriter Tool and put the cursor on the typewriter comment when the cursor turns to be an arrow 
, hold down the mouse and drag the typewriter comment to the intended place.

#### Tips:

- You can use Home, End or Arrow Key to move the cursor among characters.
- When moving the typewriter comment, a rectangle appears.
- Select Hand Tool or Annotation Selection Tool , click the typewriter comment, and move it to the intended place.

### ♦ Delete the typewriter comment


- Choose COMMENT tab > Typewriter group > Typewriter Tool. Position the cursor to the ending or the beginning of the text, drag the cursor to select them all, and press the Delete key.
- (Recommended method) Click the Annotation Selection Tool  $\square$  or Hand Tool  $\square$  , right-click

the text field, and choose **Delete**.


### Callout Tool and Textbox Tool

Callout Tool and Textbox Tool are designed for users to create comments in a callout text box or a box.

Callout text boxes are especially useful when you want to single out (but not obscure) a particular area of a document.



A textbox is a rectangle of any size, possibly with a border that separates the text box from the rest of the interface, allowing the user to input text information. A text box usually remains visible on the document page. It doesn't close like a pop-up note.



**Note:** You can add comments to Japanese, Chinese, and Korean text with the Callout Tool or Textbox Tool, but you must have the Eastern Asian Language module installed. Callout text boxes and Text boxes allow for horizontal text only.

- ♦ Add a callout or textbox
  - Choose COMMENT > Typewriter > Callout/Textbox.
  - Click the place where you want to insert the callout or text box. The **COMMENT FORMAT** tab appears for you to specify the font format, add bullets, align text, etc.
  - Type the text. Text wraps automatically when it reaches the right edge of the box.

#### ♦ Resize, move, edit or delete a callout or textbox

Select the Hand Tool  $\Im$ , Annotation Selection Tool  $\Im$  or the corresponding annotation tool, and do one of the following:

- To resize the callout or textbox, select it and drag any of the handles to resize it.
- To move the callout or textbox, select it and drag to the intended place.
- To edit the callout or textbox, double-click it and do the editing by using the **COMMENT FORMAT** tab.
- To delete the callout or textbox, select it and press **Delete**, or right-click it and then choose **Delete**.
- ♦ Setting callout or textbox preferences

Please refer to <u>"Editing the typewriter comment"</u>.

## Drawing

Drawing Tools allow you to mark up a document with rectangles, ovals, polygons, clouds, arrows, lines, polylines, etc. It is quite useful when you have to make some shapes to mark the text or image.

Button	Tool Name	Description
	Rectangle Tool	To draw a four-sided plane figure with four right angles. Press Shift key to draw a square.
0	Oval Tool	To draw an oval shape or a circle with pressing Shift key.
0	Polygon Tool	To draw a closed plane figure bounded by three or more line segments.
0	Cloudy Tool	To draw cloudy shapes.
ĸ	Arrow Tool	To draw something, such as a directional symbol, that is similar to an arrow in form or function.
~	Line Tool	To mark with a line.
ź	PolyLine Tool	To draw an open plan figure with three or more line segments.
1	Pencil Tool	To draw free-form shapes.
٢	Rubber Tool	An implement, acts as a piece of rubber, used for erasing the pencil markups.
	Area Highlight Tool	To mark important area as a means of memory retention or for later reference.

#### **Drawing Tools**

Note:

If you draw a cloud shape in a counterclockwise direction, the cloud comes out inward. If you draw the lines forming the shape in a clockwise direction, the cloud is created with the points outward.

#### Tips:

- To draw a line in horizontal, vertical, or at a 45 degree angle, press Shift while you draw.
- To draw a square or circle with Oval Tool or Rectangle Tool, press Shift while you draw.

#### Adding Free-form Annotation with PSI (Pressure Sensitive Ink)

Foxit PhantomPDF adds PSI support for free-form annotation. You can use Surface Pro Pen or Wacom Pen to add free-form annotations with PSI in PDFs. Detailed steps are as follows:

- (For Surface Pro users) Choose COMMENT > Drawing > Pencil, and then add free-form annotation as needed with Surface Pro Pen;
- (For Wacom tablet users) Connect your Wacom tablet to the computer, choose COMMENT > Drawing > Pencil, and then add free-form annotation as needed with Wacom Pen.

#### Edit, resize or move the markup

Select the Hand Tool 3, Annotation Selection Tool 3 or the corresponding Drawing Tool.

- To edit the drawing markup, right-click, select **Properties** and do settings as needed.
- To resize the drawing markup, select it, put the cursor on one of the green points, and drag one of the handles to make your adjustments.
- To move the drawing markup, select it and drag it to the target place.
- To add a pop-up note to the markup, select it and double-click the markup or right-click it and choose **Open Popup Note**.
- If you draw a line or arrow, you can enable the comment to be shown on the line or arrow by checking **Show text in line** in the line properties box.
- Check Set Current Properties as Default so that the current settings can be applied next time by default.



#### Arrow Comment

Line Properties	10011	Presid 1	2	X
Appearance Gene	eral Review History			
Thickness:	2			
Border style:	<b>•</b>			
Color:		Fill color:	?	
Start of line	None 🔻	End of line:	Open	•
Opacity:	100 %		Show	text in line
Locked Set Current Properties as Default				
			anto	

#### The Properties of the Arrow Comment

#### Delete the markup

Select the markup and press the Delete key. Or right-click the markup and select **Delete**.

#### Group the markups

Grouping drawing markups enables you to combine them so that you can work with them as though they were a single object. You can move or delete the group, set its status, change its appearance, etc.

Select the Hand Tool or Annotation Selection Tool , and do one of the following:

- To group/ungroup markups, select the markups you want to group/ungroup by pressing Ctrl > right-click group/ungroup.
- To work with a group, select one of the markups and then work with the group as other comments.

### Measure Tools

The Measure Tools enable you to measure distances and areas of objects in PDF documents. The

measure tools are especially useful when you need to know the distances or areas associated with objects in a form or computer-aided design (CAD) drawing or when you want to measure certain areas of a document before sending to a professional printer. The measure tools are available to Reader users only if the PDFs are measurable.

When you use a measure tool, the tool dialog box displays the measurements of the line segments you draw.


#### ♦ Measuring the objects

Choose **COMMENT > Measure >** [measure tool name], and do any of the following:

- Select the **Distance Tool** 🔤 to measure the distance between two points. Click the first point, move the pointer to the second point, and click again. The measurements will appear on the page.
- Select the **Perimeter Tool** to measure a set of distance between multiple points. Click the first point to start, and then click each point you want to measure. Double-click the last point to end measuring.
- Select the **Area Tool** to measure the area within the line segments that you draw. Click the first point to start, and then click each point you want to measure. After you have clicked at least two points, click the first point or double-click the last point to complete the area measurement.

# **Note:** You can also choose to complete or cancel measurement by right-clicking the measurement and choosing options from the context menu.

Before measuring, you can set the scale ratio or other options. The **COMMENT FORMAT** tab appears after you select the measuring tool, and then do any of the following:



- To change the scaling ratio (such as 2:1, say, when the distance on the screen is 2 inch then the actual distance is 1 inch.) on the drawing areas, specify the appropriate numbers. If necessary, change the unit of measurement next to this ratio.
- Check **Show result information** if you want to see the current measuring result, including real distance, angle, horizontal and vertical position, etc.
- Check Measurement markup to type text as a comment in the Annotation box. When you put
  the pointer over the measurement with the Hand tool selected you can view the
  measurement result and annotation you typed in the Annotation box. Or when you doubleclick the measurement, the pop-up note of the measurement will also show the
  measurement result and the annotation.
- Check Rulers to show the rulers.
- Choose one or more snapping types from the **Snap** group. For precise measurements, position the key points when moving the cursor.

Snap to Endpoints : a small red circle will appear at the endpoint of the path when moving the cursor toward the end of the path.

Snap to Midpoints 👘 : a small red triangle will appear at the midpoint of a path when moving the cursor over the path.

Snap to Paths : the cursor will automatically change to a red square box on a path when moving the cursor over the path.

Snap to Intersections : a small red cross will appear at the intersection of two paths when moving the cursor over the point of two intersecting paths.

Note: The object you draw will disappear when the Measurement Markup is deselected in the

#### Distance dialog box.

#### ♦ Working on the measurement markup

After you complete the measurement, you are able to do further operations on it, such as move, resize, flip, and even work on it the way you work on comments.

#### 1. Moving the measurement markup

- With the Hand Tool Tool Tool selection Tool selected, click the measurement markup you want to move.
- Place the cursor over the object when the pointer changes into 
   , hold and drag the mouse to move it to the intended place.
- 2. Changing the length and orientation of the line segment
- With the Hand Tool Selection Selection Tool selected, select one of the resize

corners■, you will see the pointer change into .

• Hold and drag the mouse to change the length and orientation of the line segment.

#### 3. Flipping the measurement markup and the annotation

You can reverse the measurement markup and the annotation.



To flip the measurement markup and the annotation, do the following:

- Select the Hand Tool 🖤 or Annotation Selection Tool 🐼 .
- Right-click the object you draw > select Flip.

### Stamps

The Stamp Tools in Foxit PhantomPDF are a group of advanced tools that enable you to stamp content and watermarks into a PDF document. Foxit PhantomPDF supports image stamps with various image formats (JPEG, GIF, BMP, WMF, etc.) and PDF file stamps. You can either create

dynamic stamps which can obtain information from your system including name, date and time, or import existing dynamic stamps. Stamping PDF files is a very useful feature especially when you need to give reviewers some advices about the document's status or sensitivity.



#### Stamp a PDF

You can choose from a list of predefined stamps, or create custom stamps before stamping a PDF. All the stamps that you import or create are listed in the menu of Stamp Tool and Stamps Palette. To apply a stamp, please do the following:

- Choose COMMENT tab > Stamps group > Stamp button > choose a stamp from the menu. Or choose COMMENT > Stamps > Create > Show Stamps Palette.... In the Stamps window, select a category from the menu, and then select a stamp.
- 2. The cursor changes into a rectangle with the appearance preview of the stamp. Click on the position where you want to place the stamp.
- 3. (Optional) To apply the stamp to multiple pages, please right-click the stamp and choose **Place on Multiple Pages...** Specify the page range to place the stamp and click **OK**.


**Note:** All the stamps that you import or customize will be listed after you click **Stamp** button, you can choose directly a stamp from the menu.

#### Create a Stamp

You can create custom stamps and dynamic stamps.

- ♦ Creating a Custom Stamp
- 1. Choose COMMENT > Stamps > Create > Create Custom Stamp.
- 2. In the **Create Custom Stamp** dialog box, click **Browse...** and choose an image file or a PDF file. If the selected file contains multiple pages, you can drag the scroll bar to select a page.
- 3. Type a new category name or choose a category from drop-down menu, name the stamp, and then click **OK**.

**Note:** If the stamp you choose is an image file, you can adjust the opacity of the image via dragging the scrollbar as needed.



Create Custom Stamps Dialog Box

You can also create a stamp from the clipboard. Please do as the following:

- Copy the image to the clipboard.
- Choose COMMENT > Stamps > Create > Paste Clipboard Image as Stamp Tool, the cursor will be changed into a rectangle.
- Put the cursor over the desired place and you're done.

#### ♦ Create a Custom Dynamic Stamp

You can create a Custom Dynamic Stamp to add text, author name and date time on stamps. Please do the following:

- 1. Choose COMMENT > Stamps > Create > Create Custom Dynamic Stamp....
- 2. In the Create Custom Dynamic Stamp dialog box, choose one stamp template from the left list or create your own stamp template which can be an image or a PDF file. Choose a category from drop-down menu or name a new one, then name the stamp.
- 3. Specify Font, Font Size and Font Color.
- 4. From the Stamp Text option, if you choose <author name>, <date and time>, <date> or < author name, date and time> category without typing any text, it will automatically obtain

current user, date, time from your system when you click Add button.

- 5. You can instantly adjust the added content to fit your needs when you preview current stamp on the right top preview pane.
- 6. Click **OK**.

Arrow Stamp(Blue)	
Arrow Stamp(Deep Blue) Arrow Stamp(Deep Green) Arrow Stamp(Green) Arrow Stamp(Purple) Circle Stamp(Blue) Diamond Stamp(Green) Ellipse Stamp(Green) Ellipse Stamp(Purple) Ellipse Stamp(Purple) Crtagon Stamp(Blue) Octagon Stamp(Blue) Octagon Stamp(Blue) Square Stamp(Deep Blue) Square Stamp(Purple) Triangle Stamp(Blue)	Category: <to a="" category="" name="" new=""> • Name: New Stamp Font: Helvetica • Stamp Text: <type a="" create="" here="" text="" to=""> • Font Size: Auto • Color:</type></to>
Create your stamp template	Add Remove

#### Create Custom Dynamic Stamp Dialog Box

#### Manage a stamp

To manage a stamp, please do the following:

- Choose COMMENT > Stamps > Create > Manage Stamps, open Management Custom Stamps dialog box, and select a stamp.
- Click Create and choose one option from the drop-down menu to create a stamp. Please refer to <u>Creating a stamp</u>.
- Click **Edit** to edit the selected stamp, such as changing category, stamp name, or replacing the image or PDF files etc. Please refer to <u>Creating a stamp</u>.
- Click **Delete** to remove the stamp.

ustom Stamps and Categories	:	s 1
🖃 dog footprint		
dog footprint 1		
🖃 dynamic		
dynamic 1		
🖃 Foxit		
Foxit PDF		
Create Edit	Delete	

#### Manage Custom Stamps Dialog Box

*Note:* Deleting a custom stamp category will delete all stamps that are subordinate to it.

#### ♦ Cut/Copy and Paste a Stamp

To cut/copy and paste a stamp, please do the following:

- Select the stamp you want to cut or copy.
- Right-click the stamp > Cut/Copy. Or use the shortcut keys Ctrl + X/C to cut and copy.
- Right-click on the page you want to paste the stamp and select Paste. Or use the shortcut keys
   Ctrl + V to paste.
- ♦ Undo/Redo a Stamp

To undo/redo a Stamp, please click the undo button ? and redo button on the Quick Access toolbar.

#### ♦ Resize/move a stamp

- Select the Hand Tool  $\stackrel{\text{log}}{\longrightarrow}$  or the Annotation Selection Tool  $\widehat{\searrow}$ .
- To resize a stamp, select it, put the cursor on one of the red points, and drag one of the handles to make your adjustments.
- To move a stamp, select it to drag.
- To add a pop-up note to a stamp, select it and double-click the stamp or right-click it and choose **Open Popup Note**.

#### ♦ Rotate a stamp

- Select the Hand Tool  $\stackrel{\text{def}}{\longrightarrow}$  or the Annotation Selection Tool  $\widehat{\searrow}$ .
- Click the stamp with the tool, a handle will appear over the stamp. Put the cursor on the

handle and rotate the stamp by dragging the cursor. The rotating degree number will appear as you rotate the stamp.

#### ♦ Delete a stamp

Do one of the following:

- Select the Hand Tool ⁽¹⁾ or the Annotation Selection Tool ⁽¹⁾, select the stamp you want to delete and then press the **Delete** key.
- Select the Hand Tool ⁽¹⁾ or the Annotation Selection Tool ⁽¹⁾, right-click on the stamp, and choose **Delete** from the Context Menu.

#### Set Favorite Stamps

- Choose COMMENT > Stamps > Create > Set Favorite Stamps....
- Select a stamp in **All Stamps** panel, and then click **Add to Favorite**, then the stamp you select will be added to Favorite Stamps panel.
- To remove a stamp from **Favorite Stamps** panel, select the stamp you want to remove and then click **Remove from Favorite**.

II Stamps			Favorite Stamps
<ul> <li>dog footprint</li> <li>dog footprint 1</li> <li>dynamic</li> </ul>	* II	Add to Favorite	<ul> <li>Favorite dog footprint 1</li> </ul>
dynamic 1 Dynamic Stamps Approved Confidential Received Reviewed Revised Devit	•	Remove from Favorite	

Set Favorite Stamps

# **Change the Appearance of Comments**

You can change the color and appearances of comments or markups after you create them. Also, you can set the new look as the default appearance for that tool.

#### Change the appearance of Note Comments

1. After you create a note comment, right-click the note icon and choose Properties..., or click

Options at the top-right corner of the note popup box and choose Properties....

Note Properties	×			
Appearance	General Review History Note Type			
	Color:			
Opi	Opacity: 100 %			
	Û			
Locked	Set Current Properties as Default Close			

2. In the Note Properties dialog box, do any of the following, and then click Close:

- Click the Appearance tab to change the color and opacity of the comment.
- Click the Note Type tab to change the type of icon used.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

See also <u>"Set a status"</u>.

- Check **Locked** at the bottom of the Note Properties dialog box to prevent the comment from being moved, altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

#### Change the appearance of Text Markups

Appearance General Review History	
Color:	
Opacity: 100 %	
û	
Locked Set Current Properties as Default	Close

- Follow the steps of <u>"Change the appearance of Note Comments"</u>.
- There is no Note Type tab in Text Markups settings.

#### Change the appearance of Drawing Markups

Appearance Gene	eral Review History		
Thickness:	2		
Border style:	<b>•</b>		
Color:		Fill color: 🙎	
Opacity:	100 %		
		<u></u>	
Locked Set Current Properties as Default     Close			

In the Properties dialog box, do any of the following, and then click **Close**:

- Click the Appearance tab to change such options as the border style, color and opacity. The type of the comment selected determines which options are available.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

#### See also <u>"Set a status"</u>.

- Select **Locked** at the bottom of the Properties dialog box to prevent the comment from being altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

#### Change the appearance of Typewriter Markups

Typewriter Properties
Appearance General Review History
Opacity: 100 %
û
Locked Set Current Properties as Default  Close

In the Typewriter Properties dialog box, do any of the following, and then click **Close**:

- Click the Appearance tab to change the opacity.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

See also <u>"Set a status"</u>.

- Select **Locked** at the bottom of the Properties dialog box to prevent the comment from being altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

#### Change the appearance of a textbox or callout

Please refer to "Change the appearance of Drawing Markups".

#### Set the default appearance for a comment

You can set default properties for any type of comments or markups so that subsequent comments you create share the same icon and color properties.

- Choosing the Hand tool, or the Annotation Selection tool, or with the current comment tool selected, right-click the comments, and select **Set Current Properties as Default** in the pop-up Context Menu.
- All comments you create using this tool will display the properties you set.

# **Managing Comments**

### View all comments

The comments panel displays all comments in the PDF so that you can easily find the comments. In addition, it also provides a toolbar with basic options: **Search box**, **Expand All**, **Collapse All**, **Previous**, **Next**, **Sort By and Hide/Show all comments**.

- The comment is displayed in the popup note or on the markup icon and acts as a tooltip when the popup note is closed.
- If you input the comment with too many lines, it will only show some of the comment while the rest will be displayed as suspension points when the cursor is moved outside the popup note. Click inside the message box to view it with scroll bar.
- The Comments Panel displays all the comments in the PDF. When you navigate through comments, the selected comment will automatically be kept in sync with the current comment being displayed. And you click on a comment to go to the specify comment on page.

To view comments in Comments panel,

- Click the comments button 🧮 in Navigation pane to open Comments panel.
- In Comments panel, there are the following functions to provide you:



- $\diamond$  Search box <u>search</u> Type a string to search comments that contains the string.
- ♦ Expand All ¹
  ♦ Expand All button to expand individual comments.
- ♦ Collapse All ¹ Click Collapse All button to collapse all comments.
- Previous /Next > Browse through the comments. Click the Previous button or the Next button to go to the previous or next comment. The two buttons are unavailable if no comment is selected.
- Sort By I you can sort comments by author, page, type, date. In a thread of replies, only first message is sorted, and the reply messages are sorted in the same category as first message.
- $\diamond$  Show/Hide all comments = you can show/hide all comments in the PDF document.

#### Note:

- 1. You can click the plus and minus signs next to comment to expand or collapse comments.
- 2. The page on which comment is located is kept in sync with the selected comment. To go to the page where a comment is located, only simply click the comment in the comment panel.
- 3. To show/hide all comments on the Comments panel, you can also choose COMMENT >

Manage Comments > Comments | | > Show All/ Hide All.

### Cut, copy and paste comments

#### **Cut comments**

Cutting removes selected comments from the current location. Once you cut the comments, you can paste within the same document, into a different document.

- Select comments to be cut.
- Select Cut from the right-click menu, or press Ctrl + X.
- You are now ready to paste.

#### **Copy comments**

Once you copy the comments, you can paste within the same document, into a different document.

- Select comments to be copied.
- Select **Copy** from the right-click menu, or press **Ctrl + C**.
- You are now ready to paste.

#### Paste comments

You can paste comments within the same document, a different document in Foxit PhantomPDF.

- Copy or cut the selected comments.
- Place your cursor where you want to paste comments within the same document or to another opened document.
- Select **Paste** from the right-click menu, or press **Ctrl + V**.

### **Undo and Redo comments**

See also "Undo and Redo"

### Set and change a status

#### Set a status

Setting a status is useful for keeping track of comments that you have read or that require further action. You can use the status to indicate which comments you want to accept, reject, cancel, complete or export to other documents.

By setting the review status, you can show or hide a certain set of comments, and let review participants know how you are going to handle the comment. Once the review status is set, you cannot remove the review status display from history in the Review History list, even if you change the review status to **None**.

#### Change the status of a comment

- With the Hand tool, Annotation Selection tool or the corresponding tool selected, right-click a comment you want to change the status of, choose **Set Status** > choose one option from the pop-up Context menu, and then select an option.
- To view a markup's history of changes:
  - A. Right-click the markup, and then choose **Properties**.
  - **B.** In the Properties dialog box, click the Review History tab to view the history of status changes people have made to a markup.

### **Reply to comments**

Replying to comments is useful in shared reviews, when participants can read each other's comments. They can also be used by review initiators to let reviewers know how their suggestions are being implemented. All replies appear in the popup note and are listed below the original comment. You can view the respective reply with the reply title and mark.

- 1. To reply to original comments in the pop-up note, do any of the following:
  - Using the Hand tool, Annotation Selection tool, or the corresponding comment tool, open the pop-up note for the comment and select **Reply** in the **Options**. And then type your reply in the textbox that appears in the pop-up window.
  - Right-click the original comment and select **Reply**. And then type your reply in the textbox that appears in the pop-up window.
- 2. To respond to the reply, please do as below:
  - Using the Hand tool, Annotation Selection tool, or the corresponding comment tool, and open the pop-up note for the comment.
  - Right-click the title of the reply and select **Reply to this Reply**. And then type your reply in the textbox that appears in the pop-up window.
- 3. Delete the reply message

In the note pop-up window, right-click the Text message window and click **Delete this reply**.

- 4. Change the color of reply message windowIn the note pop-up window, right-click the reply message window and choose Change Color.
- 5. Flag comments with a checkmarkYou can mark with a comment with a checkmark by right-clicking the comment and selecting

Mark with a Checkmark. The checkmark icon *w* will appear in the Comments pane in the

navigation pane. Or you can directly make the checkmark for a comment in the Comments pane. With the checkmark you can sort comments.

Change the author name
 Right-click the comment and select Change Author Name.

Note: To open/close all comments' popup notes, please choose COMMENT > Manage

Comments > Popup notes 🦳 > Open All/ Close All.

# Arrange comments

You can arrange multiple comments by aligning, centering and distributing them. Please follow the steps below.

### Select multiple comments

- 1. Select the Annotation Selection Tool  $\overline{\mathbf{N}}$ .
- 2. Press and hold Shift or Ctrl and click the comments you want to edit.

### **Align Comments**

Select two or more comments that you want to align. Then do one of the following:

- Choose COMMENT > Drawing > Arrange > Alignment, and then choose a command as follows:
  - A. To align a column of comments, choose  $\square$ ,  $\square$ , or  $\square$  to align them respectively to the left edge, right edge, or vertical axis of the anchor comment.

**Note:** When you right-click or Ctrl-click one of the selected comments, it will be highlighted in red, indicating that it's the anchor comment. The align menu commands move the other selected comments to line up with the edges of the anchor comment.

• Refer to <u>Align Images</u> for more information.

### **Center Comments**

This function enables you to center comments vertically, horizontally or both.

To center comments, select two or more comments that you want to center. Then do one of the following:

- Choose COMMENT > Drawing > Arrange > Page Center, and then choose , | | , or is to center them vertically, horizontally or both.
- Please refer to <u>Center Images</u> for more information.

### **Distribute Comments**

In the context of laying out comments on a page, you can give a group of comments uniform spacing, based on the centers of adjacent comments. This function will be available when selecting three or more comments.

- To distribute the comments, choose COMMENT > Drawing > Arrange > Distribute, and then choose and to distribute vertically or horizontally.
- Please refer to **Distribute Images** for more information.


### Summarize comments

Summarizing comments is an easy way to help you directly obtain a synopsis of comments associated with the PDF. Foxit PhantomPDF supports to create a comment summary PDF. To create a comment summary, do as below:


- 1. Choose COMMENT > Manage Comments > Summarize Comments.
- 2. In Create Comment Summary dialog box, do the following:

Create Comment Summary	×
Layout	<ul> <li>Document and comments with connector lines on separate pages</li> <li>Document and comments with connector lines on single pages</li> <li>Comments only</li> <li>Document and comments with sequence numbers on separate pages</li> <li>Document and comments with sequence numbers on single pages</li> </ul>
Comment Type: Al Paper Size: Letter Font Size: Medium Sort comments by: Page	<ul> <li>Include Pages</li> <li>All pages</li> <li>Visible pages</li> <li>Visible pages</li> <li>From 1 + to 5 +</li> <li>Pages containing no comments</li> </ul>
	OK Cancel

- A. Choose the layout of the summary and there are five types of layouts for you to choose:
  - L1--Document and comment with connector lines on separate pages
  - L2-- Document and comment with connector lines on single pages
  - L3—Comments only
  - L4-- Document and comment with sequence numbers on separate pages
  - L5-- Document and comment with sequence numbers on single pages



Fact Planarity 11 Decision	Page17
	and a state of the
bei ferendi aler, bei an bi te a fardi, pap ar sei a ta,	/
	/
No. 19 and and an oral data and a state of the second state of the	



- L5
- B. Comment Type Choose the comment type you want to summarize.
- C. Paper Size-Select the paper size of the summary
- D. Font Size Select the font size of the summary.
- E. Sort comments by Choose how to sort the comments.
- F. Include pages– Specify the page range you need to summarize.
- 3. Click **OK** and a PDF named "Summary of Comments on [*original document name*].pdf" will be opened automatically. You can rename it before you save.

### Send annotated PDFs

Foxit PhantomPDF makes it easy for users to share reviews. You can send your annotated PDFs to any reviewers to check and respond to your comments.

To send an annotated PDF file, do the following:

- Click on the **Save** button 📙 to save all the comments you have made.
- Choose SHARE > Send To > Email to send it out.

# Import/export comments data

This feature is especially useful for PDF reviewing. When you receive an email invitation to a PDF review, the invitation typically includes the PDF as an attachment or provides a URL to the PDF. Alternatively, you may receive a Form Data Format (FDF) attachment. When opened, an FDF file configures your review settings and opens the PDF in a web browser. At this moment, you need to know how to import the comment data from the FDF file. Similarly, you may export comment data and send them as an FDF file to the other participants.

#### Import comments data

Do as the following:

- Double-click a FDF file to open it directly with Foxit PhantomPDF.
- Choose COMMENT > Manage Comments > Import S navigate to where the desired file is, select it (if you want to import multiple comments file, you can select them by holding Ctrl/Shift or by dragging the mouse to select), and press "Open". You will be prompted that the comments data has been imported successfully.



#### **Export comments data**

To export comments data, please do one of the following;

- To export comments data as a FDF
  - A. Choose COMMENT > Manage Comments > Export
  - B. You will be presented with a standard Windows "Save As" dialog box. Navigate to where you want to save the FDF file (e.g., your Documents folder), specify its name and click Save button.
  - C. You will be prompted that the data has been exported successfully.
- To export and send in an e-mail
  - A. Choose COMMENT > Manage Comments > FDF via Email
  - B. Your default e-mail program will pop up, and the comments data will be exported as a FDF file and attached in the email automatically.
  - C. Type the e-mail address and title > click **Send**.

D. The comments in FDF will be sent separately.

**Note:** The option of Export comments data will be available only when the comments have been added to the PDFs.

**Tip:** The users of Foxit PhantomPDF can import the comments data from txt and dbf files or export the data of PDFs and save in FDF formats file. You can also export the data in FDF format and email as an attachment.

# **Chapter 8 – Share PDFs**

Foxit PhantomPDF supports different methods to share PDF documents with others. You can easily email documents to share with others by one-click and, check out and check in PDFs in your SharePoint server. If you need to collect comments from reviewers as well as sharing documents, Foxit PhantomPDF provides two useful and easily-used methods: Send for Shared Review and Send for Email Review.

# **Email Documents**

E-mailing documents is a useful feature. You may need to send a PDF file you are reading to the customers to speed up your daily work, or an interesting story that you want to share with your friends.

To e-mail a PDF file, please do the following:

- Choose SHARE > Send to > Email.
- System default e-mail application runs.
- The PDF will be attached in the e-mail automatically.
- Type the subject and e-mail address, and click **Send**.

# Send to Evernote

Directly send current PDF document to Evernote as an attachment.

- Prerequisites You should set up an Evernote account from https://www.evernote.com/Registration.action.
- Download and install <u>http://evernote.com/evernote/?file=Win&btn=grey</u>.
- > Open a PDF file.
- Choose SHARE > Send to > Evernote

🖸 🍃 🖺		१ 🏝 🔿 ए	÷÷							;
FILE	HOME	CONVERT	EDIT	ORGANIZE	COMMENT	VIEW	FORM	PROTECT	SHARE	1
Hand							R			
€ Zoom ▼	Email	Evernote	Check ( In	Check Discard Out Check Out	Prepare Documer Properties		d for Shared Review ▼	Send for Email Review	Tracker	
Tools	Se	nd To		SharePoint Inte	gration		I	Review		

> You will see the current PDF document is attached to your Evernote ready.

# **SharePoint Integration**

Foxit PhantomPDF has been integrated with Microsoft SharePoint, which helps you better manage and share PDFs. You can access PDFs in a SharePoint repository by any of the following:

- Open a PDF file in the SharePoint mapped drive by **Open** dialog box within Foxit PhantomPDF. You can open and check out a PDF, modify it and then check in and save to the SharePoint network drive.
- You can also use Foxit PhantomPDF's **Open** or **Save As** dialog box to work on PDFs in your SharePoint repository, whether the SharePoint repository is SharePoint online or SharePoint on-premise. More details please refer to <u>Open and Save As PDFs with Foxit PhantomPDF</u>.
- Directly check out and check in PDFs in your SharePoint repository on SharePoint on-premise through the SharePoint web interface using a browser after configuring your server. Please refer to <u>SharePoint Configuration</u> to configure your server first. More details please refer to <u>Open and Save As PDFs with a Browser</u>.

# **Open and Save As PDFs with Foxit PhantomPDF**

### **Open PDF files in a SharePoint repository**

To open PDF files in a SharePoint repository, please do the following: (Take opening PDFs in a SharePoint repository on SharePoint online for example)

• Run Foxit PhantomPDF and choose **FILE** > **Open** > **Add a place** +> SharePoint +. In the **Add** dialog box, type the SharePoint URL to sign in and click **Next** to continue.

dd		X
Add a	service	
Type the URL y	ou would like to use to sign in.	
http://sp.l10n	foxitsoftware.cn/	•
Next	]	

• In the pop-up dialog box enter the email address and the password to sign in.

s://login.microsoftonline.com/login.srf?wa=wsignin1%2E0&rpsnv=2&ct=1378187641	💌
1 Office 365	
Sign in with your organizational account	E
Password	
□ Keep me signed in	
Sign in	
Can't access your account?	

• In the **Open** dialog box, select the **Shared Documents** folder and click **Open**.

• Choose the PDF file you want to open and click **Open**.

parent folder	de.		
لله 0000569_combo box.p الله 0000577_radio button	.pdf		
RMS-Protected.pdf			

• In the Foxit PhantomPDF dialog box, if you choose Check out and Open, other users cannot edit the PDF at the same time; if you only choose Open, others are able to modify the PDF as well when you are editing.

?	You will op	en:
	File Name:	test.pdf
	Source:	foxit074.sharepoint.com
	Tip: When SHARE tab.	finished with the file, you can check it in using

• (Optional) If you want to cancel the Check Out status, please go to SHARE > SharePoint



- Edit the PDF according to your requirements.
- To set the PDF properties, please do as the following steps:
  - 1. Please go to SHARE > SharePoint Integration > Prepare Document Properties
  - 2. In the Document Properties dialogue, double-click the column name to edit the value in the Edit text box. For example, double-click **Title**, the Edit text box will pop up, type the content you want and click **OK** to finish the editing.

Column	Value
Title	
Single line of text	
Aultiple lines of text	
Choice Jumber	A
Number %	
Currency	
Date and Time	
ookup	
Yes/No	
Person or Group	
Hyperlink or Picture Task Outcome	
Task Outcome	

Title		
Foxit Software Ir	corporated	
		- · · ·
	OK	Cancel

• Go to SharePoint > Check In.

In the Check In dialogue box, select a version number for the modified document along with the appropriate the version comments. To not allow other people to modify the document, you can check **Keep the document checked out after check in this version**.

• Click **OK**, the modified PDF will be loaded to the server automatically.

		User
eck In	×	
Verte Tes		
Version Type		
What kind of version would you like to check in?		
O.2 Minor version (draft)		
1.0 Major version (publish)		
O.1 Overwrite the current minor version		
Version Comments		
	_	
modified on 2012-08-21	~	
	-	
•	Þ	
$\hfill \underline{K} \mathtt{eep}$ the document checked out after checking in this version.		
OK		

### Save as PDF files to a SharePoint repository

To save as PDF files to a SharePoint repository, please do the following: (Take saving as PDFs to a SharePoint repository on SharePoint online for example)

Choose FILE > Save As > Add a place +> SharePoint . In the Add dialog box, type the SharePoint URL to sign in and click Next to continue.

Add	x
Add a service	
Type the URL you would like to use to sign in. https://foxit074.sharepoint.com/	_
Next	T

• In the pop-up dialog box enter the email address and the password to sign in.

ps://login.microsoftonline.com/login.srf?wa=	wsignin1%2E0&rpsnv=2&ct=1378187641	×
Office 365		
Sign in with your organizational account		
Password		
Keep me signed in		
Sign in		
Can't access your account?		

• In the Save As dialog box, select the Shared Documents folder and click Save.

Save As	x
https://foxit074.sharepoint.com/	
<ul> <li>FormServerTemplates</li> <li>images</li> <li>IWConvertedForms</li> <li>Lists</li> <li>m</li> <li>ProjectPolicyItemList</li> <li>Shared Documents</li> <li>SiteAssets</li> <li>SitePages</li> <li>Style Library</li> </ul>	
File name: test0.pdf	
Show: PDF Files(*.pdf)   Cancel Cancel	

### **Open and Save As PDFs with a Browser**

To work on PDFs in your SharePoint repository on SharePoint on-premise with a browser, you just need to log on to your SharePoint web portal, navigate to a PDF and click it. You will be prompted whether to check out and open the PDF. See also <u>Check Out and Open</u>. Then you can check in to save it back to your SharePoint repository.

Tip: If you need to save to your local folder, after editing the PDF you can click FILE > Save As >

**Computer** and choose a local foder to save.

# Shared Review and Email Review

Foxit PhantomPDF enables users to initiate a review by two methods: **Shared Review** and **Email Review**. You can set up your review, specify reviewers and review deadlines. You do not need to import and export comment data or manually track reviewer responses. The review **Tracker** can help review initiators track all reviews and manage the whole review in real time.

See also the tutorial on <u>Shared Review</u>.

## **Shared Review**

### **Collect Comments on an Internal Server**

**Shared Review** allows document authors to share a document on an internal server with others to gather feedback/comments from the reviewers. The review initiator can specify the document location, invite participants and set the review deadline.

After receiving the invitation from the review initiator, reviewers can mark-up PDFs using a full set of commenting tools. Comments from reviewers will be stored in the internal server and synchronized by Foxit PhantomPDF to download them at a regular interval. Reviewers will be notified if new comments are added by others and they can also reply to these comments.

- 1. (For review initiators) To send a PDF out for shared review, please do the following:
- Choose a document for shared review and open with Foxit PhantomPDF.

**Note:** To guard against non-reviewers from accessing the document while it is on a shared repository, before sending out for review you can add some security policies to the document such as password/certificate encryption and AD RMS protection.

- Choose SHARE > Review > Send for Shared Review 
   > Collect comments on an internal server.
- In the pop-up **Send for Shared Review** dialog box:

	<ol> <li>Select target directory</li> </ol>
()) work	Type the path to the shared network folder
lder	\\ <server name="">\<folder name="">\ Browse</folder></server>
SharePoint	Status: Shared folder access is unknown. Once you click Next, Foxit PhantomPDF will verify the location.
space	2 Select distribution and display method
	Send it automatically as a link within the message
	Send it automatically as a milk within the message     Send it automatically as an attachment to the message
	Save a local copy and manually send it later
	C:\Users\Administrator\Desktop\Painting_review.pdf Browse
	Provide a name for the server configuration file
	Provide a name for this server profile
	S1 (send as attachment)

1) Select the location of the document. The location can be a network folder or a SharePoint Workspace.

**Tip:** If using a network folder, it must be a Windows machine running Windows 7, windows Server 2008, or a later version of either. All reviewers must have read and write access to the shared folder and then can make comments with Foxit PhantomPDF or Reader 7.0 or a later release. You can track each reviewer's comments and reply to them accordingly. Reviewers can also see and reply to each other's comments.

2) Select a distribution and display method:

**Send it automatically as a link within the message** – The path to the shared document will be automatically included in the email message to be sent to reviewers using your installed email client (i.e. Outlook). The shared document will be named "[*original document name*]_review.pdf" by default.

**Send it automatically as an attachment to the message** – The shared document will be automatically sent as an email attachment to reviewers with the name "[*original document name*]_review.pdf".

**Save a local copy and manually send it later** – Click **Browse** button to rename the shared document and choose a location to save it and send it to reviewers later manually.

- 3) Name this server profile, eg. "**S1 (send as attachment)**", for further use in the future. The profile is saved with the options you specified above. In the future, you can select the profile directly from the Ribbon and skip this step.
- Click **Next**. If you haven't set your identity information for your PDF viewers yet, enter your identity information.
- Click Next to go on. Enter the email addresses of the desired reviewers. A semicolon or a return can be inserted between each address if there is more than one address. Or click To... button to access your contact list in your email system.

Delivery Method:	S1 (send as attachment)
Review Deadline:	
То	
Cc	
Subject:	Please join the review of Painting_review.pdf
Message:	C:\Users\Administrator\Desktop\Painting_review.pdf Reset default message
	You have been invited to a shared review of "Painting_review.pdf". You can review this document with Foxt PhantomPDF or Reader version 7.0.0 or later.
	Status: Ready to send

#### Send as an Attachment


- Choose the review deadline and then type in an email message.
- After you send the email or save the shared document to a local copy, the shared document is automatically opened, with a message bar in the application window. With the buttons on the message bar, you can publish comments, check for new comments made by reviewers and track the whole review. See also <u>Review a shared review document</u> and <u>Review Tracker</u>.

Please add your comments and click Publish Comments so that other reviewers can see them.	Check for New Comments	Publish Comments	-

### 2. (For reviewers) To review a shared review document:

Upon the review initiator sending out the document, the specified reviewers will receive an email invitation to a PDF review. The email includes an attached document named "[original document name]_review.pdf" or provides a URL to the PDF. To review the document:

- Download the document and open it with Foxit PhantomPDF.
- If it is your first time opening a shared review document, you will be prompted for your identity information. Please enter at least your name and email address.
- Enter an account name and password for the shared folder where the shared review document is located.
- A message bar appears in the application window with three buttons: **Check for New Comments, Publish Comments** and a button with three options.



- You can add your comments using annotation tools and then click **Publish Comments** button to publish your comments which will be saved to the shared server.
- Check for New Comments button allows you to view comments made by the initiator or other reviewers. You can also reply to the comments. In normal situations, comment publishing and checking will happen automatically. Foxit PhantomPDF supports to configure the interval to check for new comments by selecting a length of time in FILE > Preferences > Reviewing > Automatically Check for New Comments. PhantomPDF icon in the taskbar will flash to prompt you that new comments are checked.
- For the button with three options:

**Track Reviews** – To track all reviews you initiated or participated in, which is very useful when you are involved in multiple reviews. See also <u>Review Tracker</u>.

**Save As Archive Copy** – Saves a copy of the document with review comments to your hard drive when the review has ended.

**Work Offline** – If you don't want to publish comments right after you make the comments, this option can keep your work offline, until you click **Work Online** to be able to publish comments.

#### Note:

1. Reviewers will not be able to make comments or do other modifications to the shared documents in non-Foxit PDF viewers.

2. Reviewers should save the document as an archive copy to the hard drive using Foxit PDF viewers so as to modify the content.

### **Collect Comments on Foxit Cloud**

Document owners can also choose to initiate a shared review by sending PDFs as a link with Foxit Cloud which provides tools for securely sharing and managing PDF documents. Both initiators and reviewers can download and track comments that are automatically collected on Foxit Cloud.

To send a document for shared review with Foxit Cloud, please choose SHARE > Review > Send for

Shared Review 🥰 > Download & track comments with Foxit Cloud.

For the following steps as well as the reviewing steps, please refer to <u>Collect Comments on an</u> <u>Internal Server</u>.

**Note:** To join a shared review initiated through Foxit Cloud service, you need to use one of the following compatible clients:

- Windows: Foxit Reader/Foxit PhantomPDF 7.2 or later
- iOS: Foxit MobilePDF Business 4.6 or later

• Android: Foxit MobilePDF Business 3.4 or later

### **Email Review**

Email Review is useful when reviewers don't have access to a common server or initiators don't need collaborative reviews. In an Email Review, the initiator sends PDFs to reviewers as attachments and can view comments only after receiving the commented PDFs from reviewers. Also, the reviewers can only send back the PDFs after adding comments, and they cannot view comments made by others.

- 1) To send a PDF out for email review, please do the following:
- Choose a document for email review and open with Foxit PhantomPDF. This document becomes the master file into which you can merge comments you receive from reviewers.
- Choose SHARE > Review > Send for Email Review
- In the pop-up **Send for Email Review** dialog box, specify the recipients that you want to send the document to for review, type in the message in the text box and click **Send Invitation** button.

nd for Email Review		
Attached	Painting.pdf	
То	1	4
Subject:	Please join the email review of "Painting.pdf"	
Status: Ready to sen	d	
Help	Send Invitat	ion

- A new email with the document attached will appear for you to send. Click **Send** to send out the email.
- You can track the review status with the review tracker. Please refer to <u>Review Tracker</u>.

**Note:** Recipients of the shared document can review it and send it back with Foxit PhantomPDF or Reader 7.0 or a later release, as well as Foxit MobilePDF Business.

2) To participate in an email review:


The recipients can download the document sent from the initiator and open it with Foxit PhantomPDF, add their comments and click **Send Comments** button in the message bar to send their comments back to the initiator.

Please review this documen	t and add your commen	ts. When finished, dick Send Comments to send your comments to the document owner.	Send Comments
	Send Comments	×	
	To Subject:	shirley0818@sina.com Comments on "Painting (1).pdf"	
	Message:	I have reviewed and commented on the attached document: "Painting (1).pdf". Please open the attached file to view my comments.	
	8	Status: Ready to send Your comments have been saved and will be emailed to the given address(es). The recipients will see them just as you have placed them. Send Cancel	

Likewise, you can manage your reviews by using the Tracker. See also <u>Review Tracker</u>.

3) To merge comments:

After receiving the document with comments from reviewers, the initiator open it and will be prompted with a message box about whether to merge comments from this document into the master file or not.



If you choose **No, open this copy only** button, you can still merge comments after you open it by clicking **Merge Comments** button in the message bar.

 $\mathbf{y}_{i}$ Click Merge Comments to merge the comments you received into the tracked PDF file.

Merge Comments

### **Review Tracker**

The Review Tracker tool helps you easily manage document reviews in real time. The tracker shows all reviews you sent and joined and the detailed review status including review deadlines, reviewers, comments, etc. You can also email reviewers/initiators and add reviewers with the tracker. If you are the review initiator in a Shared Review, you can also change the deadline, end the review and start a new review with the same reviewers.

To track all of your reviews, please click SHARE > Review > Tracker

Par Tracker					
Reviews	Reviews > Sent > Painting_revie	w			
Joined	File Location:	C:\Users\Administrator\	Desktop\P	ainting review.pdf	
	Sent:	2014/12/25 15:30:21			
	Deadline:	Deadline: 2015/01/09 15:29:29			
	Status:	Active		<ul> <li><u>Change Deadline</u></li> <li><u>End Review</u></li> </ul>	
	Reviewers			Add Review	wers
	Email	Reviewer Name	Title	Comments: New/Total	Туре
	linxi5842@qq.com	Shirley		0/1	Initiator
	lanfang6228@qq.com			0/0	Required
	chenbin6472@qq.com	Lily		0 / 2	Added
	wangxiao9249@qq.com	Clare		0 / 1	Added
Expand Ali Collapse Ali	Reviewers: 0	) new / 4 total ) new / 3 active <u>II All Reviewers</u>	Start	New Review with Same R	eviewers

# **Chapter 9 – Forms**

Foxit PhantomPDF is extremely useful for form filling and form designing. Please read below for more information.

# Interactive Form and Non-interactive form

There are two kinds of "form" files. One is a PDF file with fillable fields, which enables you to fill the form directly by clicking the form fields without using other features. This is called an *Interactive PDF Form*. The other kind of form is a plain PDF file with lines and texts, which should be filled with the typewriter feature in Foxit PhantomPDF. This is called a *Non-interactive PDF Form*.

### **Interactive Form**

For interactive forms, you will see a document message bar appear between the toolbars and the form itself. If you do not want to see it again when reopening this file, please choose **FILE** > **Preferences** > **Forms** > **Always hide document message bar**. To show it, redo the steps.

This document contains interactive form fields.

🖉 Highlight Fields 🗙

The left side of the message bar typically informs you that this document is a fillable form. The right side of the message bar has two buttons. One is a **Highlight Fields** button, which colors the backgrounds of all blanks to be filled in and outlines any required blanks, making it easy to see them at a glance. Click it to highlight all fields or cancel the highlight. Another button is a **Close** button.

#### Acro Form and XFA (XML Forms Architecture) Form

Foxit PhantomPDF now supports both Acro Form and XFA Form. You can fill in XFA forms with the

Hand Tool  $\overset{\text{(1)}}{\longrightarrow}$ , the same which you were able to do with normal fillable forms (also known as Acro Form).

#### **Non-interactive Form**

The document message bar will not appear. This kind of form acts like an ordinary PDF document that has plain text and you will need to use the Typewriter feature to fill in this form.

# **Fill in PDF Forms**

Foxit PhantomPDF not only allows you to fill in PDF forms and print them out, but also supports 184

advanced form operations, such as saving filled-out forms and importing/exporting forms data.

### **Fill Interactive Forms**

If a PDF form contains interactive form fields, you can fill in the form with the Hand Tool  $\overset{\circ}{\mathbb{W}}$ . When you place the pointer over an interactive form field, the pointer icon changes to one of the following:

- Hand icon ¹ -- Appears when mousing over a button, radio button, check box, or item on a list.
- I-beam icon  $\mathbb I$  -- Appears when you can type text into the form field.

#### To fill in an interactive form, please do the following:

- If necessary, select the Hand tool  $\overset{\circ}{\mathbb{V}}$  .
- (Optional) To make form fields easier to identify, click the **Highlight Fields** on the document message bar. Form fields appear with a colored background (light blue by default).
- Choose FORM > Form Recognition > Run Form Field Recognition. Then click on the first form

field you want to fill in, either to select that option or to place an I-beam pointer  $\, {
m I} \,$  in the

field so that you can start typing.

- Right-click the text fields, and choose **Paste** or **Select All** to do other operations.
- After making a selection or entering text, do any of the following:
  - A. Press Tab or Shift + Tab to accept the form field change and go to the next or previous field.
  - B. Right-click the form field and press the Up arrow key to select the previous option in an item of list, or press the **Down** arrow key to select the next option.
- After you fill in the form fields, do one of the following:
  - A. Click the submit button if one exists. Clicking this button sends the form data to a database across the web or over your company intranet.
  - B. Click Save icon 📙 on toolbar, or choose FILE > Save.
  - C. Choose **FILE** > **Save As**, and specify a location for the copy.

#### Clear a form entry

Click one of the form fields, and use the **Backspace** key or **Delete** key.

#### **Reset unsaved form entries**

#### Choose FORM > Form Data > Reset Form

#### Clear a form in a browser

Do either of the following:

- Select the reset form button if one exists. You can't undo this action.
- Quit the browser, and start again.

**Note:** Clicking the web browser's Reload or Refresh button, the Back or Go Back button, or following a link to another page may not complete clearing the form.

#### Fill lengthy entries in forms

Some PDF forms can contain dynamic text fields, which changes the text you input in size to accommodate the text fields. The text appears smaller and smaller when the words you type exceed the current size of the field.

#### Spell-checking form entries

You can spell- check the text you typed in form fields after purchasing Foxit PhantomPDF if the security settings allow.

If you have installed the Spell Checker, when you insert any English text in the form fields, the spelling errors will be highlighted and underlined with squiggly lines.

To spell-check entries, do the following:

- Right-click on the misspelled words and you will see a list of five suggested words.
- Choose one of the suggested words to correct your input or ignore the squiggly line.
- If all the suggested words are not the exact words you want to input, try to correct them with other words.

### **Fill Non-interactive Forms**

Non-interactive PDF forms can be printed and filled in by hand. Or choose COMMENT tab >

**Typewriter** group > **Typewriter** Tool  $\mathcal{T}$  to type information over the blank form fields and then save or print a copy of the completed form. To use the Typewriter Tool to fill the non-interactive forms and spell-check the entries, please refer to <u>"Typewriter Tool"</u>.

You can also recognize form fields with Run Form Field Recognition tool 📑 and then fill in forms with Hand Tool.

**Note:** To add text before or after the form fields, you can either choose to use **Edit > Edit Content > Add Text** or refer to the <u>Typewriter Tool</u>.

# **Comment on Forms**

You can comment on PDF forms, just like any other PDF. You can add comments only when the form creator has extended these rights to the users.

Whether or not these comments are included when the form is submitted depends on how it is submitted. For example, if you use Foxit PhantomPDF to print the form for mailing or faxing, the comments do not appear. But if you attach the filled-in form to email as a complete PDF, the comments are included. Also, you can send the comments separately as an email attachment.

See also <u>"Chapter 7 - Comments"</u>.

# Manage Form Data

You can import form data from other file formats to a PDF form, or export form data on a PDF form to other file formats. You can also export form data from multiple PDF forms to a CSV file. In addition, for PDF forms with Ultraform technology, Foxit PhantomPDF supports to create and display 2D barcode that contains form data you filled in.

### Import/Export Form Data

To import and export form data is similar to the way of importing and exporting comment data. However, this function is only for PDF interactive forms. All the options for importing and exporting form data will be unavailable when you open other ordinary PDFs or non-interactive forms.

To learn how to import and export form data, please view <u>"Import/Export Comments Data"</u>.

You can also export form data to an existing CSV file by clicking **FORM** > **Form Data** > **Export** > **Append to an Existing Sheet**. In the Open dialog box, select a CSV file you want to append the form data to and click **Open**. A Foxit PhantomPDF message will pop up to prompt that the form data has been exported successfully and let you decide whether to open the file.

**Tip:** The users of Foxit PhantomPDF can import the form data from txt, xml, CSV, dbf or Excel format files or export the data of PDFs and save in FDF formats file, and it also can import and export the form data of PDFs and save as txt, xml, CSV, dbf or Excel format files.

### Combine forms to a sheet

To export form data from multiple PDF forms to a CSV file, please do as following:

#### 1. Choose FORM > Form Data > Combine Forms to a Sheet.

2. In the Export multi-forms to a sheet dialog box, click Add Files to add files that you want to

combine into a sheet. You can also click **Close** button 💛 in the dialog box to remove files.

3. (Optional) Check the option **Contain forms you closed recently** to add the PDF files you closed recently. You can also append the exported form data to an existing file by checking the option **Append to an existing file**.

4. Click **Export**. In the Save As dialog box, specify a folder and file name ("data source.csv" by default) for the CSV file and click **Save**. A Foxit PhantomPDF message will pop up to prompt that the form data has been exported successfully and let you decide whether to open the file.

### **Generate 2D Barcode**

For forms integrated with Ultraforms technology, Foxit PhantomPDF supports the generation of 2D barcodes, making the form data easily to be scanned, captured and incorporated into a database. Steps are as follows:

- Open and fill in the form.
- Upon completion, click the barcode generation button (if any) on the form file to generate 2D barcode.
- $\succ$  Click the save button  $\boxminus$  on the Quick Access Toolbar to save the form.
- (If needed) Choose FILE > Print to print the form; and then you can use a supported scanner to scan, read and incorporate the form data into a database.

				FORM			
<ul> <li>♡ Hand</li> <li>The Select ▼</li> <li>③ Zoom ▼</li> <li>Tools</li> </ul>	Run Form Field Recognition		Radio Combo List iutton Box Box Form Fields	Text Signature Field Field	Edit Static XFA Form Edit	Reset Form b Form Data	Document JavaScript Document Action DavaScript Console JavaScript
This docu	ument contains interactive f	orm fields.					🖉 Highlight Fields 🗙
•							
	82			•	影场防急将被读	<b>茶桃放着冰</b> 路	
<b>E</b>		S O F	<b>AINTR</b>	E			2D
<i>₩</i>	UL	TRAFORMS	®TECHNOLO	DGY		-	Reset
4		ough UltraForms®	MO FORN Technology works on demo form will ONLY	-line	III ANT NO. CONFERNMENT NUMBER	NY MERSEY JOINT BUT	_
Ø	onli		ymbol can hold up to		622301232	CARACS BEAGE	
	1	FILL THE FO		Go) [			
		You can fill the fiel	lds on the right by hand,	or you	ompany Name Foxit Software Incorpora		
		can press the "Go" automatically with	button above, to populat fictitious data.		ddress 42480 Christy Street, Su	Zip Code 94538	
	2	Feel free to edit th	em once filled.		⊧y Fremont, CA	State USA	-

Note:

- 1. Currently, Foxit PhantomPDF only supports the generation of 2D barcode for forms integrated with Ultraforms technology.
- 2. The triggering method for 2D barcode generation may vary as the form creator may define when integrating Ultraforms technology into the form file. You can click the barcode generation button (if there is any) on the form file, or choose **Print** directly to generate 2D barcode.

# **Form Fields**

Foxit PhantomPDF uses a group of buttons that can be used to create and design form fields in interactive forms. You are able to add push buttons, text fields, check boxes, combo boxes, list boxes or radio buttons to create an interactive PDF form and specify their properties.

### **Create Interactive Forms**

You can either create an entirely new interactive form from a blank page or add form fields to an existing electronic form.

To start from a blank page, please do the following:

- Create a blank PDF from FILE > Create > Blank, or choose CONVERT > Create > Blank.
- Open the blank page with Foxit PhantomPDF, and then add form fields.

To create forms from non-interactive table:

• Open it with Foxit PhantomPDF and choose FORM > Form Recognition > Run Form Field

**Recognition** All fillable fields in the document will be recognized and highlighted.

• Add form fields from FORM > Form Fields > click a type of form field button and the cursor

changes to crosshair +- . And the **Designer Assistant** is selected automatically.

- All the corresponding type of form fields will be automatically named with the text near the form fields (Take the text fields for an example as below).
- Click the place you want to add the form field. To edit the form field further, please refer to the properties of different buttons from "<u>Buttons</u>".

Applicant	Applicant	Gender	Gender
Address		Address	

### **Creating Text Fields**

### **Buttons**

There are seven basic buttons to add form fields for you to create an interactive PDF form:

Button	Tool Name	Description
ОК	Push Button	Creates an interactive form element to initiate certain predefined actions, such as opening a file, submitting data to a web server, or resetting a form. This button can also be customized with images and text.
	Check Box	Presents yes-or-no choices for individual items. If the form contains multiple check boxes, users can select what they want.
	Radio Button	Presents a group of choices from which the user can select only one item.
•	Combo Box	Lets the user either choose an item from a pop-up menu or type in a value.
	List Box	Displays a list of options the user can select.
4 <u>+</u>	Text Field	Lets the user type in text, such as name, address, phone number, etc.
XXXX	Signature Field	Creates a blank digital signature field for reviewers to sign the document

			Foxit Software	e Company
	Personal	Information		
	First Nam	e:	)	
	Last Name	e	Text	
	Address:		Field	
			rield	
	City:		submit	
	States:	CA - California	clear	to an este
	Zip/Postal	Code:		> Push Bu
	Country:	US - United States	print	
	How to Co Phone Email:	Intact You? Email We will never sell or disclose your email accress to anyone. Once your account is setup you may add additional email addresses.	What is your Part-time  connect availability? Full-time(Swing)  Car the CTRL key to seed more than one	->List Box
	Re-enter Email:	Must match the email address you just entered above.	Availability: Parktime Pulkime(Days) Fulkime(Days)	Check
	Phone		Full-time(Graveyard)	Check
	Fax			
Radio Button	{	ge subject eip,my brothensister is driving me cra ow can i teil my fatherimother, it's time mexasperated with an aukward partn ow do i stop my family members from thers:	ert them to retre?	

#### A PDF Form

#### **Push Button**

#### $\diamond\quad {\rm Create\ a\ new\ push\ button}$

Choose **FORM** > **Form Fields** > **Push Button**  $\bigcirc$ , and your cursor changes into⁻⁺. Then do the following:

- Drag an area in the desired place to create a push button.
- A box appears under the button for you to input the button name and the name of label.
- You can also click the **All Properties** to do more settings.

#### ♦ Move and resize a push button

- To move a push button, select Annotation Selection Tool wor push button et and drag the button to move it to a new location.
- To resize a push button, select Annotation Selection Tool 🐨 or push button 🔍, click to select the button, and then drag a border handle.

#### ♦ Delete a push button

- Select Annotation Selection Tool 😽 or push button 🔍, and click the push button you want to delete.
- Press **Delete**, or right-click the push button > **Delete**.

#### ♦ Create multiple copies of a push button

You can create multiple copies of a push button. The new push button names are based on the original push buttons and appended with a number. However, you are able to create them with the same names. In addition, all the new push buttons are created sequentially, using standard array format.

• With the Annotation Selection Tool  $\searrow$  or push button  $\bigcirc$ , select one or more push

buttons that you want to copy (press Shift or Ctrl when clicking to select more buttons).

- Right-click one of the buttons > Create Multiple Copies...
- In the Create Multiple Copies of Fields dialog box, do the following:

Create Multiple Copies of Fields	J
Number of Fields	
Copy selected fields <u>d</u> own (times)	
Copy selected fields <u>a</u> cross (times) 2	
Overall Size(All Fields)	
Change Width (in) 0.04	
Change <u>H</u> eight (in) 0.04	1
Overall Position(All Fields)	
<u>U</u> p	
Left Right	
Down	
Preview     Same Name	
<u>O</u> K <u>C</u> ancel	

The Create Multiple Copies of Fields dialog box

A. To specify the rows to be created, enter or select a number in Copy Selected fields down (times). The default number is set to 2.

- B. To specify the columns to be created, enter or select a number in Copy Selected fields across (times). The default number is set to 2.
- C. To specify the width of the area in which the columns of fields appear, enter or select a number in Change Width (in). The default number is set to 0.04.
- D. To specify the height of the area in which the columns of fields appear, enter or select a number in Change Height (in). The default number is set to 0.04.

**Note:** The width and height values don't change the dimensions of individual fields but designate the size of the entire area for all the selected and newly created fields.

- E. To change the position of buttons, use the Up, Down, Left, and Right buttons in the dialog box.
- F. Click **Preview** to apply the results.
- G. Click **Same Name** to apply the names of original buttons to the newly created buttons.
- Click OK.

**Note:** Copies of push buttons function independently of each other. You can use a different procedure to duplicate push buttons, creating an information- sharing relationship among these buttons.

#### ♦ Duplicate a push button across multiple pages

- Select the push button that you want to duplicate.
- Right-click the button > **Duplicate...**

*Note:* The Duplicate command isn't available for forms with only one page.

- Then do one of the following:
  - A. To duplicate the push button on every page in the form, select **All**, and click **OK**.
  - B. To duplicate the push button on odd/even page in the form, select **Odd pages** or **Even pages**, and click **OK**.
  - C. To duplicate the push button on a limited range of pages, type the starting and ending page on which you want the button to appear. Click **OK**.

**Note:** Enter the page number including or not including the page on which the button originally appears doesn't affect the duplication process. Including that page won't create a second copy on top of the original one, and not including it won't remove the original button.

#### ♦ Set tab order

You can set the tab order of the buttons you created. The order number will show on the top left corner. By default, the tab order is based on the document structure. Please do any of the following to set tab order:

- Click the Manage form fields panel in the Navigation Pane. Click Set Order button in the upper-right corner of the Manage form fields panel and choose to order tabs by row/column/structure. Check Show tab numbers to view the tab order. You can also change the tab order by dragging and dropping a field to the desired place within the Manage form fields panel. You can only move one field at a time.
- Click the page thumbnails panel in in the Navigation Pane. Right-click the page where you need to change the tab order and choose **Properties...**. In the **Page Properties** dialog box, select one order in the **Tab Order** tab.
- With the Select Annotation Tool selected, right-click a form field, and choose **Set Tab Order**. Click anywhere in the field that you want it to be the first in the tabbing order. The number in the upper left corner will be set as 1. Click each of the other fields in the order that you want tabbing to occur.

*Note:* You can only set tab order within one page.

#### ♦ Set push button properties

You can set properties that apply formatting, determine the appearance and actions, and so forth.

The push button has a General tab, Appearance tab, an Options tab, and an Actions tab. Besides, there are two items on every tab:

- > Locked When selected, prevents any further changes to any push button properties.
- Close Applies and saves the current button properties, and closes the button properties dialog box.

**Note:** If you select Locked on any tab, it will lock all options for the button, but not just the options on that tab.

1. General tab for the button properties


The General tab in push button properties contains the following options:

- Name Specifies the unique name of the selected push button.
- Tooltip Displays text that the hesitant user may find helpful in clicking the button. Tooltips appear when the pointer hovers over the push button.
- Form Field Specifies whether the push button can be seen, either on screen or in print. There are four choices for you: Visible, Hidden, Visible but doesn't print, and Hidden but printable.
- Orientation Rotates the push button by 0, 90, 180, or 270 Degrees.
- Read Only Prevents the user from clicking the push button.
- Required This option is not available for the push button.

#### 2. Appearance tab for the button properties

The Appearance properties determine how the push button looks on the page. The Appearance tab in push button properties contains the following options:

• Line Style – Alters the appearance of the frame. Select **Solid**, **Dashed**, **Beveled**, **Inset or Underline**.




The appearances of Push Button with different line styles

*Note:* You may not see the difference if no color is chosen as the border color.

- Thickness Specifies the width of the frame surrounding the push button: Thin, Medium, or Thick.
- Border Color Opens a color picker in which you can select a color for the frame surrounding the button. To leave the button without a frame, select **No color**.
- Fill Color Opens a color picker in which you can select a color for the button. To leave the button uncolored, select **No color**.

**Note:** A Fill Color choice other than No color will block any images on the PDF page that are behind the button.

- Font Size Sets the size of the label for the button. You can either choose **Auto**, various preset values, or type in a different value.
- Text Color Opens a color picker in which you can select a color for the label.
- Font Lists the fonts available on your computer.



**Push Button** 

3. Options tab for the button properties

The Options properties determine how labels and icons appear on the button. A button can have a label, an icon, or both. The Options tab in push button properties enables you to add any labels you like. The Options tab in push button properties contains the following options:

• Layout – Specifies the layout of label and icon of the button. There are seven choices:



A. Label only B. Icon only C. Icon top, label bottom D. Label top, icon bottom E. Icon left, label right F. Label left, icon right G. Label over icon

#### **Button Layouts**

- Advanced Does the details settings to the icon.
  - A. When to scale choose when to scale the icon you insert. There are four options:

*Always:* scale the icon to fit the button you draw.

Never: never scale the icon. Show the icon with its original size all the time.

*Icon is too Big:* zoom out the icon to fit the button if the former one is bigger than the latter one, or show the icon with its original size.

*Icon is too Small:* zoom in the icon to fit the button if the former one is smaller than the latter one, or show the icon with its original size.

B. Scale – choose to scale the icon non-proportionally or proportionally. This option will be disabled when you select **Never** in the field of **When to scale**.

**Proportionally:** scale the icon in its proportion.

*Non-proportionally:* scale the icon to fit the button when the magnification is changed.

C. Fit to bounds – check this option to scale the icon to fit fully within the bounds of the button without taking into consideration the line width of the border.

D. Border – drag and move the scroll bar to change icon's position in the button. The coordinates change when you move the scroll bar.

Behavior – Specifies the display of the button when clicked. The button behavior options include:

None: Keeps the appearance of the button the same.

**Push:** Specifies appearances for the Up, Down, and Rollover states of the mouse. Select an option under State, and then specify a label or icon option:


*Up:* Determines what the button looks like when the mouse button is not clicked.

**Down:** Determines what the button looks like when the mouse is clicked on the button, but before it is released.

*Rollover:* Determines what the button looks like when the pointer is held over the button.

Outline: Highlights the button border.

*Invert:* Reverses the dark and light shades of the button.



Push

#### **The Button Behaviors**

- To define the label or icon that appears on the button, do the following:
  - A. If a label option is selected from the Layout menu, type the text in the Label box.
  - B. If an icon option is selected from the Layout menu, click Choose icon... > click Browse... > Select the file type from the Objects of Type menu, double-click the file name, and click OK. (To remove the selected icon, click Clear button.)
- Click **Close** to accept these display properties.
- 4. Actions tab for the button properties

The Actions properties specify any actions that you want to associate with the push button, such as jumping to a specific page or going to a web site. The Actions tab in push button properties contains the following options:

- Select Trigger Specifies the user action that initiates an action: Mouse Up, Mouse Down, Mouse Enter, Mouse Exit, On Receiving Focus, or On Losing Focus.
- Select Action Specifies the event that occurs when the user triggers the action: Go to a page view, Open/execute a file, Open a web link, Show/hide a field, Execute a menu item, Submit a form, Reset a form, Import form data, and Run a JavaScript.
  - A. Go to a page view designate to a specific page view. You can not only designate to a page in the current PDF, but also to the page in another PDF. Also, you may change the current zoom setting and then set the position.

To go to a page view, choose this option, click **Add** button and do one of the following:

- a) Set the position in current document scroll the current document, go to a new position where you want to set and click **Set this position**.
- b) Set the position in another PDF document click the **Open** button on the toolbar > select the PDF you want to set position > scroll this document and go to a position where you want to set > click **Set this position**.

#### *Note:* The new PDF document should be opened in the existing window but not a new window.

- c) Change the view magnification -- scroll in the current document or another document > go to a new position where you want to set > change the magnification of the position > click Set this position.
- d) Click **Cancel** to revoke your operation.
- B. Open/execute a file designate to open another file. To do this, choose Open/execute a file > click Add button > select the destination file and click Select.
- C. Open a web link designate to open a web link. To do this, choose **Open a web link** > click **Add** button > enter the URL of the destination web page.
- D. To show/hide a field, select the option > click **Add...** > choose to show or hide the selected button when the user triggers the action, and click **OK**.
- E. To execute a menu item, select the option > click Add... > select one of the items in Menu Item Selection dialog box, and click OK.
- F. To submit a form, select the option > click **Add...** > choose the submission method, decide which fields should be submitted, and click **OK**.
- G. To reset a form, select the option > click **Add...** > select the fields that will be reset, and click **OK**.
- H. To import form data, select the option > click **Add...** > choose the FDF file that contains the form data you want to import, and click **Open**.
- To run a JavaScript, select the option > click Add... > enter JavaScript, and click OK and Close.
- Actions Displays the list of triggers and actions that you have defined.
- Up and down buttons Change the order in which the selected action appears listed under the trigger. (Available only when you have defined multiple actions for the same trigger.)
- Edit Opens a dialog box with specific options for the selected action. You can also doubleclick the actions to open a dialog box.
- Delete Removes the selected action.

#### ♦ Set push button properties as default

After setting button properties for a new push button, you can set your settings as the new default for all the push buttons you create in future. To set the current properties as default, right-click the push button > select **Use Current Properties as New Defaults**.

#### **Check Box Button**

A check box button is a button to present yes-or-no choices for individual items. For creating, moving, resizing, deleting, creating multiple copies, duplicating a check box button and setting tab order, please refer to <u>"Push button"</u>.


#### ♦ Set Check Box Button Properties

There are also four tabs a General tab, Appearance tab, an Options tab, and an Actions tab for you to set check box button's properties.

For General tab, Appearance tab and an Actions tab, please refer to Set Push Button Properties.

#### Options tab

Check Box Style - Specifies the style of the check box button. There are six choices:



Export Value - Identifies the check box button and differentiates it from other check box buttons that share the same Name value.

Checked by default – Sets the selection state of the button when the user first opens the form.

**Note:** If you create multiple copies of the check box button, please make sure both the form filed names and the export value are all different in related check boxes.

#### **Radio Button**

A radio button is a type of graphical user interface widget that allows you to choose one of a predefined set of options. For creating, moving, resizing, deleting, duplicating the buttons and setting tab order please refer to <u>"Push button"</u>.

#### Tip: How to toggle radio buttons

For the radio buttons in a group, they should have the same form field name but with different export values. This ensures that the radio buttons toggle and that the correct values will be collected in the database.

- 1. Please use copy-paste to create multiple copies if having more than one form field with the same name. After this, to make the value usable, you have to change the value of the radio buttons to make sure all radio buttons have the same field name but different export value.
- 2. Please note you cannot use "Create Multiple Copies" option if there is more than one radio button with the same name. A warning message will pop up if you right click and choosing Create Multiple Copies.

#### ♦ Set radio button properties

How a radio button behaves is determined by settings in the Radio Button Properties dialog box. You can set properties that apply formatting, determine the appearance and actions, and so forth.

The radio button has a General tab, Appearance tab, Actions tab, and an Options tab as push button. Also, there are two items on every tab:

- **Locked** When selected, prevents any further changes to any radio button properties.
- Close Applies and saves the current button properties, and closes the button properties dialog box.

**Note:** If you select Locked on any tab, it will lock all options for the button, but not just the options on that tab.

**1.** General tab for the radio button properties

The General tab in radio button properties contains the following options:

- Name Specifies the unique name of the selected radio button.
- Tooltip Displays text that the hesitant user may find helpful in clicking the button. Tooltips appear when the pointer hovers over the radio button.
- Form Field Specifies whether the radio button can be seen, either on screen or in print. There are four choices for you: Visible, Hidden, Visible but does not print, and Hidden but printable.
- Orientation Rotates the radio button by 0, 90, 180, or 270 Degrees.
- Read Only Prevents the user from clicking the radio button.
- Required Forces the user to click the radio button. If the user attempts to submit the form while a required radio button is not chosen, an error message appears.

2. Appearance tab for the radio button properties

The Appearance properties determine how the radio button looks on the page. The Appearance tab in push button properties contains the following options:

• Line Style – Alters the appearance of the frame. Select Solid, Dashed, Beveled, Inset or Underline.

 Foxit PhantomPDF Business User Manual

 Image: Solid Dashed Beveled Inset Underline


The appearances of Radio Button with different line styles

*Note:* You may not see the difference if no color is chosen as the border color.

- Thickness Specifies the width of the frame surrounding the radio button: Thin, Medium, or Thick.
- Border Color Opens a color picker in which you can select a color for the frame surrounding the button. To leave the button without a frame, select **No color**.
- Fill Color Opens a color picker in which you can select a color for the background behind the button. To leave the background uncolored, select **No color**.

**Note:** A Fill Color choice other than No color will block any images on the PDF page that are behind the button.

• Text Color – Opens a color picker in which you can select a color for the button.



#### **Radio Button**

**Note:** The items of Font Size and Font are not available in the Appearance tab for the Radio Button properties.

**3.** Actions tab for the radio button properties

Please refer to "Actions tab for the button properties" .

4. Options tab for the radio button properties

The Options tab in radio button properties enables you to change the button style and do other additional settings. The Options tab in radio button properties contains the following options:

- Button style Specifies the shape of the maker that appears inside the button when the user selects it. There're six choices in total: Check, Circle (the default), Cross, Diamond, Square, or Star. This property does not alter the shape of the radio button itself.
- Export Value Identifies the radio button and differentiates it from other radio buttons that

share the same Name value. The status of a radio button is "yes". You can give them other names with this box.

- Checked by default Sets the selection state of the button when the user first opens the form.
- Radio buttons with the same name and value are selected in unison Allows single-click selection of multiple related radio buttons. If the user selects a radio button that has the same field name and export value as another, both radio buttons are selected.
- Click **Close** to accept these display properties.

#### ♦ Set radio button properties as default

After setting radio button properties for a new radio button, you can set your settings as the new default for all the radio buttons you create in future.

To set the current properties as default, right-click the radio button, select **Use Current Properties** as **New Defaults**.

#### **Combo Box Button**

A combo box is a commonly-used GUI widget. It is a combination of a drop-down list or list box and a single-line textbox, allowing the user either to type a value directly into the control or choose from the list of existing options.

For creating, moving, resizing, deleting, duplicating the combo box and setting tab order, please refer to <u>"Push button"</u>.

#### ♦ Set combo box properties

How a combo box behaves is determined by settings in the Combo Box Properties dialog box. You can set properties that apply formatting, determine the appearance and actions, perform mathematical operations, and so forth.

The combo box has a General tab, an Appearance tab, an Options tab, a Format tab, a Validate tab, a Calculate tab and an Actions tab,. There are two items on every tab:

- > Locked When selected, prevents any further changes to any combo box properties.
- Close Applies and saves the current properties, and closes the combo box properties dialog box.

**Note:** If you select Locked on any tab, it will lock all options for this combo box, but not just the options on that tab.

**1.** General tab for the combo box properties

Please refer to <u>"General tab for the radio button properties"</u>.

2. Appearance tab for the combo box properties

Please refer to <u>"Appearance tab for the button properties"</u>.

3. Actions tab for the combo box properties

Please refer to <u>"Actions tab for the button properties"</u>.

#### 4. Options tab for the combo box properties

You can create a list of items from which the user selects with the Options tab.

- Item Accepts the text and space character that you type for options that you want to appear in the menu for the field.
- Add Moves the current entry in Item to Item List.
- Export value Where you type in a value to represent the item if the data will be exported. If left blank, the entry for Name in the General tab is used as the export value.
- Item list Displays the choices that will be available in the list.

**Note:** The highlighted item in the Item List box appears as the default selected item in the combo box field. To change the default item, highlight another item from the list.

- Delete Removes the selected item from the list.
- Up/Down Change the order in which the items are listed in the combo box list. These buttons are not available if Sort Items is selected.
- Sort items Arranges the listed items numerically and alphabetically. A numerical sort (if applicable) is performed before an alphabetical sort.
- Allow user to enter custom text Enable users to enter a value other than the ones in the list.
- Commit selected value immediately Saves the value as soon as the user selects it. If this
  option is not selected, the value is saved only when the user tabs out of the current field or
  clicks another form field.
- **5.** Format tab for the combo box properties

The Format tab in the combo box properties dialog box enables you to format the field values. Select one of the categories listed below:

- None No additional options are available. The input in a combo box with this property does not require any specific formatting.
- Number Automatically imposes the selected formatting options on numeric data entries.
  - A. Decimal places Sets the number of digits that appear to the right of the decimal point.
  - B. Separator style Sets the placement of commas and periods.
  - C. Currency symbol Sets the type of currency, such as Dollars, Euros, or Pounds.
  - D. Negative Number Style Sets how negative numbers are displayed. You can choose Show

parentheses, Use red text, neither, or both.

- Percentage Automatically imposes the selected formatting options on numeric data expressed as a percentage.
  - A. Decimal places Sets the number of digits that appear to the right of the decimal point.
  - B. Separator style Sets the placement of commas and periods.
- Date The list includes one-, two-, and four-digit variations where *d* stands for the day, *m* stands for the month, and *y* stands for the year. Also, you can choose **Custom** option and type your format.
- Time The list includes display variations where *h* stands for the hour on a 12-hour clock, *H* stands for the hour on a 24-hour clock, *MM* stands for minutes, *ss* stands for the seconds, and *tt* stands for AM or PM. Also, you can choose the Custom option and type your format.
- Special There are five options for you:
  - A. Zip Code For a five-digit postal code.
  - B. Zip Code + 4 For a nine-digit postal code.
  - C. Phone Number For a ten-digit telephone number.
  - D. Social Security Number For a nine-digit US Social Security Number.
  - E. Arbitrary Mask -- Changes the format category to Custom and makes another text box available, in which you can type a custom format. Use this option to specify which types of characters the user can enter in any given position, and how the data displays in the field.
    - a. A -- Accepts only letters (A–Z, a–z).
    - b. X -- Accepts spaces and most printable characters, including all characters available on a standard keyboard and ANSI characters in the ranges of 32–126 and 128–255.
    - c. O -- The letter "O" accepts alphanumeric characters (A–Z, a–z, and 0–9).
    - d. 9 -- Accepts only numeric characters (0–9).

For example, a mask setting of AAA--p#999 accepts the input BDF--p#367. A mask setting of OOOOO@XXX accepts the input vad12@3Up.

ombo Box	Properties					×
General	Appearance	Options	Format	Validate	Calculate	Actions
Spe	Select format ecial Options	category	: Sp	ecial	•	
	Zip Code Zip Code+4 Phone Numbe Social Security	Number				
	Arbitrary Mask					
	000-AAA-XXX	>				
and	the Special for to display phor Irity numbers					ing
Locked	ł					Close

#### Example of an Arbitrary Mask entry

- Custom -- Makes additional options available to form designers who want to write their own JavaScripts for formatting and keystrokes. For example, a custom script could define a new currency format or limit the user entry to specific keystroke characters.
  - A. Custom Format Script Displays any custom scripts you have added for formats. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.
  - B. Custom Keystroke Script –Displays any custom scripts you have added to validate keystrokes. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.
- 6. Validate tab for the combo box properties

The Validate properties restrict entries to specified ranges, values, or characters, ensuring that users enter the appropriate data for a combo box.

- Field value is not validated Turns off validation.
- Field value is in range Sets a numeric range for a combo box using values you enter in either as a number or a percentage. It is available only when Number or Percentage is selected in Format tab.
- Run custom validation script Validates by a JavaScript that you create or provide. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.

#### **7.** Calculate tab for the combo box properties

With this option, you can perform mathematical operations on existing form field entries and display the result.

- Value is not calculated Select this option if you want the users to type.
- Value is the Select this to make further options available:
  - A. The List includes the mathematical functions to apply to the selected fields. Choose Sum to add the values entered in the selected fields, Product to multiply them, Average, Minimum, or Maximum.
  - B. Pick Opens a Field Selection dialog box with a list of the available fields in the form that you select to add or deselect to remove from the calculation.
- Simplified field notation -- Uses JavaScript with field names and simple arithmetic signs. The Edit button opens a JavaScript Edition dialog box in which you can write, edit, and add scripts.
- Custom calculation script -- Displays any custom scripts you have added for calculations. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.

#### ♦ Set combo box properties as default

After setting combo box properties for a new combo box, you can set your settings as the new default for all the combo boxes you create in future.

To set the current properties as default, right-click the combo box > select **Use Current Properties** as **New Defaults**.

#### List Box and Text Field Button

A list box is a GUI widget that allows the user to select one or more items from a list contained within a static, multiple line text box. Also, you can set a list box property that enables the user to Shift-click or Ctrl-click/Control-click to select multiple items on the list.

A text field is a common element of graphical user interface of computer programs, as well as the corresponding type of widget used when programming GUIs, which let the user type in text, such as name, address, phone number, etc.

For creating, moving, resizing, deleting, duplicating the list box and text filed and setting tab order please refer to <u>"Push button"</u>.

#### ♦ Set list box properties

Please refer to "Set combo box properties".

#### ♦ Set text field properties

Although most of the properties are common to those of combo boxes, the Options tab is exclusive.

1. For all the other properties of a text field, please refer to <u>"Set combo box properties"</u>.

#### 2. Options tab for the text field properties

- Alignment Aligns the text left, right, or center within the field.
- Default Value Specifies the text that appears until the user overwrites it by typing in the field. Enter the default value by typing in this option.
- Scroll long text Compensates for text that extends beyond the boundaries of the text field.
- Allow Rich Text Formatting Allows users to apply styling information to the text, such as bold
  or italic. This might be useful in certain text fields where such styling information is important
  to the meaning of the text, such as an essay.
- Limit of Characters Allows entries of up to the number of characters you specify.

Note: If you entered a default value, that value is clipped to this limit.

- Password Displays the user-entered text as a series of asterisks (*). This option is available only if Check Spelling is deselected.
- Field is used for file selection Allows the user to enter a file path as the field's value when a file is submitted along with the form. This option is available only when Scroll long text is the only selected option in the Options tab.
- Check spelling Checks the spelling of user-entered text.
- Comb of Characters -- Spreads the user-entered text evenly across the width of the text field. If a border color is specified, **Solid** or **Dashed Line** is selected in the Appearance tab, each character entered in the field is separated by lines of that color. This option is available only when no other check box is selected.



Text fields with and without the Comb property

A. Text field with a border color, using the Comb property

#### B. Text field without the Comb property

• Multi-line – Allows more than a single-line entry in the text field. Setting line spacing is

available in a multi-line text field.

#### ♦ Set text field properties as default

To set the current properties as default, right-click the text field > select **Use Current Properties** as **New Defaults**.

#### **Signature Field Button**

The signature field is specially designed by to create blank digital signature fields for reviewers to sign. You can place the field anywhere you want the reviewers to sign.

#### ♦ Create a new Signature field

Choose **FORM** > **Form Fields** > **Signature Field** button , your cursor will change into⁻¹⁻ and do the following:

- Drag an area in the desired place to create a signature field button.
- A box appears under the button for you to input the name.
- You can also click the **All Properties** to do more settings. Or double-click the button to open the signature Properties dialog box.

For moving, resizing, deleting, duplicating the signature field and setting tab order, please refer to <u>"Push button"</u>.

To set signature field's General, Appearance and Actions tab properties, please refer to "<u>Set push</u> <u>button properties</u>".

Foxit PhantomPDF supports to sign and verify digital signatures on XFA forms created by Adobe LiveCycle. To sign and verify digital signatures, please refer to <u>Digital Signature</u>.

Signed tab for the signature field properties

- Nothing Happens When Signed it is set as default.
- Mark As Read-Only Prevents other readers to change the digitally signed form.
  - ♦ All Fields Prevents any changes to any form field.
  - All Fields Except These Allows changing the selected form fields. Click the Pick button and select check boxes for the fields that you want the reviewers to edit after signing.
  - ♦ Just These Fields Prevent to change the form fields you pick.
- This Script Executes When Field is Signed:

Activate a custom JavaScript when the user digitally signs the form. Click the **Edit** button to change or create a new JavaScript action.

### Arrange form fields

You can arrange form fields in a page, such as aligning, centering and distributing form fields. Before arranging form fields, select multiple form fields.

#### Select multiple form fields

To arrange the form fields, you have to select multiple form fields that you want to arrange first.

To select multiple form fields, do one of the following:

- Choose the Annotation Selection tool > Shift-click or Ctrl-click each form field.
- Choose the Annotation Selection tool > drag a selection marquee around the area to select them.

To deselect an individual form field, Ctrl-click the specific field.

**Note:** The form field highlighted in red is the anchor. When you select multiple form fields by clicking, the last field selected is the anchor.

#### Align multiple form fields

You can align the selected form fields left, right, top, bottom, vertically or horizontally. Select one of the form fields as the anchor, the rest of the form fields will be placed respectively to the left edge, right edge, top edge, bottom edge, vertical axis or horizontal axis of the anchor form field. Select two or more form fields that you want to align and do one of the following:

- Right-click the anchor, choose **FORM** > **Edit** > **Arrange**, and in the Alignment category select one to align the form fields.
- Right-click the anchor, and then choose a command as follows:
  - A. To align a column of form fields, choose Left, Right, or Vertically to align them respectively to the left edge, right edge, or vertical axis of the anchor form field.
  - B. To align a row of form fields, choose Top, Bottom, or Horizontally to align them respectively to the top edge, bottom edge, or horizontal axis of the anchor form field.

**Note:** When you right-click or Ctrl-click one of the selected form fields, it will be highlighted in red, indicating that it's the anchor form field. The align menu commands move the other selected form fields to line up with the edges of the anchor form fields.

#### Center multiple form fields

This function enables you to center the rectangle enclosed by form. Select form fields. You can imagine that these form fields consist of an area with the shape of rectangle. Then do one of the following:

- Choose **FORM** > **Edit** > **Arrange**, in the Page Center category select one as the anchor to center the form fields.
- Right-click one of the form fields > **Center** > **Vertically/Horizontally/Both**. You will find that the rectangle is centered respectively vertically, horizontally or both in the page.

#### Distribute multiple form fields

This function will be available when selecting three or more form fields. Select the form fields to be distributed, and do one of following:

- Choose **FORM** > **Edit** > **Arrange**, in the Distribute category select one as the anchor to distribute the form fields.
- To distribute the form fields evenly between the topmost and bottommost form fields, choose Distribute > Vertically. To distribute the form fields evenly between the leftmost and rightmost form fields, choose Distribute > Horizontally.

### **Resize multiple form fields**

Select one of the form fields as the anchor, and the rest of the form fields will be resized with the same height or width as that of the anchor form field. For example,

- Select form field A and B with the Annotation Selection Tool . Suppose that you want to set A as the anchor form field.
- Right-click A > Size > Height/Width/Both. And you'll see that the height/width/height and width of B is resized to be the same as that of A.

### Set Form-field Tab Order

Please refer to Set Tab Order of Push Button.

### Set the field calculation order

When you define two or more calculations in a form, the order in which they are carried out is the

order in which you set the calculations. In some cases, you may need to modify the calculation order to obtain correct results.

For example, if you want to use the results obtained from calculating two form fields to calculate the value of a third form field, the first two form fields must be calculated together first to obtain the correct results.

• Choose FORM > Edit > Calculation Order

The Calculation Order dialog box displays all calculable fields in your form and the order in which the calculations are performed.

- To change the field calculation order, select the field from the list, and then click the Up or Down button as needed.
- Click **OK** to finish.

### **Edit Static XFA Forms**

Foxit PhantomPDF supports editing of static XFA forms.

To edit static XFA forms, please do as below:

- 1. Open the static XFA form with Foxit PhantomPDF and choose FORM > Edit > Edit Static XFA Form
- If a copy of the original file to continue to edit.
- 2. Click Yes to edit the form as needed.

### Set properties of multiple form fields

- Select multiple form fields > right-click one of them > Properties....
- There pops up a dialog with a General tab and an Appearance tab, and then follow the steps specified above.

# JavaScript

JavaScript is a dynamic, prototype-based language with first-class functions, which serves as a means to easily create interactive web pages. In Foxit PhantomPDF, you can easily integrate this level of interactivity into your PDF documents.

With Foxit PhantomPDF, you can invoke JavaScript code using actions associated with documents,

bookmarks, links, and pages. Foxit PhantomPDF provides three options –Document JavaScript, Document Action and JavaScript Console. The Document JavaScript lets you create or access document level scripts in Foxit PhantomPDF. The Document Action lets you create document-level JavaScript actions that apply to the entire document. The JavaScript Console provides an interactive and convenient interface for testing portions of JavaScript code and experimenting with object properties and methods.

### **Document JavaScript**

Document JavaScripts are variable and function definitions that are generally useful to a given document, but are not applicable outside the document.

- Variable definitions: Define variables at the document level to make them visible to any executing script.
- Function definitions: Define functions at the document level that support the user interaction
  with the document. These functions may be utility functions for handling common tasks for
  string or number manipulation, or functions that execute lengthy scripts called by actions
  initiated by a user interacting with form fields, bookmarks, page changes, etc.

To create or access document level scripts in Foxit PhantomPDF, select **FORM** > **JavaScript** > **Document JavaScript**. The pop-up Java Script Functions dialog box enables you to add, edit, or delete document level scripts. All the document level scripts are stored within the PDF document.

In Java Script Functions dialog box, you will see the following buttons:

- Close Closes the dialog box.
- Add After typing a new Script Name, a JavaScript Editor dialog box pops up. You can create and edit document level scripts here. To change the font of JavaScripts, click the Font button.
- Edit The JavaScript Editor dialog box pops up, enabling you to modify the JavaScripts you create.
- Delete Delete the JavaScript you selected.

### **Document Action**

You can create the document-level JavaScript actions that apply to the entire document. For example, selecting Document Did Save runs the JavaScript after a document is saved.

When this happens Document Will Cl			
Document Will Sa			
Document Did Sa		Edit	
Document Will Pr		Edit	
Document Did Pr	int		
execute this Javascrip	t:		
Execute this Javascrip	t:		4

# JavaScript Console

JavaScript Console is a control panel for the execution and debugging of JavaScript code. Serving as a debugging aid, it is quite useful for displaying debug messages and executing JavaScript. To active the JavaScript console, select **FORM**> **JavaScript** > **JavaScript Console**, and do the following:

🖸 JavaScr	ipt Console	
00000 00001 00002 00003 00004 00005 00006 00007	<pre>iver nCount = this.numFields; if (nCount = - undefined nCount = =0) { gap.alert("no Fields here"); eke eke { app.alert("Fields count" + nCount);</pre>	^
۲		P P
Show :	ps when editing <u>Bun</u> Clear	<u>Q</u> lose
🛯 JavaScr	ipt Console	
00000 00001 00002 00003 00004 00005 00006 00007	var nCount = this.numFields; f(nCount == undefined nCount ==0) { spp.alert("no Fields here"); else { app.alert("Fields count" + nCount);	
Line: 0	0001 { if (nCount == undefined nCount ==0) } ] : Anonymous(2) : Error:	found 'nCount
Show	ps when editing Run Clear	

A. In the pop-up JavaScript Console dialog box, type your JavaScript code, or click Open and select one of the file with JS format.

B. Click Run button to run your JavaScript code. You will be prompted that the code has run successfully. When the code goes wrong, it gives you an error message.

You can click Save to save a copy of your JavaScript code, or click Cancel to revoke your operation.

### **Optional Database connectivity to Windows ODBC**

The Optional Database Connectivity plug-in is a JavaScript object inside Foxit PhantomPDF, allowing you to connect to Windows ODBC (Open Database Connectivity) data sources. It provides some basic JavaScript properties and methods to gain increased customization options and data accuracy to access to information databases. More importantly, JavaScript can be used to execute SQL commands and retrieve data, which can, in turn, be used to populate a PDF file. Also, developers can create document level-scripts to connect to a database for the purposes of inserting new data, updating information, and deleting database entries.

# **Chapter 10 – Security**

The security feature of PDF gives you an exceptional control over your PDF files. To provide adequate protection for PDF's contents, you can encrypt and secure PDF files to prevent unauthorized access, restrict sensitive operations, etc.

Some professional PDFs contain complex elements like interactive form fields, multimedia content, attachments, etc. These elements may leave PDFs vulnerable to malicious actions and threaten the data security. Foxit PhantomPDF enables users to specify privileged locations to selectively trust files, folders and hosts to bypass security restrictions from **FILE > Preferences > Security**.

# **Check PDF Security**

Some PDF files may contain restrictions preventing actions such as printing, editing, copying, etc. To check if you have these permissions, please do the following:

• Choose FILE > Properties > Security, or PROTECT > Secure Document > Security Properties.

# **Password Protection & Certificate Protection**

In Foxit PhantomPDF, you can add password protection, certificate protection, MS AD RMS protection, and security restrictions to PDF files, limiting who can open the file, can copy, edit or print the file, etc.

### **Password Protection**

You can add a password to a PDF document to limit access and restrict certain features, such as printing, copying and editing.

There are two kinds of passwords that could be applied to a PDF file: a **Document Open password** and a **Permissions password**. When you set a Document Open password, anyone who tries to open the PDF file must type in the password that you specified. When you set a Permissions password, anyone who wants to change the restrictions must type the Permissions password. Please note that if a PDF is secured with both types of passwords, it can be opened with either password, but only the Permissions password allows you to change the restrictions.

*Tip:* There's no way out to recover password from the PDF if you forgot it. To keep a backup copy of the PDF that isn't password-protected is a good choice.

#### Add a password security

- 1. Choose Protect > Secure Document > Password Protect.
- 2. In the Password Protection dialog box, do the following:

#### **Document Open Settings:**

**Require a password to open the document** – selects to require users to type the password you specify to open the document.

**Password Input**: specifies a password that users must type to open the document.

**Password Confirm**: type the password again to confirm the password.

#### **Document Restriction Settings:**

Add Document Restriction – restricts actions to PDF files, such as printing, editing, etc.

**Password Input**: specifies a password that is required to change the permissions settings. If the file is opened in Foxit PhantomPDF, the user can view the file but must enter the permissions password to change the file's security and permissions settings.

Password Confirm: type the password again to confirm the password.

#### Permission Specification:

The security details you specified are shown on the left. Click **Permission** to set the restriction settings. In the **PDF Permission** dialog box:

**Permission setting** – you can check options to specify file's permission setting. Click any of options to view the detail information in **Permission Item Specification field** below.

**Print Permission** – specifies the level of printing which users are allowed for the PDF document.

- A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
- B. Print with high resolution allows users to print at any resolution.

Change Permission – defines which editing actions are allowed in the document.

- A. **Fill in a form** lets users fill in forms. The option doesn't mean that users can create form fields.
- B. Comment in the document lets users add comment to the PDF document.
- C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.

D. Modify document - lets users modify the PDF document, but not add comments. If you check the option, both Fill in a form and Management pages and bookmarks options are automatically selected.

**Content Extraction Permission** - defines the contents that are allowed to be extracted in the PDF document.

- A. Enable text access for screen reader devices for the visually impaired.
- B. Extract the contents of the document lets users extract text and graphics, copy text, take snapshot, and play media clip, etc.

#### Encrypt Settings:

**Encryption Algorithm-** defines data transformations that cannot be easily reversed by unauthorized users. Foxit PhantomPDF supports 128-bit AES, 256-bit AES and 128-bit ARC-FOUR.

**Don't encrypt metadata** – encrypts the contents of a PDF file but still allow search engines access to the document metadata.

**Save the setting as a new policy** – save the current security settings as a policy so that you can apply it to other documents.

3. Click Ok and save the document to make setting take effect.

#### Modify password and security settings

1. Choose PROTECT > Secure Document > Security Properties, or choose FILE > Properties.

**2.** In the Security tab of the Document Properties dialog box, choose **Document Security** > **Password Protection**, and then click **Change Settings...** 

3. Do the settings as "Add a password security" and then click OK.

#### Remove password and security settings

To remove password and security settings from a PDF file, you must have the permissions to do so.

- 1. Open a PDF file, and choose either way of the following to remove password and security settings.
- Choose **PROTECT** > **Secure Document** > **Remove Security**.
- Choose PROTECT > Secure Document > Security Properties, or choose FILE > Properties. In the Security tab of the Document Properties dialog box, choose No Encryption from Security Method menu.

2. A **Foxit Security** message box will prompt to ask whether you are sure to remove security from this document.

### **Certification Protection**

The advantage of securing documents with certificates is that authors can specify unique permissions for each person. For example, authors can permit a person to fill in forms and comment in document, and permit another person to edit text or delete pages. You can choose certificates from files on disk, or from the Windows certificate store. Only a specific set of users whose identities can be verified and managed can have access to the document. A certificate that contains public key and other identifying information is used to encrypt documents, or verified a digital signature. Only corresponding private key decrypts the document that was encrypting using the certificate.

Generally, if possible, encrypt documents using certificates from third-party provider. If the certificate is lost or stolen, the issuing authority can replace it, if a self-signed certificate is deleted, all PDF encrypted using the certificate is forever in accessible.

#### Add a certificate security

- 1. Choose **PROTECT > Secure Document > Certificate Protect**.
- 2. In Certificate Protection dialog box, create intended recipient list for the encrypt document:
  - Click **New ID** to create and store your self-signed digital ID in:

New PKCS#12 digital ID file – Stores the digital ID information to a file with the extension .pfx on Windows and .p12 on Mac OS. You can use the files interchangeably across different operating systems.

Windows Certificate Store – Stores the digital ID to a common location. Other Windows applications can also retrieve it.

- Click Import to import certificate from Windows Certificate store.
- Click **Browse** to import certificate from disk.
- Click **Remove** to delete a recipient from recipient list.
- Click Permission to set document restriction for the selected recipient. About Permission
  options, please refer to "Add document restrictions" of Password security options.
- 3. Select Encryption Algorithm (support 128-bit AES, 256-bit AES and 128 bit ARC-FOUR.
- 4. Check **Don't Encrypt metadata** to encrypt the documents except metadata.
- 5. (Optional) Check **Save the settings as a new policy** to save the current security settings as a policy so that you can apply it to other documents.
- 6. Click **OK** and save the document.

See also "About digital ID"

#### Change or remove certificate protection

To change or remove security settings, you must have permission to do so. If you want to change or remove security encrypted with certificate, you must have all access to the document, or you can't do changes or remove security settings.

To change certificate protection, please do the following:

- 1. Choose **PROTECT > Secure Document > Security Properties**, or choose **FILE > Properties**.
- In the Security tab of the Document Properties dialog box, choose Document Security > Certificate Protection, and then click Change Settings...
- 3. In Certificate Protection dialog box, refer to Add a certificate security.
- 4. Click **OK** and save the document to apply your changes.

To remove certificate protection, please do one of the following:

- 1. Choose **PROTECT** > **Secure Document** > **Remove Security**.
- Choose PROTECT > Secure Document > Security Properties or choose FILE > Properties, in the Security tab of the Document Properties dialog box, choose No Encryption from Security Method menu.

#### **Set Security Policies**

If you often apply the same security settings to multiple PDFs, you can save your settings as a policy that you can apply to other PDFs. Security policies include the security method, encryption password, permission settings, etc.

#### Create a security policy

- 1. Choose **PROTECT > Secure Document > Security Policies**.
- 2. Click New.
- 3. Choose security method from menu and specify the policy name and description.
- 4. Click **Edit Details** to set restriction settings or passwords.
- 5. Review the policy details, and then click **Close**.

#### Secure PDFs using policies

You can apply any security policy to a PDF file. To secure a PDF with a security policy that you specified, do the following:

1. Open a PDF document.

- 2. Choose **PROTECT > Secure Document > Security Policies**.
- 3. In the Manage Security Policies dialog box, select a policy which you want to apply to the PDF file.
- 4. Click **Apply to this Document**.
- 5. Save the document to apply the security policy.

#### Manage security policies

After you create security policies, you can manage them by copying, editing, and deleting.

- 1. Choose **PROTECT > Secure Document > Security Policies**.
- 2. In the Manage Security Policies dialog box, select a policy from left panel and do one or more of the following:
  - Click **New** to create a new policy.
  - Click **Copy** to copy a policy. This option is useful when you create a new policy that's based on the settings of the selected policy.
  - Click Edit Details to edit a policy.
  - Click **Delete** to delete a policy.
  - Click Close.

### AD RMS Protection (Available in Business Only)

Microsoft Windows Rights Management Services is an information technology that works with AD RMS enabled applications to help safeguard digital information from unauthorized use. Users can restrict users to open, read, modify or redistribute certain information. Foxit PhantomPDF RMS protector provides seamless integration with Microsoft Windows Rights Management Services to protect PDF documents and manage policy templates. If you are authorized you can use Foxit PhantomPDF to open an RMS-Protected document to improve information security and meet compliance requirements.

Once installed, Foxit PhantomPDF will extend all Microsoft AD RMS service to all PDF files.

**Note:** If you open a PDF which is encrypted by AD RMS feature of PhantomPDF with other PDF programs, a wrapper (which is actually a PDF page) will prompt you to download Foxit PhantomPDF to open the PDF. If you want to edit the wrapper content, please save the updated content as a PDF file named "wrapperPDF.pdf" and place it within the Foxit PhantomPDF installation directory.

As for using Windows Azure AD Right Management (AAD RMS), please refer to the <u>Quick Start for</u> <u>Windows Azure AD Right Management</u>.

#### **RMS Encryption**

1. Click **PROTECT > AD RMS Protect > Restricted Access**.

2. Choose the template to add RMS encryption. If you have more than one server, please firstly move the cursor to the name of the server, and then the templates on this server will be shown on the submenu. Click **Refresh Templates** to get the latest official templates from the server. You also can create custom templates. For more detailed information, please refer to <u>Template Creation</u>.



3. If you do not want to use the template, please click Restricted Access.

- Type your account name and password when you login to the RMS server for the first time.
- Click the icon Read...
  to add users who you want to authorize for reading permission. To

authorize anyone to read this file, select the icon  $\overset{\mbox{\footnotesize $\Delta $}}{=}$  on the right side.

(If you have an Outlook Email Client, the contact list of Outlook will pop up when you click the

icon Read... . You can choose the email address directly. You can also just type certain

letters included in the email address, and then click icon the complete address according to the contact list. Then you can go on to the <u>More Options</u> step.)

Permission
Restrict permission to this document Enter the e-mail addresses of users in the Read and Change boxes (example: 'someone@example.com'). Separate names with a semicolon(;). To select names from the Address book, click the Read or Change button.
Image: Read       Image: Read permission can read this document, but cannot change, print or copy content.
Change Users with Change permission can read, edit, copy content from, and save changes to this document, but cannot print content.
More Options
OK Cancel

Choose the object types (users or group) and the server. Then type the e-mail addresses of ٠ the authorized users into the text box or click Advanced to open the e-mail address list on the server to choose an address directly.

	Permission		
	✓ Restrict permission to this document		
	Enter the e-mail addresses of users in the Read a	and Change box	kes (example:
	Select Users or Gro		? ×
	Select this object type:		
	Users		Object Types
	From this location:		object types
	winos.cn		Locations
			2002/01/3
	Enter the object names to select (examples):		
	P		Check Names
	Advanced	ОК	Cancel
	More Options		
	]	ОК	Cancel
	L	on	Currect
ct Names: All	Users		_
earch: 🔘 Name	e only O More columns Address Book		
	Go All Users - administ	trator@moss.co	m 🔻
Name	Title	Business Ph	ione Loca
Administrato			
ADRMSAdmi			
B Discovery Sea rmsuser01	n en manbox		
rmsuser02			
🔒 user1			

• Click **OK** to exit Select Users or Groups dialog.

111

rmsuser01

user1

Select N

•

Read -> Change ->

Click More Options in the Permission Dialog. The users you selected now will be shown on the • text box. You can also add or delete users as needed here.

nd

ОК

Cancel

Name	Access Level	<u>A</u> dd
employee01@frms.com	Full Control	Remo <u>v</u> e
Additional permissions for users:		
This document expires on Print content	: 8/26/2014 🗸	00:37 🔹
Allow users with read acc Access content programn <u>Extended policy</u> Additional settings:		
User can request addition		
Reguire a connection to v	erify a user's permission	
✓ Security Watermark:		
Watermark Template	Sele	ect

#### Additional permissions for users:

**This document expires on**: check it to set the expiration date. The document cannot be opened after the specified date.

Print Content: check this option to allow the users above to print the PDF files.

Allow users with access to read to copy content: enable the users who only have read permission to copy content.

Access content programmatically: enable users to run the JavaScript in the document.

**Extended Policy**: complete PDF protection and control of document usage. The policy will allow document owners to control the following items.

Number of accesses: specify the number of times that a user is allowed to access a document.

Number of prints: specify the number of times that a user is allowed to print a document Access pages: specify the page number(s) that a user is allowed to access.

Access IP list: specify an IP range that is allowed to access a document.

Extended Polic	-y ×
Only allow access by this IP range:	 (Sample: 1-3, 5, 9-*)
Number of accesses:  Number of prints:	OK
	ОК

**Note**: To specify the "Number of accesses" and "Number of prints" items in an on-premise environment. Please refer to <u>Web Service Configuration</u> to configure the web service and SQL first, and then configure the registry as following:


- a) Log on to the client.
- b) Run regedit.exe and navigate to the following path.

HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Foxit\PhantomPDF\RMS\Preferences **Note:** If there's no such path, please manually create the keys.

c) Create a new REG_DWORD(32-bit) value.

-Name: ExtendedRights

-Value: 1 to enable ExtendedRights, 0 to disable it (default)



Note: You can also configure the registry through GPO. See also GPO.

#### Additional settings:

**User can request additional permissions from**: if users want to apply for any permission, the application will open the email client and list the email address you typed into the text in the Recipient's Address automatically. You can type a URL as well.

**Require a connection to verify a user's permission**: check this option to let users verify their license every time they open the encrypted file.

**Security Watermark**: add a security watermark to the PDF files. For the detailed instructions, please refer to <u>Security Watermark</u>.

**Set Defaults**: set the additional settings as default.

Save as template: the security setting set above can be saved as a template for further use.

4. If users need to request additional permissions for a PDF file, please do the following:

- Open the file and choose FILE > Properties. In the Document Properties dialog box, click Security tab.
- At the bottom of Security tab, click Request additional permissions ....

RMS Protection	
Change Settings	
Protection Policy Information	
Restricted Access - Permission is currently re	stricted. Only specified users can access this content.
You are currently authorized to your thi	e document ac
You are currently authorized to view thi	s uocument ds
employee01@frms.com	
PDF Rights	
Full control	Not Allowed
View document	Allowed
Print with low resolution	Not Allowed
Print with high resolution	Not Allowed
Fill in a form	Not Allowed
Comment in the document	Not Allowed
Manage pages and bookmarks	Not Allowed
Modify document	Not Allowed
Content copying for accessibility	Not Allowed
Extract the contents of the document	Not Allowed
Run JavaScript	Allowed
License Expiration Days	
Unknown	
Content Expiration Date	

**Note**: Foxit PhantomPDF also supports Microsoft IRM Protection Version 2 which allows PDF documents to be encrypted to PPDF format. The encryption policy of Microsoft IRM Protection Version 2 does not include dynamic watermark, extended policy, and dynamic revocation.

#### **Template Creation and Editing**

To create a custom template, please see the following steps:

1. Choose **PROTECT > AD RMS > Settings > Custom Templates**.

ge Custom Rights Policy Templates		
A rights policy template defines the rules and conditions applied to content protected by using the template		
Description		
elete		
	ОК	
	fines the rules and conditions content protected by using the template Description	

- 2. Click Create to open the Create Custom Rights Policy Template dialog box.
- 3. (Optional) If you want to edit the existed template, please click Edit.

4. Click **Add** to choose the language and edit template name and description. Click **OK**. The template name and description will be shown in the Template Identification list.

Create Custom Rights Policy Template				
Add Template Identification Information				
1.Add Template Identification     2.Add User Rights     3.Specify Expiration Policy	Rights policy templates can support clients with different languages. Configure this template's identification information for each language supported on your client computers. Template Identification			
4.Specify Extended Policy	Language	Name	Description	
	Add [	👔 Edit. 🔒 Remove		
		< <u>B</u> ac	k <u>N</u> ext > Cancel	

5. Click Next to add user rights. Click Add in Users and Rights.

6. In the pop-up **Add User or Group** dialog box, choose **The e-mail addresses of users or groups**, click **Browse** to simply add a user who you would like to assign the rights. Selecting **Anyone** allows every user to work with the encrypted PDF files. You can type multiple e-mail addresses as well.

Add User or Group	×			
Type a semicolon to separate email addresses of users or groups for which you want to specify rights to protected content using this template. To specify everyone in an organization, select "Anyone".				
The e-mail addresses of users or groups	<u>B</u> rowse			
○ <u>A</u> nyone				
ОК	Cancel			

7. Check PDF permissions for the specified users. You can set the permissions for all of the users or set different permissions for different users.

8. User can request additional permissions from: if users want to apply for any permission, the application will launch the email client and list the email addresses you typed into the text in the Recipient's Address automatically. You can type a URL as well.

9. Click **Next** to specify the expiration policy.

C	reate Custom Rights Policy Template	×
Specify Expiration Po	licy	
1.Add Template Identification 2.Add User Rights 3.Specify Expiration Policy	Specify content and use license expiration conditions associated with this template. Continued access to content protected by this template requires that expired content be re-protected and use licenses be renewed. Use license renewal generally occurs without action by the use license holder. Content expiration	
4.Specify Extended Policy	Never expires     Expires on the following date:         8/26/2014          00:53            Expires after the following duration(days):         1	
	Use license expiration Requires user to re-verify permissions with the server after the following duration(days):	
	< <u>B</u> ack <u>N</u> ext > Canc	el

#### **Content expiration**

Never expires: the PDF content can be viewed indefinitely.

Expires on the following date: the PDF content will expire on a given date.

**Expires after the following duration (days)**: the PDF content will expire after the desired days selected.

#### Use license expiration

Requires users to re-verify permissions with the server after the following duration (days): users need to apply for a new license to open the encrypted PDFs several days (the number you type into) later.

10. Click **Next** to specify security watermark and the extended policy. Please refer to <u>Security</u> <u>Watermark</u> and <u>Extended Policy</u>.

Create Custom Rights Policy Template		
Specify Extended Pol	icy	
<ol> <li>1.Add Template Identification</li> <li>2.Add User Rights</li> <li>3.Specify Expiration Policy</li> <li>4.Specify Extended Policy</li> </ol>	Specify additional conditions for content protected using this template.         ✓ Security Watermark:         Watermark Template       Select         ✓ Only allow access by this IP range:         □ Only allow access to these pages:         □ Only allow access to these pages:         □ Number of accesses:         □ Number of prints:	
	< <u>B</u> ack Finish Car	ncel

11. Click **Finish** to complete creating the template. The template will be added to the template list under **PROTECT** > **AD RMS Protect** > **Restricted Access**.

#### **Security Watermark Management**

#### 1. Creating Profile

Before adding a watermark, you should create a profile first. The application will apply all of the watermarks in the profile to a PDF.

Note: you can only choose a profile but not a certain watermark to use. Please create the watermarks you want to add to one PDF in the same profile.

- Choose **PROTECT > Settings > Security Watermark Management**.
- Click New Profile to create a profile and name it.

ct profile 	Preview	
Highly Confidential	user_email@domain.com	
Current User	New Profile	
	Add	
	Edit	
	Delete	
	Edit Delete	
	Import	
	Export	

#### 2. Add Watermark

#### To add a new watermark, please do the followings:

- Open the Security Watermark Management and select a profile you created and click **Add** to add watermarks in the profile.
- Type the watermark's name.
- Fill in the watermark's content in the text box and set the font, size, color, underline, and alignment.

*Note:* you can only set text as watermark.

• Choose the Dynamic Text. When any PDF reader opens the file, the watermark will show the current document information dynamically and you can use multiple text at the same time.

Content ID: shows the content ID of the current document. Document Title: shows the current document title. Author: shows the author of current document. Current User: shows the current user who is reading the document. Date: shows the current system date when opening the document. Day: shows the current system day when opening the document. Month: shows the current system month when opening the document. Year: shows the current system year when opening the document. Time: shows the current system time when opening the document. Hour: shows the current system hours when opening the document. Second: shows the current system seconds when opening the document.

- Set the appearance by choosing the rotation degree and the opacity. You also have the option to make the scale relative to the target page.
- Set the vertical and horizontal distance between the target page and the watermark.
- Choose the page range to apply the watermark. You can select the different page range options by selecting from the subset list.
- Preview the watermark in the right pane.

• Click **OK** to finish.

Edit Security Watermark	k 🛛 🗶
Name: Highly_Confidente Source Tegt: System v Size: v Dynamic text:Select dynamic variable- v	eview
Appearance Rotation: _45° Nong @45° Qustom 45° = Opacty: 20% = Scale rejetive to target page 50% = Postion Vertical Distance: 0.00 = Percent v from Center v Horgontal Distance: 0.00 = Percent v from Center v	HORE COMPETINE
Page Range Options	
	OK Cancel

#### 3. Edit or Delete Watermark

Edit a Watermark

- Open the Security Watermark Management and select a watermark you want to edit.
- Click Edit to open the Edit Security Watermark dialog box.
- To edit the watermark, please refer to <u>"Add Watermark"</u>.
- Click **OK** to finish the operation.

#### Delete a Watermark

- Open the Security Watermark Management and select a watermark you want to delete.
- Click **Delete** to remove the selected watermark.

#### 4. Import or Export Watermark

Import a Watermark

- Open the Security Watermark Management and click Import.
- Choose a watermark with .xml format.
- Click **Open**.

Export a Watermark

- Open the Security Watermark Management and select a watermark you want to export.
- Click **Export** and choose a file type and location to save.
- The watermark will be exported as an .xml file or encoded file according to your choice. It can be integrated into AD RMS policy template and applied to the PDF files by Foxit PhantomPDF.

#### Note:

1. If you want to integrate the watermark to a common policy template, please export it as an .xml file and add it to the template by PhantomPDF directly.

2. If you want to integrate the watermark to an official policy template, please export it as an

encoded file (.txt format) and integrate it into the template by AD RMS Scripting API Architecture. Then you can import the template and apply it to PDFs by PhantomPDF. (Please click <u>here</u> to see the example and use the value of "appData.Name" and "appData.Value" in the exported encoded file.)

### **Foxit Configuration Tool**

Foxit PhantomPDF RMS protector provides a handy configuration tool for administrators to better modify the protection settings on an RMS server. Administrators can directly edit the extended policy of templates and security watermarks, dynamically revoke permissions, audit logs, and set valid network printers.

To start to use the configuration tool to encrypt PDFs, please do the following:

- Log on to your RMS server.
- Download the Foxit Configuration Tool from:
  - For X86:

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/FoxitConfigurationTool_32.zip For X64:

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/FoxitConfigurationTool_64.zip

• Unzip and Run Foxit Configuration Tool, you can use the different tools in Foxit Configuration Tool window.



Foxit Configuration Tool Window

#### **Template Extended Policy**

Through the **Foxit Configuration Tool**, administrators can easily add the extended policy to official templates. Click **Template Extended Policy** tool and choose one template to edit. See also **Extended Policy**.

					Edit
Template Name	Security Watermark		Access Times		Access IP
View Only	Watermark Template	1,5,9-*	2	1	192.168.0.1 - 192.168.200.100

**Tip:** Click *substantial button in the left corner to return to the Foxit Configuration Tool window.* 

#### **Dynamic Revocation**

Revocation is a mechanism that revokes a PDF document that has already been issued. A common use of revocation is to remove rights from an individual when he is no longer authorized or remove access to a document when it becomes out of date or invalid.

**Note:** To revoke a PDF document/user in an on-premise environment, please refer to <u>Web Service</u> <u>Configuration</u> to configure the web service first, and then configure the registry as following:

- a) Log on to the client.
- b) Run regedit.exe and navigate to the following path.
   HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Foxit\PhantomPDF\RMS\Preferences
   Note: If there's no such path, please manually create the keys.
- c) Create a new REG_DWORD(32-bit) value.
  -Name: DynamicRevocation
  -Value: 1 to enable Revocation, 0 to disable it (default)

۲. Constant and the second se	Registry Editor	- 🗆 ×
File Edit View Favorites Help		
Adobe	Name         Type         Data           (Default)         REG_SZ         (value not set           (DynamicRevoca)         REG_DWORD         0x00000001 (1           (WExtendedRights)         REG_DWORD         0x00000001 (1	1)
RegisteredApplications	<	>
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\F	ies\Foxit\PhantomPDF\RMS\Preferences	

Note: You can also configure the registry through GPO. See also GPO.

To revoke a PDF document, click **Document Revocation**. Select the PDF document you want to revoke, click **Add** button to add the document to the Revocation List. Or you can click **Browse** to select a document from a local drive to add to the Revocation List. To remove the revocation, please select the document in the Revocation List and click **Remove** button.

				Content ID	¥
Content ID	Template Name	Creator	File Name	Date Time	Add
{10FF536C-A9E1-4	Restricted Access	administrator@frms	What's New in V4.0	07/28/2014 20:00	
{80E0DDF3-1CCE-4	View Once	administrator@frms	FoxitTempPDFFile	07/28/2014 20:03	Browse
{3F312D5D-D8BB-4	View Once	administrator@frms	FoxitTempPDFFile	07/28/2014 22:42	
{5F110D33-A61C-4	View Once	administrator@frms	FoxitTempPDFFile	07/28/2014 22:49	
{CAD94824-13A0-4	Restricted Access	employee01@frms	Untitled	08/06/2014 20:47	Note: You can click Browse to
{C2157AC5-DB9C-4	Restricted Access	employee01@frms	Landscape Painting	08/07/2014 03:09	select a document from
{2A2F4513-6A8F-4	View Only	employee01@frms	Landscape Painting	08/07/2014 09:54	local drive to Revocatio
{A9D28713-C40D-4	Restricted Access	employee01@frms	Untitled	08/12/2014 23:19	List.
{C4F6E710-1B03-4	View Only	administrator@frms	Wrapper4.0_2014	07/29/2014 20:08	
Revocation List	-		and as		Remove
Content ID	Template Name	Creator	File Name	Date Time	Remove
{B8E55001-4411-4	View Once	administrator@frms	test01	07/28/2014 08:17	

To revoke a user, click **User Revocation**. Click **Add** button to add a user to the User Revocation List. To remove the revocation, please select the user in the list and click **Remove** button.

### Foxit PhantomPDF Business

			User Manua
۵	Fox	kit Configuration Tool	_ <b>_</b> X
< User Re	evocation		
	User Revocation List		
	User Name	Date Time	
	employee03@frms.com	08/12/2014 23:32:58	
	Add	Remove	

#### **Security Watermark**

Administrators can manage security watermark on the server as end users do on a client, by clicking **Security Watermark** tool in Foxit Configuration Tool window. More information, please refer to <u>Security Watermark</u>.

#### **Auditing Logs**

Foxit PhantomPDF enables you to track on the usage of RMS protected files to record the actions on the files during workflow and save to SQL server, including who accessed the document, what document was accessed, when it was accessed, how it was accessed and the success of that access, and more.

To audit logs, please do the following:

1. Follow the codes below to create the database table on the server.

```
USE [Database]

GO

/****** Object: Table [dbo].[Table_Name] ******/

SET ANSI_NULLS ON

GO

SET QUOTED_IDENTIFIER ON

GO

CREATE TABLE [dbo].[Table_Name](

[User] [nvarchar](50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[Action] [nvarchar](50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[FileName] [nvarchar](max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
```

[DateTime] [datetime] NOT NULL, [IP] [nchar](25) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL [PrinterName] [nvarchar](max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL, [Copies] [numeric](18, 0) NULL, [Result] [nchar](10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ) ON [PRIMARY]

2. Click **Audit Log** tool in Foxit Configuration Tool window. Enter all SQL Server information shown as below, including SQL Server Name, the name of Database and Table, User Name and Password. Then click on **Test Connection** button to test if the connection works well. A message box will pop up to tell you if the test connection is successful.

Ø		Foxit Configuration Tool		_ 🗆 🗙
< Audit Log	9			
	Specify SQL Server			
	SQL Server Name: Database: Table: User Name: Password:	rms RMSLog LogInformation Sa	]• ]• ]• ]	
		Test Connection Export	View Log	]

3. Click on the **Export** button and choose to export to Foxit Reader registry or Foxit PhantomPDF to generate a .reg file for the administrator's configuration. The administrator can distribute the .reg file to client-end computers.

4. Click **View Log** to view the operations records. You can search the records by different key words and export the log to a .csv file.

# Foxit PhantomPDF Business

**User Manual** 

	Q U	ser 🗸					Export
User	Action	File Name	Date Time	Printer Name	Copies	Result	IP
administrator	Opened	test01.pdf	07/28/2014 08:23:00		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 08:23:17		0	Success	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 08:25:34		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 08:25:39		0	Success	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 08:25:41		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 08:26:21		0	Success	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:53:52		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 19:54:23		0	Success	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:54:36		0	Fail	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:54:42		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 19:55:13		0	Success	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:55:22		0	Fail	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:56:11		0	Fail	192.168.137.1
administrator	Opened	test01.pdf	07/28/2014 19:56:12		0	Success	192.168.137.1
administrator	Opened	What's New in	07/28/2014 20:00:22		0	Success	192.168.137.1
administrator	Closed	What's New in	07/28/2014 22:22:27		0	Success	192.168.137.1
administrator	Closed	test01.pdf	07/28/2014 22:22:28		0	Success	192.168.137.1
administrator	Opened	Doc1.pdf	07/28/2014 22:49:18		0	Success	192.168.137.1
administrator	Closed	Doc1.pdf	07/28/2014 22:50:13		0	Success	192.168.137.1
administrator	Opened	Doc1.pdf	07/28/2014 22:51:36		0	Success	192.168.137.1

#### **Restrict Local Printing**

You can also set the printing permissions by specifying certain network printers to protect the sensitive information from being printed arbitrarily.

#### ♦ Network Printers Configuration

To avoid unauthorized printing of sensitive documents, you can limit the printing permissions to certain network printers. To configure network printers, please click the **Valid Network Printer Setting** tool in the "Foxit Configuration Tool" window and then do the following:

۷	Foxit Confi	guration Tool		- 🗆 X
< Valid Network Pr	inter Settina			
Printer Printer	Ports List :01			
		-		
	Add	Remove	Export	

1. You should get the Printer Port first. Please go to **Start** > **Devices and Printers** > right-click a network printer > **Printer Properties**. In the printer properties dialog box, choose Ports tab and get

eneral Sharing	Ports Advanced	Color Management	Security	Device Settings		
Print to the followir	A MINOLTA 423Seri	esPS ts will print to the first fr	ee	_		
hecked port. Port	Description 3.239 Remote Pr					
∢ [	ш			Þ		
Add Port	Delete	Port Confi	gure Port			
Add Port Enable bidirecti Enable printer p	onal support	Port Confi	gure Port			
Enable bidirecti	onal support	Port Confi	gure Port			
Enable bidirecti	onal support	Port Confi	gure Port			
] Enable bidirecti	onal support	Port Confi	gure Port			

the information, e.g. the "IP_192.168.3.239" is the printer port.

2. Click **Add** button in the "Foxit Configuration Tool" dialog box to add the Printer Port.

Note: About how to add a network printer, please see "Add a Network Printer".

- 3. Click on **Export** button to generate a .reg file for the administrator's configuration.
- 4. The administrator can distribute the .reg file to client-end computers.
- ♦ Add a Network Printer

There are two devices to add a network printer as below:


 Go to Start > Devices and Printers > Click Add a printer. In the Add Printer dialog box, click The printer that I want isn't listed to go to the next step.

Printer Name	Address
🖶 Lexmark X652de (Lexmark International)	192.168.0.7
	Stop

Follow the instructions shown in the **Add Printer** dialog box as below and complete adding a printer.

Find a printer by name or TCP/IP address	
Select a shared printer by name	Browse
Example: \\computername\printername or http://computername/printers/printername/.printer	

• Open the **Run** box by pressing shortcut keys **Win + R**, enter the printer URL you want to add and click **OK**.



In the pop-up dialog box, right-click the printer and choose **Connect** on the context menu.



### **RMS Settings**

You can specify the RMS settings before you encrypt PDFs. To specify RMS settings, please follow the instructions below:

• Click FILE > Preferences > RMS Setting. By default, all the three items below are not checked.

**Save encrypted file as a copy named 'filename(protected).pdf'** – saves an encrypted PDF file automatically as a copy named "filename(protected).pdf" after adding RMS encryption to the file.

**Encrypt metadata** – encrypts the metadata when encrypting PDF documents.

**Use deprecated encryption algorithms to be compatible with the previous version** – If checked, PDFs encrypted by RMS can be opened with Foxit Reader 5.0 and Foxit PhantomPDF 5.0 and the latter versions; if not checked, PDFs encrypted by RMS can be opened with Foxit Reader 5.4 and Foxit PhantomPDF 5.5 and the latter versions.

## **Remove Hidden Data**

Foxit PhantomPDF supports to sanitize documents by removing the hidden information that is private or sensitive for users from their PDFs, generally including metadata, embedded content and attached files, scripts, etc.

You can remove hidden data from a PDF by one-click, please go to PROTECT > Hidden Data >

Sanitize Document

# Redaction (Available in Business Only)

The redaction feature allows you to remove sensitive information from your document prior to making it available to others. You are able to mark the text or graphics for Redaction first, and then apply the redaction.

### **Mark for Redaction**

To mark the text or graphics for redaction, do the following:

- Select PROTECT > Redaction > Mark for Redaction, and the hand tool changes into a Cross
   -!- automatically.
- (Optional)Double-click an image to mark an entire image which will be in a red rectangle.
- (Optional)Hold the pointer over the text you want to redact and drag a rectangle around it.
- The rectangle will be filled with black color once moving close the pointer to the selected area.

### **Set Redaction Properties**

You can set redaction properties, such as the appearance and the author, and so forth. Only before you apply the redaction can you set the properties.

Right-click the marked area and choose **Properties...** and the Redaction Properties dialog box pops up. The redaction properties have Appearance tab, General tab and Review History tab. There are two additional settings on every tab:

- Locked When selected, prevents any further changes to any redaction properties.
- Set Current Properties as Default sets the current properties as default.

# Foxit PhantomPDF Business

laction Properties		User Man
Appearance General	Review History	
Redacted Area Fill C	olor: 📃 📝 Use Overlay Text	
Overlay Text		
Font: Helvetica	•	
Font Size: 10	Font Color:	
Text Alignment:	🖲 Left 🛛 🔘 Middle 🔘 Right	
Custom Text:		
Redaction Code	:	
Code Sets:	U.S.FOIA 👻	
Code Entries:	(b)(1)(A) (b)(1)(B) (b)(2) (b)(3)(A)	
	(b)(3)(B)	
Locked 🔲 Set Curre	nt Properties as Default Close	

#### Appearance tab:

Redacted Area Fill Color – select a fill color for the boxes that will replace the redacted items.

Use Overlay Text – check this item if you need to display some text or code on the redacted area. You can set the font, font size, font color and text alignment.

Custom Text – check this option and input the text you want to display in the redacted area.

Redaction Code – check this option and select a code set from the existing sets and then choose a corresponding code entry.

#### General tab:

You can change the author and subject of the redaction.

#### Review History tab:

You can see the history of changes which have been made to the status of a redaction before applying the redaction.

### **Apply Redactions**

You need to apply the redactions after marking the text or graphics you want to redact. To apply the redaction, do the following:

- Select PROTECT > Redaction > Apply Redactions. You can also do this by right-clicking the marked content and choosing Apply or Apply All to redact either the selected content or all of the marked content in the document.
- A dialog box pops up to give a warning message and asks if you are sure to apply the redaction or not.


Foxit Pha	ntomPDF
<b></b>	You are about to permanently redact the selected content that has been marked for redaction. By selecting Apply, the operation cannot be undone. Are you sure you want to continue? IMPORTANT! It is recommended that you save a backup copy of this document before you apply redactions.
	OK Cancel

• Select **OK** after you have marked all content that you want to redact.

### Search and Remove Text

You can find and remove content either in a single PDF file or in multiple PDF files under a specified folder that contain searchable text with Search & Redact tool.

- Select **PROTECT** > **Redaction** > **Search and Redact**. Then specify what you want to redact in the Search pane. Please do one of the following:
  - ☆ Type the text you wish to find and redact into the search dialogue box. For more about the search feature, please refer to <u>"advanced search"</u>.
  - Check the item Patterns and select a pattern. The patterns vary with different countries.
     Choose Country based on the file you are using.
- Click Search and Redact.
- Check the results you want to redact.



- Click the button Mark Checked Results for Redaction at the bottom of the search dialogue box.
- Choose **PROTECT > Redaction > Apply Redactions**. Or click the button **Apply Redactions**.

**Note:** This operation cannot be undone and the selected content will be removed permanently when you select Apply. It is recommended that you save a backup copy of this document before you apply the redaction.

# **Generate Redacted and RMS-protected PDFs**

Foxit PhantomPDF enables users to generate a redacted and RMS-protected PDF from an existing PDF. Authorized users are granted access to view the full document while unauthorized users are only able to view the redacted document, which allows for improved knowledge sharing of non-sensitive information within a protected document.

To generate a redacted and RMS-protected PDF, please do the following:

- Mark the text for redaction. See also <u>Mark for Redaction</u>.
- Click **PROTECT** > **Redaction** > **Protect Redactions** 
   is on your RMS server and then

choose an RMS template to encrypt the document.

• Then the document with redaction protected by the RMS template is generated and opened with a message bar appearing in the document area. Click **View the full content** to view the full content without redaction. This message bar appears only when the document is opened by the document owner.

This document is protected by Microsoft Rights Management.     View the f	full content ×			
• After clicking View the full content, two messages appear in the message bar. Click				
Redacted Mode to exit the full content mode and return to the document with redaction.				
Click View Permission to view the security properties of the document.				
$_{0}$ To view the redacted document switch to Redacted Mode.	Redacted Mode ×			
1 IsvTenant006 - All Permissions For Employees - This content is proprietary information intended for internal use only. Employees have all permissions for this content including modify and print.	View Permission ×			

• When the authorized users open this protected document, only the message to view permissions appears in the message bar.

# **Chapter 11 – Signature**

Foxit PhantomPDF provides robust, secure and quick signature features, including digital signature, DocuSign and quick PDF Sign.

# **Digital Signature**

A digital signature acts as a traditional handwritten signature that can be used to authenticate the identity of a user as well as the document content. It stores information about the signer along with the date, time, and state of the document when it was signed.

### About Digital ID

Digital ID is the identity of a person/organization, which contains your name, Email address, a serial number, an expiration date, and the name of the company. A digital ID contains two keys, one is a public key (certificate) that is used to encrypt or lock data, and the other is a private key that is used to decrypt or unlock data that is encrypted.

You can distribute the certificate that contains the public key and other identifying information to those people who need to use it to verify your identity, validate your signature, or encrypt a document for you. Only your private key can unlock information that was encrypted using your certificate, so make sure to store your digital ID in a safe place.

You can not only obtain a digital ID from a trusted third-party provider called a Certificate Authority (CA) but also create a self-signed digital ID with Foxit PhantomPDF. Digital IDs are usually protected by password; you can store it on a computer in PKCS#12 file format, or in the Windows Certificate Store.

### Sign a PDF

#### Place a signature

Before you sign a document, you need to draw a signature field where the signature is placed, get a digital ID, and create the signature.

- 1. Choose **PROTECT > Protect > Sign & Certify > Place Signature**.
- 2. Press and hold the mouse button down, and drag to draw a signature filed for your signature.
- 3. In Sign Document dialog box, choose a digital ID from drop-down menu. If you can't find the specified digital ID, you will need to get a certificate from the third-party provider or create a self-signed digital ID.

- 4. (Optional)To create a self-designed digital ID, choose New ID from drop-down menu. In the Add Digital ID dialog box, select a location to store the digital ID. Click Next to type your identity information such as name, organization unit, e-mail address, etc. to be used when generating the self-signed certificate. In Use Digital ID for, choose one option as needed. Click Next to enter a file name, storage location and password for your new digital ID file. Confirm your password and click Finish.
- Choose an appearance type from menu. There are two types to choose, one is Standard Style, and the other is to Create New Style for your signature. Please refer to <u>Creating signature</u> <u>appearance</u>. You can view your signature in Signature Preview panel.
- 6. Click **Sign**. In the Save As window, input the password of the signature, specify the location and file name of the signed document.

Sign Docume	nt 📃 💌
Sign <u>A</u> s:	Shirley
Password:	•••••
Certificate Is	suer: Shirley
Text For S	igning
Location	:
<u>R</u> eason	T am the author of this document
– Signature I Appeara	ance Type: Shirley
Sł	Shirley, C=US, E=shirley/0818@sin.com am the author of this document 2014-09-07 11:58:10
	Sign Cancel

**Note:** By default, the document is signed after you place the signature and then you will not be able to move or resize it. To change the setting, please uncheck the **Sign the document** *immediately after the signature is placed* option in *FILE* > *Preferences* > *Signature*.

#### **Create signature appearance**

You can set the appearance of your digital signature by selecting different options in Sign Document dialog box. For example, a signature can include an image of your handwritten signature, a company logo, or a photo, date and so on. Furthermore you can create dynamic signature appearance to user for different purpose. A signature appearance also includes information that helps others verify your signature, such as reason for signing, contact information, and more.





Different appearances of signatures

- Choose **PROTECT > Protect > Sign & Certify > Place Signature**.
- Press and hold the mouse button down, and drag to draw a signature filed for your signature.
- In Sign Document dialog box, choose **Create New Style** from Appearance Type menu.

Sign Document			
Sign <u>A</u> s: s	shirley 🗸 📕		
Password:			
Certificate Iss	uer: Shirley		
Text For Sig	ning		
Location:			
Reason:	I am the author of this document		
– Signature Pr	iument After Signing review Ice <u>Type: Standard Style</u>		
Shirley Create New Style Digitany signed by Shirley DN: CN=Shirley, C=US, E=shirley0818@sin.com Reason: I am the author of this document Location: Date: 2014-09-07 11:34:40			
	Sign Cancel		

• Check the options that you want to appear in digital signature. A signature appearance can include lots of information showing the users attributes, including name, organization, country, logo, location, etc. Click **OK** to save the settings.

CC	your ommor me he	Location: your signing location here
-	-	
No graph	nic	Browse
No graph	nic d graphic	
⊂ Oraph Oraph Oraci	nic d graphic	Browse
<ul> <li>No graph</li> <li>Imported</li> <li>Opaci</li> <li>Name</li> </ul>	d graphic	
Configure Gr No graph Importec Opaci Name Configure Te Name	d graphic	

#### Configure Signature Style Dialog Box

(Optional) After placing the signature, right-click it and choose Properties... to set the properties of the signature field. In the Signature Properties dialog box, you can set the appearance, actions, etc. See also <u>Signature Field Properties</u>. (*Note: This operation is not available after signing the document*.)

**Note:** To manage the created styles, go to **FILE** > **Preferences** > **Signature**.

#### Move, resize and delete an unsigned signature

You can move, resize and delete signatures before signing the document, but you aren't allowed to change certificate and appearance of certificate.

1. To move a signature

Select the Annotation Selection Tool  $\searrow$  or the corresponding tool, put the pointer over the signature, click and drag the signature to another place you like.

2. To resize a signature

Select the Annotation Selection Tool in or the corresponding Tool, click the signature. Place the cursor on any corner point. Pointer changes into the cursor showing the direction at which the rectangle will be resized.

3. To delete a signature

- Right-click the signature and choose **Delete** from context menu, or press **Delete** key.

**Note:** If you have checked the **Locked** option in Signature Properties dialog box, the operations to the signature above are not available.

#### **Sign Documents**

A PDF is signed to indicate your approval. The signature is flattened, so it cannot be resized and moved after signing the document. Multiple people can sign a PDF more than once. When you sign a document, your digital signature appears in the signature field. The appearance of the signature depends on your preferences.

- 1. Sign a PDF after placing, please choose one of the followings to sign the document:
  - Choose **PROTECT** > **Protect** > **Sign Document**.
  - Select Hand Tool and right-click the signature, choose **Sign Document**.
  - Select Hand Tool, and click the signature.
  - Set your signature preferences in Preferences dialog box. Choose FILE > Preferences > Signature, check the option of "Sign the document immediately after the signature is placed" to sign the document immediately when the signature is placed.
- 2. Type file name and specify location in pop-up Save As dialog box.

**Note:** By default, the document is signed after you place the signature. To change the setting, please uncheck the **Sign the document immediately after signature is placed** option in **FILE** > **Preferences** > **Signature**.

### **Validate Signatures**

#### Check the validity of a signature

If you want to automatically validate all signatures in a PDF when you open the document, please check **Verify signatures when the document is opened** option in **FILE** > **Preferences** > **Signature**. An icon appears on the left top of Signature Validation Status message box to indicate the signature status. The signature state appears in the Signature Panel.

- The question mark icon ¹/¹ indicates the signature is not validated.
- The check mark icon *indicates that the signature is valid.*
- The icon  $\stackrel{\checkmark}{\sim}$  indicates that the signature is invalid. The document has been altered or

corrupted since the signature was applied.

- The caution triangle icon ¹/₄ indicates the document was modified after signature was added; however, the signature is valid.
- The icon *indicates the signature validity is unknown because the signer's certificate isn't in your list of trusted identities.*

#### Validate a signature

**1.** Open the PDF containing the signature, do one of the followings:

- Choose **PROTECT** > **Protect** > **Validate**.
- Right-click the signature with Hand tool, choose **Validate Signature** from context menu.
- Select the **Hand** tool on toolbar and click the signature.
- Click the Digital Signatures panel, right-click the signature and choose Validate Signature.

**2.** Pop-up a Signature Validation Status message box which describes the validity of signature.

Tip:

- 1. You can validate signatures by setting your signature preferences. Choose FILE > Preferences > Preferences > Signature.
- 2. Check the **Verify signatures when the document is opened** option to automatically validate signatures in a PDF when you open the document.

### Modify a signed signature

To modify a signature after signing the document:

- Validate the signature first. And right-click the signature with hand tool and choose **Clear Signature**. The signature will be cleared and only a blank signature field will be left.
- Click the blank signature field with the hand tool, and create a new signature. See also "Creating signature appearance".

To delete a signed signature:

- Validate the signature first. And right-click the signature with hand tool and choose **Clear Signature**. The signature will be cleared and only a blank signature field will be left.
- Choose the Annotation Selection Tool is or the corresponding tool, right-click the signature field and choose **Delete**.

### Certify a PDF (Available in Business only)

Only the author can certify his/her own PDF documents. The author can specify what changes can be made to the file after certifying. Whenever approved changes are made, the certificate remains valid. If a reader tries to make changes you haven't allowed, the certificate is invalidated and any subsequent users will be notified that the document was tampered with.

To certify your PDF, please do the following:

- 1. Open your PDF document you want to certify.
- 2. Select PROTECT > Protect > Sign & Certify > Certify with visible signature/Certify without visible signature.
- 3. Press and hold mouse button down, drag to select an area on the document where you want the signature to appear.

Certify Document	×
Sign As: Shirley	▼ Info
Password:	
Certificate Issuer: Shirley	
Text For Signing	
Location:	
Reason: I am the author of this document	•
Permitted Actions After Certifying No changes allowed Signature Preview Appearance Type: Standard Style	•
Shirley, CN=Shirley, E=shifey0818@s Reason: I am the document Location: Date: 2014-09-07	C=US, in.com author of this
Sign	Cancel

**Certify Document Dialog Box** 

- In the pop-up Certify Document dialog box, choose a digital ID. If you don't find the specified digital ID, you need to get a digital ID from a third-party provider or create a self-signed digital ID.
- 5. Set authorized actions for your document from the drop-down menu in **Permitted Actions After Certifying** item.
- 6. Set the signing reason and choose an appearance type from the menu.
- 7. Click Sign.
- 8. To set the properties of the signature, please refer to <u>Signature Field Properties</u>.
- 9. To sign the document, please see Sign a PDF.

10. To validate the signature, please refer to <u>Validate Signatures</u>.

### Add a time stamp to digital signatures and documents

Time stamps are used to specify the date and time you signed a document. A trusted time stamp proves that the contents of your PDFs existed at a point-in-time and have not changed since then. Foxit PhantomPDF allows you to add a trusted time stamp to digital signatures or documents.

### To add a time stamp to digital signatures

To add a time stamp to digital signatures, a default time stamp server is required before you make the digital signature. If you have configured a default time stamp server and added it to your trusted certificate list, the time stamp will be embedded with the signature, and the signature properties will show the date/time in the time stamp server when you signed the document; otherwise, the signature properties will display the local date/time of the computer.

- 1. Go to FILE > Preferences > Time Stamp Servers, and set a default time stamp server.
- 2. Sign the document. See also Sign a PDF.
- 3. You will be prompted with a pop-up **Security Warning** to ask you to allow connecting to your time stamp server. Click **Allow**.
- 4. Then the signature you made has been successfully embedded with a timestamp. When validating the signature, users need to add the time stamp server into the trusted certificate list so that the signature properties will display the date/time in the time stamp server when the document was signed. See also <u>Trusted Certificates</u>.

**Note**: By default, if only one time stamp server is available in the system, it will be set as default automatically.

### To add a time stamp to documents

- Before adding a time stamp to documents, you need to configure a default time stamp server. Click PROTECT > Protect > Time Stamp Document and create a timestamp server by clicking New... in the pop-up dialog box. Specify the server name and complete other settings of the server on demand. Click OK.
- Select the created server and click Set Default to set the server as the default time stamp server. Click Next to continue.
   (*Tip: You can also create, edit, and delete time stamp servers as well as enable/disable the default time server in FILE > Preferences > Time Stamp Servers.* To disable the default time

default time server in **FILE** > **Preferences** > **Time Stamp Servers**. To disable the default tir stamp server, select the default time stamp server and click **Clear**.)

3. Specify a name and location for the signed document. Click Save.

## **Trusted Certificates**

You can add all your trusted time stamp servers as well as certificates that issued your digital IDs to the **Trusted Certificates** list.

- To add a trusted digital certificate to the Trusted Certificate list, you can right-click the digital signature, choose Show Signature Properties ... and click Add to Trusted Certificates in the Signature Properties dialog box. Or you can click Trusted Certificates in the PROTECT tab and click Add... to import your certificate.
- To add a trusted time stamp server to the Trusted Certificates list, click Timestamp Properties in the lower left corner of the Signature Properties dialog box. In the pop-up Timestamp Properties box, click Add to Trusted Certificates. If a time stamp signature was added in the document, you can right-click the timestamp signature in Digital Signature panel and choose Show Signature Properties. In the pop-up Signature Properties dialog box, click Add to Trusted Certificates.

### **Uses Windows Certificate Store to Manage Trust List**

Windows Certificate Store in Foxit PhantomPDF helps you manage certificates which are trusted when you validate the digital signature. To use this feature, do the following:

- Open a signed PDF document, click the digital signature or right click the signature to select Validate Signature.
- 2. A warning message pops up to show the signature validation status.
- If the signature validity is unknown, click Signature Properties > Show Certificate > Install the Certificate if you trust it.
- 4. The certificate will be successfully imported.
- 5. Click the digital signature again and a message will show you the Signature is Valid.
- 6. If you don't trust the certificate any more, you can delete it from Windows Certification Store

by choosing **PROTECT** > **Protect** > **Digital IDs** 

### **Signature Panels**

The signature panel shows information about each signature and time stamp in the document as well as the change history of the document since the first signature.

### Open the signature panel

Click Signature button on the left of Navigation Pane.

### **View Signature Properties**

Signature Properties dialog box provides basic information about the signature, including the signer, reason, date, location validity summary and details of certificate, etc.

**1.** Select the hand tool.

**2.** Right-click the signature field, or right-click the signature in the **Digital Signatures** panel and choose **Show Signature Properties** from context menu.

**3.** In Signature Properties dialog box, you can get the information as follows:

- Signed by shows the signers that sign the document.
- **Reason** displays the reason that you create the signature.
- **Date** shows the date time when you signed the document.
- **Location** shows which page the signature is located on.
- Validity Summary checks whether the document was modified after it was signed, and other information.
- **Show Certificate** click it to show the details of certificate, such as the validity of certificate, certificate path, etc.
- Add to Trusted Certificates Click it to add the digital certificate to the Trusted Certificates list.
- Timestamp Properties Click it to see the properties of the timestamp or add the time stamp to the Trusted Certificates list. (Only available for time stamp signatures or digital signatures embedded with a time stamp.)

**Note:** If the status is unknown, click **Show Certificate...** to view the details of the certificate. Check whether the certificate has been included in your list of trusted identities. If your certificate is not trusted, click **Install Certificate** to install it to the trusted Windows Certificate Store. If you use a self-signed digital ID, confirm that the certificate details are valid. If the certificate isn't valid, a valid certificate from signer is requested.

## Sign PDFs on DocuSign[®]


Allows users to easily send, sign and save PDF documents and forms using the industry's most widely used eSignature solution.

### Sign a PDF File

Sign a PDF on DocuSign, please refer to the following steps:


Choose PROTECT > Protect > DocuSign button Joint on toolbar.

- Choose Login to DocuSign. Type your Email account and password of DocuSign and click Login. If you do not have an account, please sign up first.
- Click the button and choose Sign with DocuSign. The application will upload your PDF to DocuSign and you will enter into the DocuSign user interface.




• Sign the Document

On DocuSign user interface, click **More Options**, you can view history, certificate, and choose **Finish Later** or **Sign on Paper**.



- Click the button 🛛 at the top right corner of the textbox to delete the signature.
- Click Finish to complete signing. You can preview the signed PDF.



- Select the download is or printing button is to get the PDF with signature.
- Select the **DocuSign** button Z and choose **Logout from DocuSign**.

### Send a PDF via DocuSign

- Open a PDF you want to send with PhantomPDF.
- Login to the website.
- Click to choose the signature or other items from list and drag it to the location where you want to sign. You can place several items at the same time.
- Click the button
   to add the recipients address.
- Click the button
   Message
   to edit the email subject line and content.
- Click **Send** to send the PDF.

## **Quick PDF Signature**

Quick PDF Sign enables you to create your self-signed signatures and add the signature to the page

directly. You don't need to create different signatures for different roles.

See also the tutorial on Sign Documents with PDF Sign.

To create your own handwritten signature and sign a PDF, follow these steps.

- 1. Choose **PROTECT** > **Protect** > **PDF Sign**. The **PDF SIGN** tab appears on the toolbar.
- Click + in the signature palette or click = on the lower right corner of the signature palette and choose Create Signature from the drop down menu.
- 3. In the **Create Signature** dialog box, you can choose to draw a signature, import a file, copy from the clipboard, or type text content to create a signature.

**TIP**: You can sign your signature on a clean white sheet of paper using a black pen, and scan it to an image file. To create the best signature, it is suggested to scan your signature in monochrome at 600 DPI.

- 4. You can preview the signature in the **Preview** box.
- 5. Check the options as needed:

**Convert signature to black & white**: the signature will be created in black and white even if the original image is chromatic.

**Discard the signature when program closes**: the signature will not be listed in the signature palette next time you launch PhantomPDF.

**Require password to use this signature**: Specify a password that will be required when users sign the document with the signature. Enter the password again to confirm it.

- 6. Click **Save**. The cursor will be changed into a red rectangle with the appearance preview of the signature.
- 8. (Optional) Click Predefined Text > Set Predefined Text to define text that can be integrated in the signature. Using the typewriter tool and the predefined text, you can quickly add some static information (like the full names of the signature owner and the company) which can be integrated in the signature. Flatten the document when applying the signature to prevent the information from being edited. By default, the identity information has been saved as predefined text.
- 9. Select **Place on Multiple Pages** from the context menu to place the signature to multiple pages.
- 10. To apply the signature to the document, click the rectangle and the invert triangle work or right-click the signature, and select **Apply Current Signature** from the context menu. You can apply all signatures in the document by clicking **Apply All Signatures**. A dialog box will pop up when you click **Apply All Signatures** for the first time to prompt you that applying all

signatures will flatten the whole document. You can change the settings by clicking **Change Setting** in the dialog box, or clicking the invert triangle  $\square$  in the signature palette and choosing **Setting**, or directly navigating to **FILE** > **Preferences** > **PDF Sign**.

11. Click the **Close** button to exit the **PDF SIGN** tab.

*Note*: Once applied, the signature can no longer be edited or deleted.

To manage the created signatures, do the following:

In the **PDF SIGN** tab, click  $\overline{\phantom{a}}$  on the lower right corner of the signature palette and choose **Manage Signature** from the drop down menu. In the **Manage Signature** dialog box, you can create, move and delete the created signatures, and set password for them.

# Chapter 12 – Print

Printing is a process for reproducing text and images. When you have finished reading a helpful article or designing a PDF form, you may need to send it to an inkjet or laser printer and print it out with custom page sizes. With this section, you can get the help to set options in the **Print** dialog box to ensure that the finished document appears as intended.

## Print a PDF document

- 1. Make sure you have installed the printer successfully.
- 2. Choose **Print** from the **FILE** page.
- 3. Specify the printer or plotter, page range, number of copies, and other options.
- 4. Click Print.

### Print a portion of a page

To print a portion of a page, you need to refer to the Snapshot tool ^{O SnapShot}.

- Select the Snapshot tool by choosing **HOME** >**Tools** > **Snapshot**.
- Drag around the area you want to print.
- Right-click in the selected area > choose **Print**..., and then refer to the <u>"Print Dialog"</u>.

Name:	Foxit PhantomPDF Printer	Properties	
Copies:	1 Collate		
🔲 Print as	Grayscale	Print as image	
Print Range		Print What	
Selecter	d Grap <u>h</u> ic	Document and Markups 👻	
Current	page	Summarize Comments	
<u>All page</u>	s		
Pages:	1-1	Preview Zoom: 457.25%	
Su <u>b</u> set:	All pages in range 👻	Document: 2.2 x 1.8 inch	
Reverse		Paper: 8.3 x 11.7 inch	
Print Handl			
Reduce Custom	Inter Margins to Printer Margins Scale paper source by PDF page size	Arry Inde	
☑ Auto- <u>R</u> o ☑ Auto-Ce		<pre>Page 1 of 1</pre>	

Print a portion of a page

### Print multiple pages with page thumbnails

To perform a quick print, you can select multiple pages from a document from the thumbnail list.

- Open the document that you want to print, and then click Pages button on the left navigation pane.
- Shift-click / Ctrl-click / drag the mouse to select a range of page thumbnails from the document.
- Select **Print Pages** from the right-click menu, and then click **OK**.

### **Print tabs**

You can print one tab you are opening from the tab bar or print out all documents opened in the tab bar at a time.

- 1. Move the pointer to the tab bar.
- 2. Right-click it > Choose **Print Current Tab/Print All Tabs**.

## **Print Dialog Box**

The print dialog is the final step before printing. You can modify the printer in this dialog as well. Be aware that changing the printer may affect the page setup if the new selected printer has a different paper size, for instance.

To open the Print dialog box, choose **FILE** > **Print**. Choose a printer from the menu at the top of the Print dialog box and specify the copies to print. Click **Properties** for more settings. (Refer to "<u>Set</u> <u>Foxit PhantomPDF Printer Properties</u>")

Collate – Assembles the printouts in a proper numerical or logical order when printing several copies. This option will be disabled when printing just one copy.
Print as Grayscale –Converts color images in the file to shades of gray.

**Print as image** –Prints pages as bitmap images. If normal printing doesn't work or doesn't produce well, check this option and specify a resolution next to it.

Print	
Name: Foxit PhantomPDF Printer	Properties
Print as Grayscale	Print as image
Print Range Current yiew Current yiew Current yiew Current page All pages Pages: I-1 Current Handing Current Handing Current Pages Print Handing Current Margins Current Margi	Print What Document and Markups Summarze Comments Preview Zoom: 96.82% Document: 8.5 x 11.0 inch Paper: 8.3 x 11.7 inch
✓ Auto- <u>R</u> otate ✓ Auto-Center	Page 1 of 1
Advanced	OK Cancel

### The Print Dialog Box

#### • Print Range

Specify the page range you want to print.

♦ Subset – Provides options for setting noncontiguous page range.

All Pages in Range – Prints all the pages within the specified range.

Odd pages only – Prints only pages with odd numbers within the specified range.

Even pages only – Prints only pages with even numbers within the specified range.

*Note:* This option is especially helpful for two-side printing.

Reverse pages – Prints pages in reverse order. If page ranges are entered, the pages print opposite of the order in which they were entered. For example, if you select to print the document from page 5 to page 30, selecting Reverse pages option will print page 30 to page 5.

### • Print Handling

- Scale None, Fit to Printer Margins, Reduce to Printer Margins and Custom Scale.
   Choose Paper Source by PDF Page Size Automatically selects the paper type according to the page size of the PDFs when printing.
- Tile Large Pages means to tile the pages that are larger than the selected paper size at a specified scale.
- ♦ Multiple Pages Per Sheet multiple pages will be printed on the same sheet of paper. You

can specify the settings like Pages Per Sheet, Page Order, Margins, etc.

- ✤ Booklet Booklet printing enables to print multiple pages on the same sheet of paper in correct order if the pages are folded. This requires the printer support to print on both sides.
- Auto-Rotate Adjusts the PDF document's orientation to match the orientation specified in the printer properties.
- Auto-Center Places the PDF pages in the center.
- Advanced Provides an option to auto-detect printers that support PCL for PCL optimization to improve the printing speed.

Print Optimization allows you to optimize print jobs from a PCL driver, for features such as font substitution or scanning for vertical and horizontal rules. Foxit PhantomPDF provides an option to auto-detect printers that support PCL for PCL optimization to improve the printing speed. To enable print optimization, please follow the steps below:

- Choose FILE > Print to open Print dialog.
- Click Advanced on the left lower corner of the Print dialog.
- In the Advanced dialog, do the following:
  - Check PCL Optimization option;
  - Select a printer from Printers list, and click Add to add the selected printer to PCL Optimization Drivers list.
  - Click OK.

Then you can execute printings with the optimized driver. And you can also remove the printer from the PCL Optimization Drivers list if you are not satisfied with the printing results it delivers. Just select the driver to be removed from the PCL Optimization Drivers list, click **Remove** and then choose **OK** to confirmation the operation.

Advanced		Not a reap	×
☑ PCL Optimization If you select "PCL Optimization", printing the printer from the "PCL Optimization I			
Printers		PCL Optimization Drivers	
1/10.103.2.225/Brother MFC-7860DH 1 (\10.103.2.225/KONICA MINOLTA 423 Adobe PDF Foxit PhantomPDF Printer Foxit Reader PDF Printer Microsoft XPS Document Writer Print to Evernote Send To OneNote 2010 Snagit 11	<u>A</u> dd	\\10.103.2.225\HP LaserJet P100 Fax Fax - HP Deskjet 4640 series (Net HP Deskjet 4640 series (Network)	work
¢ >		< <u>۱۱۱</u> <u>QK</u> <u>Cance</u>	4

• Print What – Specifies to print documents only, annotations only, or both.

Document – Prints the document contents without annotations.

Document and Annotations – Prints document contents and annotations.

Annotations – Prints annotations only.

- Summarize Comments Prints the summarized comments to a separate and printable PDF file named "CommentsSummaryPrint.pdf". See also "<u>Summarize Comments</u>".
- **Preview** Foxit PhantomPDF provides an instant preview in the Print dialog box. Drag the slider to preview each page.

## Set Foxit PhantomPDF Printer Properties

Before you create a PDF file, you may wish to access PDF Printing Preferences to set up options for your PDF files, there are two ways to access PDF Printing Preferences.

1. Accessing the PDF printing Preferences from Control Panel:

- Go to Start > Settings > Control Panel > Devices and Printers > Printers and Faxes.
- Right-click on the Foxit PhantomPDF Printer and then select **Printing Preferences**.

2. Accessing the PDF Printing Preferences from the Print dialog box.

• When you print a file and open the Print dialog box, simply click on the **Properties** button, you can bring up the PDF Printing Preferences.

### **General tab**

- Target Folder specifies a destination folder to place the PDF files after generations.
- **Overwrite existing PDF file without confirmation** By default, this option is checked. If you don't hope your file is overwritten without any prompt, you should uncheck this option.
- Use default filename and save to default folder If you don't want to change the original filename, just check this option and the generated PDF file will be automatically saved to the default folder you have assigned.
- **View PDF results** By default, this option is checked; the generated PDF file will automatically open after conversion.
- **PDF Specification Version** With Foxit PhantomPDF, you can choose the version number from 1.3 to 1.7 when creating PDFs. Choosing the right PDF reference version can help the PDFs to be better compatible with different PDF viewers.
- Conversion Quality
  - Default settings chooses a type of conversion quality as the default setting.
     High Quality Print: creates PDF files for high quality print but with relatively large file sizes.

**PDF/A-1b**: creates PDF files in compliance with PDF/A-1b standard.

Smallest File Size: creates PDF files used for web distribution.

Standard: creates PDF files with a balance between print quality and file size.

Click **Edit** button to modify the conversion quality and save the modified settings as a new printing setting which will be added to **Default settings** list.

 $\diamond$  **Color** – Prints content in a color PDF file to shades of gray, in colors or only in black and white colors.

Image Resolution - allows you to input a DPI (dot per inch) level for image resolution.
 The valid level value is between 72 -2400.

 Save As Default - If you hope all your settings can be applied to all documents, you must keep the option checked. If you uncheck it, your settings will be effective for the current document only.

**Advanced settings...** - In the pop-up **Advanced settings** dialog box, there are three tabs: Watermarks, Headers/Footers and Security.

### Watermarks tab

Add watermarks to the document – If you want to add watermarks to your document, you can select this option and choose to add Image Watermarks or Text Watermarks.

**Image watermarks**–You can browse your computer for an image and change the **Opacity**, **Rotation** and **Offsets** of the image which will be added into your document as a watermark.

### **Text Watermarks**

• Font

This option is activated only when Text Watermarks is selected and you can choose the font name, font size and font color from the drop-down menus.

Text

You can enter text in the **Content** box and change the **Opacity** and **Rotation** of the text which will be added into your document as a watermark.

• Offsets

This option allows you to change the unit of measurement and specify the width, height of the image/text, etc.

• Scale

A. To resize the watermark in relation to the original image size, check **Absolute Scale** and enter a number in the percentage box.

B. To resize the watermark in relation to the PDF page dimensions, check **Relative Scale** and enter a number in the percentage box.

• Preview

You can see how the watermark will look like with the selected options.

### **Headers/Footers tab**

### Add Headers/Footers to the Document

This option allows you to add headers/footers to your PDF document. By checking this option, the following options will be activated.

#### Font

You can choose the font name, font size and font color from the boxes.

### Edit

This option allows you to edit headers/footers and you can specify their styles.

Click Insert Date to insert date to the PDF document.

Click Insert Page Num to insert page number to the PDF document.

You can enter text in the columns (Left Column, Center Column and Right Column) if needed.

### Offsets

This option allows you to change the unit of measurement and specify the margins for all 4 sides.

### Preview

You can see how the headers/footers will look with the selected options.

### Security tab

The security feature of PDF gives you exceptional control over PDF files. Choose a protection type.

### 1. Password Protection

#### Password

• Require a password to open the document – selects to require users to type the password

265

you specify to open the document.

• **Document Open Password** – specifies a password that users must type to open the document.

#### Permission

• Add document restriction – restricts actions to PDF files, such as printing, editing, etc.

#### **Permission Specification**

- **Printing Allowed** specifies the level of printing that users are allowed for the PDF document.
  - A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
  - B. Print with high resolution allows users to print at any resolution.
- Changes Allowed defines which editing actions are allowed in the document.
  - A. Fill in a form lets users fill in forms. The option doesn't mean that users can create form fields.
  - B. Comments in the document lets users add comment to the PDF document.
  - C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.
  - D. Any except extracting pages let users do all editing actions listed above except extracting pages.

**Enable copying of text, image and other context** - defines the contents that are allowed to be extracted in the PDF document.

**Enable text access for screen reader device for visually impaired** - Facilitates the visually impaired users to use voice recognition software in screen reader devices to read the generated PDF files.

#### **Protection Setting**

- **Protection Algorithm** defines data transformations that cannot be easily reversed by unauthorized users. Foxit Creator supports 128-bit AES and 128-bit ARC-FOUR.
- **Don't encrypt metadata** encrypts the contents of a PDF file but allow search engines access to the document metadata when it is checked.
- 2. Certificate Protection

#### **Recipient List**

- Click **Import** to import certificate from Windows Certificate store.
- Click **Browse** to import certificate from disk.
- Click **Remove** to delete a recipient from recipient list.
- Click **Details** to view the detail of the certificate.

### Permission Specification

- **Printing Allowed** specifies the level of printing that users are allowed for the PDF document.
  - A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
  - B. Print with high resolution allows users to print at any resolution.
- Changes Allowed defines which editing actions are allowed in the document.
  - A. Fill in a form lets users fill in forms. The option doesn't mean that users can create form fields.
  - B. Comments in the document lets users add comment to the PDF document.
  - C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.
  - D. Any except extracting pages let users do all editing actions listed above except extracting pages.

**Enable copying of text, image and other context** - defines the contents that are allowed to be extracted in the PDF document.

**Enable text access for screen reader device for visually impaired** - Facilitates the visually impaired users to use voice recognition software in screen reader devices to read the generated PDF files.

### **Protection Setting**

- Encryption Protection defines data transformations that cannot be easily reversed by unauthorized users. Foxit Creator supports 128-bit AES and 128-bit ARC-FOUR.
- **Don't encrypt metadata** encrypts the contents of a PDF file but allow search engines access to the document metadata when it is checked.

### 3. RMS Protection

See also AD RMS Protection.

### Layout tab

- **Orientation** Allows you to change the page orientation.
- Page Size This option is for you to choose one of paper types from the list, or click Custom
   Page Size and then add a new page size where you can specify the paper size dimensions in the Add/Edit Custom Page Sizes box.
- Unit of Metrics Allows you to change the unit of measurement, including inches, centimeter and millimeters.

You can see how your document layout will look with the selected options.

### **Document Info tab**

Add information to the document – This option allows you to set PDF document properties, such as Title, Subject, Author, etc. You can add information when it is checked.

**PDF Information** – You can enter the title, subject, author, keywords and creator of the document. Producer is the Foxit PhantomPDF.

### About tab

This tab shows the information of Foxit PhantomPDF and the related copyrights and information.

# **Chapter 13 – Appendices**

This section is a collection of supplementary materials for this user manual as well as Keyboard Shortcuts, and Command Lines.

- Quick Installation Guide
- GPO Manual
- SharePoint Configuration
- Quick Start for Azure Active Directory Rights Management
- Web Service Configuration
- Shortcut Keys
- Command Lines

## **Quick Installation Guide**

This section gives you an overview of Foxit PhantomPDF, including installation, activation, uninstallation and update.

### Installation, Activation, Deactivation, and Uninstallation

### Installing Foxit PhantomPDF

♦ System Requirements

#### **Operating Systems**

- Windows 7 (32-bit & 64-bit).
- Windows 8.x Full Version.
- Windows 10.
- Microsoft Office[®] 2007 or later version (required for some PDF creation features).
- For users utilizing the Active Directory Rights Management Service and SharePoint integration capability, Windows 7 or later version is required.
- Verified as Citrix Ready[®] with Citrix XenApp[®] 7.6.

#### **Recommended Minimum Hardware for Better Performance**

- 1.3 GHz or faster processor.
- 512 MB RAM (Recommended: 1 GB RAM or greater).
- 1G of available hard drive space.
- 1024*768 screen resolution.

### ♦ How to Install

The installer format of Foxit PhantomPDF is MSI. Please download the installer to your computer, and then do the following (Take *Business* Edition for example):

1. Double click the "FoxitPhantomPDF_Business_enu_Setup.msi" file, and you will see the setup wizard pop up. Click **Next** to continue.

🛃 Foxit PhantomPDF Business Setup		
Foxit® Phantom PDF	Welcome to the Foxit PhantomPDF Setup Wizard	
Business- Ready PDF	The Setup Wizard will install Foxit PhantomPDF on your computer. Click Next to continue or Cancel to exit the Setup Wizard.	
Foxit	Version: 7.3.0.1211	
	Back Next Cancel	


2. Foxit PhantomPDF is protected by copyright law, so in order to proceed, you must accept the License Agreement. Check the I accept the terms in the License Agreement box to continue.

B Foxit PhantomPDF Business Setup	
End-User License Agreement Please read the following license agreement carefully	K C POF
FOXIT SOFTWARE INC. LICENSE AGREEMENT FOR D SOFTWARE APPLICATIONS	DESKTOP
IMPORTANT-READ CAREFULLY: This Foxit Software Inc. License Agreement ("License" or "Agreement") is a leg agreement between You (either an individual or an en be referred to in this License as "You" or "Your") and Fo use of desktop software applications, and which may in associated media, printed materials, and other compose Implications and the license Agreement	al tity, who will oxit for the nclude
Print Back Next	Cancel

3. There are two installation setup types for Foxit PhantomPDF. The user has the ability to change the installation directory or to keep the default settings.

*Typical* — Installs all features by default, which requires more disk space.

*Custom* — Allows users to choose which program features will be installed.



- 4. For *Typical Setup*, just click Install. For *Custom Setup*, do the following:
  - A) Click on "Browse" to change the installation directory of the PDF Viewer plug-in.
  - B) Click "Disk Usage" to check the disk space available for the selected features.
  - C) Check the options you want to install and click "Next" to continue.

闄 Foxit PhantomPDF Business Setup			
Custom Setup Select the way you want features to be installed.			
Click the icons in the tree below to change the way features will be installed.			
PDF Viewer      Foxit PhantomPDF Creator      Shell Extensions	Foxit PhantomPDF PDF Viewer		
Print to Evernote	This feature requires 293MB on your hard drive. It has 4 of 4 subfeatures selected. The subfeatures require 147MB on your hard drive.		
Location: C:\Program Files (x86)\Foxit Soft\Foxit PhantomPDF\ Browse			
Reset Disk Usage	Back Next Cancel		

D) Select the additional tasks you would like the Setup to perform, then click "**Install**" to start the installation.

## Foxit PhantomPDF Business

	User Manual
📸 Foxit PhantomPDF Business Setup	
Select Additional Tasks Which additional tasks should be performed?	PDF
Select the additional tasks you would like Setup to perform while installin Foxit PhantomPDF Business, then click "Install" to start installation.	ig the
<ul> <li>✓ Create Desktop Icons</li> <li>✓ Create a Start Menu folder</li> </ul>	
<ul> <li>Set Foxit PhantomPDF as the default PDF viewer</li> <li>Show PDF files in browsers</li> <li>Install as the default system printer</li> </ul>	8
Back Install	Cancel

5. When the process is complete, a dialog box will notify the user that Foxit PhantomPDF is installed. You can choose to check the **Launch Foxit PhantomPDF** box to run the application right after installation. Click **Finish** to complete the installation.

🛃 Foxit PhantomPDF Business Setup		
Foxit® Phantom PDF	Foxit PhantomPDF Setup Wizard has completed.	
	Click the Finish button to exit the Setup Wizard.	
Business- Ready PDF	Launch Foxit PhantomPDF Business PDF IFilter-Desktop has been successfully installed on your system. Please refer to the User Manual to see how to rebuild your index to be able to use Windows Search to search for PDF files.	
Foxit		
	Back Finish Cancel	

### ♦ Command-line Installation

You can also use the command-line to install the application:

msiexec /Option <Required Parameter> [Optional Parameter] [PROPERTY=PropertyValue]

For more detailed information on msiexec.exe, as well as required and optional parameters, type "msiexec" in the command line or visit Microsoft TechNet Help Center.

#### Public Properties of the Foxit PhantomPDF MSI Installation Package.

Foxit PhantomPDF installation properties supplement the standard MSI public properties to give

administrators greater control over the installation of the application.

For the complete list of standard public properties, please refer to: <u>http://msdn.microsoft.com/en-gb/library/aa370905(VS.85).aspx</u>

_____

The Foxit PhantomPDF properties are:

ADDLOCAL	<list features="" of=""></list>	The value of the ADDLOCAL property is a comma delimited list of features that the installation of Foxit PhantomPDF will make locally available. Foxit PhantomPDF installer is composed of the following features:
		<b>FX_PDFVIEWER</b> - Foxit PDF Viewer and its components.
		<b>FX_FIREFOXPLUGIN</b> - Plugin used for opening PDF files in Mozilla Firefox, Opera, Safari, and Chrome browsers. This feature requires FX_PDFVIEWER to be installed.
		<b>FX_SPELLCHECK</b> - Spell check tool used for searching any misspelled words in typewriter or form filler mode. This tool also suggests the correct spelling, grammar, and punctuation for common mistakes. This feature requires FX_PDFVIEWER to be installed.
		<b>FX_PDFA</b> – A module used for verifying compliance with PDF/A- 1a and PDF/A-1b. This feature requires FX_PDFVIEWER to be installed.
		<b>FX_OCR</b> – A module used for making scanned or image-based PDF documents selectable and searchable. This feature requires FX_PDFVIEWER to be installed.
		<b>FX_CREATOR</b> - Foxit PhantomPDF Creator installs a virtual printer on your system. Creator can convert any printable documents into high-quality PDFs conveniently and efficiently. This feature requires FX_PDFVIEWER to be installed.
		<b>FX_CONVERTEXT</b> - Shell extension used for converting PDFs or combining supported files from the right click menu. This feature requires FX_CREATOR to be installed.
		<b>FX_CREATORWORDADDIN</b> - MS word toolbar add-in to create PDFs in just one click. This feature requires FX_CREATOR to be

installed.

**FX_CREATOREXCELADDIN** - MS Excel toolbar add-in to create PDFs in just one click. This feature requires FX_CREATOR to be installed.

**FX_CREATORPPTADDIN** - MS PPT toolbar add-in to create PDFs in just one click. This feature requires FX_CREATOR to be installed.

**FX_CREATOROUTLOOKADDIN** - MS Outlook toolbar add-in to create PDFs in just one click. This feature requires FX_CREATOR to be installed.

**FX_SE** - Plugins for Windows Explorer and Windows shell. These extensions allow PDF thumbnails to be viewed in Windows Explorer, and PDF files to be previewed in Windows OS and Office 2007 (or a later version). This feature requires FX_PDFVIEWER to be installed.

**FX_IFILTER** – Foxit PDF IFilter is a plugin for Windows search engines that can help search PDF documents quickly.

**INSTALLLOCATION** Specifies the folder location of the product installed.

MAKEDEFAULTDefault value of "1", Foxit PhantomPDF will be set as the<br/>default application for opening PDF files.

VIEW_IN_BROWSERDefault value of "1", Foxit PhantomPDF will be configured to<br/>open PDF files inside browsers.

DESKTOP_SHORTCUTDefault value of "1", installer will place a shortcut for the<br/>installed application on the Desktop.

**STARTMENU_SHORTCUT** Default value of "1", installer will create a program menu group for installed application and its components.

SETDEFAULTPRINTERDefault value of "1", installer will install Foxit PhantomPDFPrinter and set it as the system's default printer.

LAUNCHCHECKDEFAULTDefault value of "1", Foxit PhantomPDF will check if FoxitPhantomPDF is the default reader when launched.

KEYPATHSpecifies a license key file and saves it to the PhantomPDFinstallation folder.

REMOVENEWVERSION	Forces an installation to overwrite the newer version of Foxit PhantomPDF with the value of "1".
CLEAN	Executes with the command "/uninstall", removing all of PhantomPDF's registry data and related files with the value of "1". ( <i>Note: This is a command for uninstallation</i> .)
AUTO_UPDATE	Does not download or install updates automatically with the value of "0"; Automatically downloads updates, but lets users choose when to install them with the value of "1"; Automatically installs updates with the value of "2".

Command-line Examples:

1. Silently install the application (no user interaction) to folder "C:\Program Files\Foxit Software":

msiexec /i "Foxit PhantomPDF.msi" /quiet INSTALLLOCATION="C:\Program Files\ Foxit Software "

2. Install only the Foxit PDF Viewer:

msiexec /i "Foxit PhantomPDF.msi" /quiet ADDLOCAL="FX_PDFVIEWER"

3. Use the license key file saved in disk C to activate the application when running the setup:

msiexec /i "Foxit PhantomPDF.msi" KEYPATH="C:\fpmkey.txt"

4. No installation of Foxit PhantomPDF Printer:

msiexec /i "Foxit PhantomPDF.msi" ADDLOCAL=ALL, ADVERTISE="FX_CREATOR" /qn

5. Force an installation to overwrite the same or newer version of Foxit PhantomPDF:

msiexec /i "Foxit PhantomPDF.msi" REMOVENEWVERSION="1"


6. Remove registry and user data when performing silent uninstallation:

msiexec /x "Foxit PhantomPDF.msi" /quiet CLEAN="1"

### **Activating Foxit PhantomPDF**

1. After launching Foxit PhantomPDF, the activation wizard pops up. If you have already purchased a license for Foxit PhantomPDF, click **Activate** to register your license key. If not,

you can click **Buy Now** to purchase Foxit PhantomPDF from the Foxit website. If you choose **Free Trial**, you will be given a 30-day free trial period to use Foxit PhantomPDF. When the free-trial period expires, only the free features are available.




After you click Activate, the box will prompt you to input the code of the registration key. You can activate the key at a later time from HELP > Activate when you run Foxit PhantomPDF. Then click Next to continue.

xit PhantomPDF Activation	
Activation	<ul><li></li></ul>
Please input your registration key code below.	
You must be connected to the Internet when activating.	
1	
If you do not have a registration key, you can purchase one at:	
Foxit Online Store	
	Install the Key Cancel

3. Type the user information in the User Name field shown in the example below. Then click **Activate Now** to activate.

Foxit PhantomPDF Activation	
Activation	< G
Please fill in the User Name below to finish your activation. displayed in Help->About.	The User Name will be
User Name:	
Example:	
Edition: Standard/Business	
Version: 7.0	
Copyright © 2004-2015 Foxit Software Inc. All Rights Re	served.
Licensed to: User Name	
S/N: xxxx	
< Back	Activate Now Cancel

4. If the activation is successful, a message box will pop up. Click OK.



5. You should restart the application for the changes to take effect. To restart it now, please click **OK**; or click **Cancel** to restart later.



### **Deactivating Foxit PhantomPDF**

You can deactivate Foxit PhantomPDF in one machine to activate another. After deactivation you can still use the features of Foxit PhantomPDF Express. To deactivate Foxit PhantomPDF, click **HELP** > **Deactivate**.

### **Uninstalling Foxit PhantomPDF**

How to Uninstall

Please do one of the following:

- Click Start > All Programs > Foxit PhantomPDF > Uninstall.
- Click Start > Control Panel > Programs and Features > Select Foxit PhantomPDF and click
   Uninstall.
- Double click the file uninstall.exe under the Foxit PhantomPDF installation directory drive name: \...\Foxit Software\Foxit PhantomPDF\.

### Foxit PhantomPDF Add-ons

Foxit PhantomPDF provides separate add-ons for you to download on demand. These add-ons fall into critical add-ons and advanced add-ons. Most of add-ons, including JPEG2000/JBIG Decoder, Eastern Asian Language Support, Spell Checker and Firefox Plugins, have been integrated into Foxit PhantomPDF package, so users don't need to install them again after the installation of Foxit PhantomPDF. But if there're any upgrades of those add-ons, users can go to **HELP** > **Check for Update** to download and install the latest add-ons.

### **Critical Add-ons**

Critical add-ons are essential components for proper display and execution.

### Free Critical Add-ons in Foxit PhantomPDF

Name	Function Description	Size	Remark
	Enables selecting and searching text in scanned or image-based		
Multi-langue	PDFs. This add-on supports multi-language: Portuguese, Polish,		
OCR Text	Russian, Japanese, Korean, Simplified Chinese & Traditional		Download
Recognition	Chinese, Turkish and Dutch, etc. (For Chinese, Japanese and Korean,		Download
Engines	you should download from our website, and the others have been		
	integrated into Foxit PhantomPDF package.)		

**NOTE:** To manually install a critical add-on, please extract it to the same directory where you install Foxit PhantomPDF. See also <u>"Updating Foxit PhantomPDF"</u>.

### **Purchasing Foxit PhantomPDF**

To purchase Foxit PhantomPDF, please do one of the following:

1. Order online: go to Foxit website to order directly: <u>http://www.foxitsoftware.com/shopping</u>

2. Email: write an e-mail to the Foxit sales department at <a href="mailto:sales@foxitsoftware.com">sales@foxitsoftware.com</a> with your order information.

### **Updating Foxit PhantomPDF**

Foxit files along with add-ons can be updated in several ways. Some updates are available if you open a PDF document that triggers the updating process. For example, if you open a file that contains Chinese characters, Foxit PhantomPDF will ask if you want to download the Eastern Asian Language Support. Other updates are available only from the **HELP** menu, where you have to manually install them. However, all updates can be downloaded directly from Foxit website. Foxit PhantomPDF supports auto-update checking. When there is a new version detected, Foxit PhantomPDF will prompt users to update.

### Updating from the Help Menu

- 1. Choose **HELP** > **Check for Update**.
- 2. In the pop-up dialog box, select updates from the column on the left, and click **Add** to move them to the right column. Only the updates and components appropriate for your product will be listed. Click **Next** to download and install the update.

### **Updating from Foxit Website**

- 1. Visit Foxit Download page at <u>http://www.foxitsoftware.com/downloads/</u>.
- 2. Select and download the files or add-ons you want to update.
- 3. Extract them to the same directory where you installed Foxit PhantomPDF.
- 4. Re-run the Foxit PhantomPDF program to implement the update files.

### **Help & Support**

### User Manual

If you have trouble finding help for a particular topic or the help provided is not sufficient, enter a trouble ticket via our <u>Support Portal</u> and our support team will contact you. Your feedback helps us to improve our documentation.

### **Ticket Support**

Visit Foxit Ticket Support System by choosing **HELP** > **Help** > **Report Error**, to send your bug report/suggestion/comment directly to Foxit Customer Support Center.

### On-Line Support 24/7

Our ticket support system is staffed with product experts round the clock to provide you with fast and efficient answers to all of your technical questions. Plus, our on-line user forums provide a wealth of information.

### **Foxit Forum**

Visit Foxit forum at <u>http://forums.foxitsoftware.com/</u> to see if you can find the answer to your questions there immediately.

## **GPO** Manual

### What is Group Policy?

Group Policy (GPO), a feature of the Microsoft Windows NT family of operating systems, is a set of rules that control the working environment of user accounts and computer accounts. It offers the centralized management and configuration of operating systems, applications, and users' settings in an Active Directory environment.

Group Policy can configure most system settings, save power by utilizing smart power settings, give individual users more control over their machines with administrator privileges and increase system security.

This guide will introduce steps to help you master how to quickly add and modify the new GPO template for configuring your installation of Foxit PhantomPDF.

### **Personal Computer Setting**


There are two file types of group policy template of Foxit PhantomPDF: .adm and .admx. Different types are compatible with different operation systems, but have the same settings. The template of .adm file type is compatible with Windows XP and later, while .admx is compatible with Server 2008, Server 2012, Windows 7 and later.

### Set Template Preference

For .adm file, follow the steps as below:

 Please click Start > Run or use the shortcut key Ctrl + R and type gpedit.msc to open Group Policy Editor.

• Right-click the management template and choose **Add/Remove Template** in the context menu. In the opened dialogue box, add the group policy template of Foxit PhantomPDF. The Foxit PhantomPDF template will appear in the left navigation pane and you can set its template preferences.



For .admx file, put the .admx file in C:\Windows\PolicyDefinitions and do the setting. The .admx file should be used in combination with an .adml file. And the .adml file should be put in C:\Windows\PolicyDefinitions\language. For example, if in the English OS, the .adml file should be put in C:\Windows\PolicyDefinitions\en_us.

### **Example: Not Show Community Language**

- Choose Foxit PhantomPDF > Preferences > Application Language.
- Double-click Application Language to open the dialog box and check the option Enabled and check Not Show Community Language. Then only the official languages will show in the FILE > Preferences > Language.
- If the option **Not Configured** or **Disabled** is checked, the languages translated by community will be displayed.

Local Group Policy Editor						
File Action View Help		Application Langu	200	-		
🗢 🔿 🔁 📰 🔒 🛛 📰 🝸		Application Lange	lage			
I Local Computer Polic		Application Lang	guage			Previous Setting
Computer Config     Software Settin     Application Language     Setting		Not Configured	Comment:			
▷     Windows Setti     ▲ Edit policy setting.       ▲     Administrative       ▷     Control Pa       ▶     Network       ₩     Network	PDF Check Page	<ul> <li><u>Enabled</u></li> <li><u>D</u>isabled</li> </ul>	Supported on:	Mi	icrosoft Wind	ovys XP SP2 or later
Printers     System     Windows (         Windows (             Classic Ad	age Safe F r Moo	Options:				Help:
▷ Toc Languages' to hide community languages. Otherwise community Default	Tool	Not Show Comm	unity Language			Enable this option to change the application language settings.
In translated languages will be listed under official languages.     In translated languages.     In translated languages.     In translated languages.     In protection Language.     In translated language.     In transl		Default Application	Language			Check 'Don't Show Community Languages' to hide community languages. Otherwise community-translated languages will be listed under official languages. Default Application Language: Input a language file name, such as 'lang, en, ussmi', to set this language as default application language. This will remove the setting item in 'Preferences > Languages'.

- Other settings can be configured in the same way.
- To add tools to the default toolbar menu, please go to Foxit PhantomPDF > Toolbars > Custom Toolbars > double-click the target menu, check Enabled and check the desired tools to be shown on the default toolbar.


### **Note**: Group Policy setting includes computer configuration and user configuration.

Computer configuration takes precedence over user configuration. The application will use the computer configuration if both the computer and user configure a specific function at the same time. Please note that if the option **Disabled** is a valid configuration, the setting will be shown in the help information. Otherwise, the corresponding registry entry will be removed as selecting Unconfigured. (The value of the option Disabled in the Group Policy Template of Foxit PhantomPDF is invalid.)

### **GPO Deployment (for Server)**

### **Create GPO Management**

- If you already have an Active Directory domain and organizational unit configured, please skip to "Apply the Foxit Template" section.
- Choose Start > Administration Tools > open "Active Directory Users and Computers" > rightclick the field "wx.com" > choose New > Organization Unit.



• In the opened New Object - Organization Unit dialogue box, type the unit name (For this example, we have named the unit "qa") and click **OK**.

😑 Active Directory Users and Cor	nputers		_ 🗆 🗙
File Action View Help			
🗢 🔿 🙍 🛅 🛅 🔯 .	🗟 🔽 🖬 🧏 📚 🛅 🝸 💆 🍇		
Active Directory Users and Comput	Name	Туре	Description
E Saved Queries	Builtin	builtinDomain	
⊞ 🟥 wx.com	Computers	Container	Default container for upgr
New O	bject - Organizational Unit	• • • • • • • •	Default container for dom
			Default container for secu Default container for man
	9		Default container for man
	Create in: wx.com/		
			_
Nar	me:		Default container for upgr
qa			
	Protect container from accidental deletion		
	ОК	Cancel Help	
	n		

• Right click the created organization unit "qa" and choose **New** > **User**. For this example, we have named the user "King".

Active Directory Users and Computers						
File Action View Help						
(≠ ⇒) 2 m 4 1 × 0 0 ⇒ 2 m 3 2 m 2 %						
Active Directory Users and Comput Name Type Description						
E Saved Queries						
🕀 🛅 Computers 🔍 Create in: wx.com/ga						
E Create In: WX.com/qa      ForeignSecurityPrincipals						
Control and the second se						
a First name: king Initials:						
• a gal						
ga2     Last name:						
⊞						
Full name: jking						
Line la seconda de la construcción de la construcci						
User logon name:						
king @wx.com						
User logon name (pre-Windows 2000):						
WX\ king						
< Back, Next > Cancel						

File       Action       View       Help         Image: Sevel Queries       Imagei
Active Directory Users and Comput       Name       Type       Description         Image: Saved Queries       Image: S
Image: Saved Queries       king       User         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Image: Saved Queries         Image: Saved Queries       Image: Saved Queries       Imageies         Image: Saved Queries
ti a qa2 ti a

• Click Start > Programs > Administration Tools > open the Group Policy Management console

and right-click the created organization unit "qa" and choose Create a GPO in this domain, and Link it here....

🛃 Group Policy Management	
😹 File Action View Window Help	
🗇 🧼 🞽 📷 📋 💥 🗒 🍳 📝 🖬	
Group Policy Management Group Policy Management Group Policy Management Group Policy Management Group Policy Modeling Wizard H Group Policy Modeling Wizard New Organizational Unit Group Policy Modeling Wizard New Window from Here Delete Rename Refresh Properties Help	ga         Linked Group Policy Objects         Link Order ^ G         1         Link it here
Create a GPO in this domain and link it to this container	]

If you cannot find the Group Policy Management in Administration Tools, please install the application package GPMC.MSI. You can download the package by clicking the link <u>http://www.microsoft.com/en-us/download/details.aspx?id=21895</u>.


### Apply the Foxit Template

Foxit Reader Setun.msi		A DNS
Group Policy Management	19 A.	Event Viewer
	· [	Group Policy Management
Active Directory Users and	¥≡	k iSCSI Initiator
Computers		Local Security Policy
Foxit Reader 5.1	admin	N Performance Monitor
		a Security Configuration Wizard
Internet Explorer	Documents	Server Manager
		Services
Command Prompt	Computer	😿 Share and Storage Management
	Network	🚍 Storage Explorer
Notepad		System Configuration
	Control Panel	Task Scheduler
Active Directory Domains and Trusts		Windows Firewall with Advanced Security
1110 1000	Devices and Printers	Windows Memory Diagnostic
iSCSI Initiator		🔯 Windows PowerShell Modules
	Administrative Tools	🐌 Windows Server Backup
Microsoft Outlook 2010	Help and Support	
1		
Local Security Policy	Run	
All Programs		
Search programs and files	Shut down	

• Type the GPO name in the "New GPO" dialogue box and click **OK**.

Name:	
PhantomPDF	
Source Starter GPO:	
Source Starter GPO: (none)	<u>×</u>

• Right-click the new GPO and choose **Edit...** in the right-click menu to open Group Policy Editor.



 Right-click the Template Management and choose Add/Remove Template to add Foxit PhantomPDF template. Please refer to <u>Set Template Preference</u>.

📑 Local Group Policy Editor					
File Action View Help					
Local Computer Policy Computer Configuration	📫 Administrative Template	25			
<ul> <li>Software Settings</li> </ul>	Select an item to view its	Setting			
Windows Settings	description.	Control Panel			
Administrative Templates	description.	Desktop			
4 💰 User Configuration		Network			
Software Settings		Shared Folders			
Windows Settings		Start Menu and Taskbar			
Administrative Templates	mplates	System			
Control Pa Add/Remove Te     Desktop Filter On	inplates	Windows Components			
Network Filter Options		Classic Administrative Templates (ADM)			
Shared Fo Re-Apply Filter		All Settings			
Start Men					
Start Men All Tasks	•				
▷	+				
Classic Ac Export List					
Help					
	Extended / Standard /	۲			
Manage administrative templates					

• For configuring options, please refer to **Example: Not Show Community language**.

### **GPO Items**

The following table introduces some simple manipulations in GPO to speed up your working process.

Folder Path	Item	Options	Description
Foxit PhantomPDF >	Remove Specific Plugins		Input the plugin name
Plugin			which needs to be
			removed.
			Only applications
			with .fpi extensions
			can be removed from
			Foxit PhantomPDF.
	Remove Plugins	Updater	Remove the selected
		Speech	plugins.
		RMSV1	
		RMSV2	
		SharePoint	
		DocuSign	
		CommentsSummary	
		ComparePDF	
		PageEditor	
		ShareReview	
Foxit PhantomPDF >	'About Foxit	Copyright	Set the new contents in
Preferences	PhantomPDF' Dialog	Copyright Content	'About Foxit
		BackGroundPath	PhantomPDF' dialog.
Foxit PhantomPDF >	Default PDF Viewer	Web Browser PDF	Set Foxit PhantomPDF
Preferences		Viewer	as the default PDF
		System PDF Viewer	viewer for 'System PDF
			Viewer' and 'Web
			Browser PDF Viewer'.
			This setting requires
			Administrator
			permission. In a domain
			environment, if the
			client doesn't have the
			Administrator
			permission, there will
			be a UAC prompt after
			the boot.
Foxit PhantomPDF >	Forbid Checking of		Hide the 'Set to Default
Preferences	Default PDF Viewer		PDF PhantomPDF'
			dialog when Foxit
			PhantomPDF isn't the

# Items in GPO Template

			default PDF viewer.
Foxit PhantomPDF >	Home Page Settings	Menu Name	Set the new menu
Preferences		URL	contents of 'Help > Foxit
			Corporation Home
			Page' menu item.
Foxit PhantomPDF >	Main Program Name	Main Program Name	Change the program's
Preferences			name. The default is
			'Foxit PhantomPDF'.
Foxit PhantomPDF >	Start Page	Hide Start Page	Change the settings of
Preferences			Start Page.
Foxit PhantomPDF >	Enable Safe Reading		Change the settings of
Preferences	Mode		Safe Reading Mode.
Foxit PhantomPDF >	Application Language	Not Show Community	Change the application
Preferences		Language	language settings.
		Default Application	
		Language	
Foxit PhantomPDF >	Default Toolbar	Settings (Forbid	Change settings of the
Preferences		Modification or Forbid	toolbars: 'Forbid
		Modification And Hide	Modification' or 'Hide
		Toolbar)	Toolbar'.
Foxit PhantomPDF >	Status Bar	Settings (Auto-hide	Change the settings of
Preferences		Status Bar, Hide Status	Status Bar.
		Bar or Show Status Bar)	
Foxit PhantomPDF >	Insert Printed PDF into		Set to append PDF files
Preferences	Previously Generated		generated with Foxit
	PDF		PhantomPDF Printer to
			previously generated
			files.
Foxit PhantomPDF >	Enable The OCR		Enable this option to
Preferences	Message Bar		change the setting of
			OCR in <b>FILE</b> >
			Preferences.
Foxit PhantomPDF >	Enable The Link For	UserManualPath	Enable this option to
Preferences	User Manual		change the link of User
			Manual to the local link
			you want.
Foxit PhantomPDF >	Disable Update		With this option
Preferences			enabled, the automatic
			update will be disabled.
	1	1	•

			ivianuai
Foxit PhantomPDF >	TabElements (the		de the selected
Ribbon	button items in Quick	bu	tton items in Ribbon
	Access Toolbar and	M	ode.
	menu bar)		
	RibbonCategory (the		
	button items in each		
	tab)		
	(00)		
Foxit PhantomPDF >	Use Deprecated	Us	e deprecated
RMS > Preferences	Encryption Algorithms	en	cryption algorithms
		(RS	SA 1024 encryption
		alg	orithm) to be
		COL	mpatible with the
		pre	evious version and
		dis	able the setting in
			eferences > RMS
			tting'.
	Encrypt metadata		crypt document
	Life ypt metadata		etadata. This disables
			e setting in
			eferences > RMS
			tting'.
	Forbid Web Viewing of	Fo	rbid viewing of
	Protected Content	pro	otected content in
		bro	owsers using the Foxit
		plu	ıgin.
	Use AD RMS Plug-in V1	Us	e the AD RMS plugin
		ve	rsion 1, which
		su	pports Windows XP.
		Th	e protected PDF files
			Il be saved in Foxit
			otected PDF format
		· · ·	d can only be opened
			Foxit products. RMS
			igin version 1 only
			pports SHA-1/RSA
			24 algorithm for
			cryption and
			cryption.
	Add 'protected' to the	Ар	pend "(protected)"
	name of encrypted files	to	the end of the file
		na	me of encrypted files.
	Save As	Tu	rn on the Save As

	Use	er Manual
		feature for RMS
		protected files.
Extended Rights		Turn on the extended
		rights feature in the
		client. Extended rights
		allow the document
		owner to control the
		following items:
		Access times: Limit
		times that users can
		access a document.
		Print times: Limit times
		that users can print a
		document.
Dynamic Revocation		Turn on the dynamic
		revocation feature in
		the client. Revocation is
		a mechanism that
		revokes a PDF
		document that has
		already been issued.
		The primary purpose of
		revocation is to prevent
		entities that are no
		longer trusted from
		participating in an RMS
		system.
Microsoft IRM		Enable this option to
Protection		use the Microsoft IRM
		version 1. If not
		enabled, Microsoft IRM
		Protection Version
		2(PPDF) is used.
RMS Interoperability		Enable this option, all
		encrypted PDF will
		conform to Microsoft
		IRM Protection for PDF
		Specification and hence
		be able to be decrypted
		by other RMS Viewer.

# **SharePoint Configuration**

Before using the check in/check out features in Foxit PhantomPDF, please configure the SharePoint Server.

- Download PDF icon from <a href="http://www.foxitsoftware.com/images/icons/pdficon.gif">http://www.foxitsoftware.com/images/icons/pdficon.gif</a>.
- SharePoint 2007: Copy the downloaded.GIF file to "Drive: \Program Files\Common Files\Microsoft Shared\Web Server Extensions\12\Template\Images".

**SharePoint 2010:** Copy the downloaded.GIF file to "Drive:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\14\Template\Images"

• **SharePoint 2007**: Edit the file "Drive:\Program Files\Common Files\Microsoft Shared\Web server extensions\12\Template\Xml\DOCICON.XML".

**SharePoint 2010**: Edit the file "Drive:\Program Files\Common Files\Microsoft Shared\Web server extensions\14\Template\Xml\DOCICON.XML".

To edit the file, please refer to the following steps:

- a. Right-click DOCICON.XML file > click Open With > select Notepad.
- b. Add an entry for the file with .pdf extension and take it as the file's name. For example, type the ICPDF as the name of the .gif file:

<Mapping Key="pdf" Value="pdficon.gif"

OpenControl="FoxitPhantomPDF.OpenDocuments"/>

DOCICON - Notepac	
e Edit Format Vier	
	1.0" encoding="utf-8"?>
ocIcons>	
<byprogid></byprogid>	
<mappin< td=""><td>g Key="Excel.Sheet" Value="ichtmxls.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments</td></mappin<>	g Key="Excel.Sheet" Value="ichtmxls.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments
<mappin< td=""><td>g Key="FrontPage.Editor.Document" Value="ichtmfp.gif" EditText="Microsoft SharePoint Designer" OpenContro</td></mappin<>	g Key="FrontPage.Editor.Document" Value="ichtmfp.gif" EditText="Microsoft SharePoint Designer" OpenContro
<mannin< td=""><td>a Kev="InfoPath Document" Value="icxddoc aif" EditText="Microsoft InfoPath" OpenControl="SharePoint OpenX</td></mannin<>	a Kev="InfoPath Document" Value="icxddoc aif" EditText="Microsoft InfoPath" OpenControl="SharePoint OpenX
<mappin< td=""><td>g Key="InfoPath.Document.2" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope g Key="InfoPath.Document.3" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope</td></mappin<>	g Key="InfoPath.Document.2" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope g Key="InfoPath.Document.3" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope
<mappin< td=""><td><pre>d Kev="InfoPath Document.3" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope</pre></td></mappin<>	<pre>d Kev="InfoPath Document.3" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope</pre>
<mannin< td=""><td>g Key="InfoPath.Document.4" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope</td></mannin<>	g Key="InfoPath.Document.4" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.Ope
Mannin	<pre>g Key="ODC.Cube" Value="icodcc.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments"/&gt;</pre>
Mannin	g Key="ODC.Database" value="icodcd.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments"
Mannin	<pre>Key="ODC.Table" value="icodct.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments"/&gt;</pre>
Mannin	<pre>Key="Onenote.Notebook" Value="icnotebk.png" EditText="Microsoft OneNote" OpenControl="SharePoint.OpenDo</pre>
Mannin	g Key="PowerPoint.Slide" Value="ichtmppt.gif" EditText="Microsoft PowerPoint" OpenControl="SharePoint.ope
Mannin	g Key-"Publisher.Document" value="ichtmpub.gif" EditText="Microsoft Publisher" OpenControl="sharePoint.op
Mappin	g Key="Barepoint.DocumentSet" Value="icdocset.gif"/>
Mappin	g Key="SharePoint.WebPartPage.Document" Value="icsmrtpg.gif" EditText="Microsoft SharePoint Designer" Ope
Mappin	g Key="Jiaio.webrawing" value="icvdw.gif" editext="Microsoft Visio" opencontrol="sharePoint.openDocumer
Mappin	g Key= visio.webb awing value="ichtmdoc.gif" Editiext="Microsoft visio OpenControl="sharePoint.OpenDocument g Key="visio.webb" awing value="ichtmdoc.gif" Editiext="Microsoft visio OpenControl="sharePoint.openDocument" value="ichtmdoc.gif" Editiext="microsoft" visio OpenControl="sharePoint.openDocument" visio OpenControl=
Mappin	g Key= word.bocument value= formadc.gif Editiext= Microsoft infoPath OpenControl="SharePoint.OpenDdcument g Key="XDocs.Doccument" Value="icxddoc.gif" EditIext="Microsoft InfoPath" OpenControl="SharePoint.OpenXMLE
<mapp in<="" td=""><td>g Key= Xbdcs.bdcument value= (Cdddc.gr entrext= Microsoft in Opach Opencontrol= SharePoint.openxmLb g Key= Xbdcs.bdcument Value= (CddLINK.GIF"/&gt;</td></mapp>	g Key= Xbdcs.bdcument value= (Cdddc.gr entrext= Microsoft in Opach Opencontrol= SharePoint.openxmLb g Key= Xbdcs.bdcument Value= (CddLINK.GIF"/>
<mapp in<="" td=""><td>g Key="SharePoint.Eink" value="boclink.Gr /&gt; g Key="SharePoint.SearchadminReport" value="icsadrep.gif" EditText="Microsoft SharePoint Designer" OpenCo</td></mapp>	g Key="SharePoint.Eink" value="boclink.Gr /> g Key="SharePoint.SearchadminReport" value="icsadrep.gif" EditText="Microsoft SharePoint Designer" OpenCo
 <byextension< td=""><td></td></byextension<>	
Syexcension	
⊲Mappin	g Key="pdf" Value="pdficon.gif" OpenControl="FoxitPhantomPDF.OpenDocuments"/>
· · · · ·	
<mappin< td=""><td>g Key="accdb" Value="ijaccdb.gif"_EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Key="accdb" Value="ijaccdb.gif"_EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>ğ Key="accdt" value="icaccdb.gif"/&gt;</td></mappin<>	ğ Key="accdt" value="icaccdb.gif"/>
<mappin< td=""><td>ğ Keý="accdc" value="icaccdb.gif"/&gt;</td></mappin<>	ğ Keý="accdc" value="icaccdb.gif"/>
<mappin< td=""><td>ğ Key="accde" value="icaccde.ğif" EditText="Microsoft Access" OpenControl="SharePoint OpenDocuments"/&gt;</td></mappin<>	ğ Key="accde" value="icaccde.ğif" EditText="Microsoft Access" OpenControl="SharePoint OpenDocuments"/>
<mappin< td=""><td>ğ Key="accdr" Value="icaccde.ğif" EditText="Microsoft Access" OpenControl="SharePoint.openDocuments"/&gt;</td></mappin<>	ğ Key="accdr" Value="icaccde.ğif" EditText="Microsoft Access" OpenControl="SharePoint.openDocuments"/>
<mappin< td=""><td>g Keý="asax" Value="icasax.gif" OpenControl=""/&gt;</td></mappin<>	g Keý="asax" Value="icasax.gif" OpenControl=""/>
<mappin< td=""><td>ğ Keý="ascx" Value="icascx.ğif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocu</td></mappin<>	ğ Keý="ascx" Value="icascx.ğif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocu
<mappin< td=""><td>g Key="asmx" value="icasmx.gif" OpenControl=""/&gt;</td></mappin<>	g Key="asmx" value="icasmx.gif" OpenControl=""/>
<mappin< td=""><td>g Key="asp" value="ichtm.gif" OpenControl=""/&gt;</td></mappin<>	g Key="asp" value="ichtm.gif" OpenControl=""/>
<mappin< td=""><td>g Key="aspx" value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum</td></mappin<>	g Key="aspx" value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum
<mappin< td=""><td>g Key="bmp" value="icbmp.gif"/&gt; g Key="cat" Value="iccat.gif" OpenControl=""/&gt;</td></mappin<>	g Key="bmp" value="icbmp.gif"/> g Key="cat" Value="iccat.gif" OpenControl=""/>
<mappin< td=""><td>g Key="cat" Value="iccat.gif" OpenControl=""/&gt;</td></mappin<>	g Key="cat" Value="iccat.gif" OpenControl=""/>
<mappin< td=""><td>g Key="chm" value="icchm.gif" openControl=""/&gt;</td></mappin<>	g Key="chm" value="icchm.gif" openControl=""/>
<mappin< td=""><td>g Key="config" value="icconfig.gif" OpenControl=""/&gt;</td></mappin<>	g Key="config" value="icconfig.gif" OpenControl=""/>
<mappin< td=""><td>g Key="css" Value="iccss.gif" opencontrol=""/&gt;</td></mappin<>	g Key="css" Value="iccss.gif" opencontrol=""/>
<mappin< td=""><td>g Kev="db" Value="icdb.gif" OpenControl=""/&gt;</td></mappin<>	g Kev="db" Value="icdb.gif" OpenControl=""/>
<mappin< td=""><td>ğ Key="dib" value="icdib.gif"/&gt;</td></mappin<>	ğ Key="dib" value="icdib.gif"/>
<mappin< td=""><td>g Key="disc" Value="icdisc gif" OpenControl=""/&gt;</td></mappin<>	g Key="disc" Value="icdisc gif" OpenControl=""/>
Mannin	n Kev="doc" Value="icdoc ppg" EditText="Microsoft Word" OpenControl="SharePoint OpenDocuments"/>
<mappin< td=""><td>g Key="docm" Value="icdocm.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt; g Key="docx" Value="icdocx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Key="docm" Value="icdocm.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/> g Key="docx" Value="icdocx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>g Key="docx" Value="icdocx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Key="docx" Value="icdocx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>g Kev="dot" Value="icdot.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Kev="dot" Value="icdot.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>g Kev="dotm" Value="icdotm.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Kev="dotm" Value="icdotm.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>g Kev="dotx" Value="icdotx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/&gt;</td></mappin<>	g Kev="dotx" Value="icdotx.png" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocuments"/>
<mappin< td=""><td>g Key="dvd" value="icdvd.gif""OpenControl=""/&gt;</td></mappin<>	g Key="dvd" value="icdvd.gif""OpenControl=""/>

- c. Click Save on the File menu, and then quit Notepad.
- Perform an iisreset:
  - a. Click Start > Run > type "cmd" in the Open dialog box>click OK > type "iisreset" in the command prompt window>click Enter.

📾 E:\WINDOWS\system32\cmd.exe	_ 🗆 🗡
Microsoft Windows [Version 5.2.3790] (C) Copyright 1985-2003 Microsoft Corp.	
E:\Documents and Settings\Administrator\isreset	
Attempting stop Internet services successfully stopped Attempting start Internet services successfully restarted	
E:\Documents and Settings\Administrator>_	<b>T</b>

b. Close the windows.

# **Quick Start for Azure Active Directory Rights Management**

1. Enable Windows Azure AD Rights Management for your organization:

- Download the Windows Azure AD Rights Management administration module (WindowsAzureADRightsManagementAdministration.exe) for Windows PowerShell from <u>here</u>.
- In the local folder where you downloaded and saved the Rights Management installer file, double-click the file WindowsAzureADRightsManagementAdministration.exe to launch installation of the Rights Management administration module.
- Open Windows PowerShell.
- Type the following commands:
  - ✓ Import-Module AADRM
  - ✓ Connect-AadrmService -Verbose
- Enter your Office 365 credentials when prompted, for example"user@company.onmicrosoft.com".
- Type the following commands:
  - ✓ Enable-Aadrm
  - ✓ Disconnect-AadrmService
- 2. Install Active Directory Rights Management Service Client 2.1:

X86 Download

X64 Download

# Web Service Configuration

To use the features of dynamic revocation, number of accesses and number of prints (additional access rights control), you should configure the web service and SQL first. Please follow the steps as below:

#### 1. Configure the Web Service on your on-premise RMS server.

- a) Log on RMS server as Administrator.
- b) Download the Web Service zip from:

For X86:

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/WebService_32.zip

For X64:


#### **User Manual**

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/WebService 64.zip

- c) Unzip the Web Service zip and get the fxrmsext from it.
- d) Copy the fxrmsext to C:\inetpub\wwwroot_wmcs.

l   💽 🚺 = I	_wmcs				
File Home Share	View				
🔄 🐵 🝷 🕇 퉬 🕨 C	omputer 🔸 Local Disk (C:) 🔸 inetp	ub + www.root + _wmcs +		~ ¢	
🔆 Favorites	Name	Date modified	Туре	Size	
Desktop	퉬 admin	8/28/2013 9:10 AM	File folder		
鷆 Downloads	certification	8/28/2013 9:10 AM	File folder		
📃 Recent places	퉬 decommission	8/28/2013 9:10 AM	File folder		
	퉬 fxrmsext	7/1/2014 7:54 AM	File folder		
门 Libraries	groupexpansion	8/28/2013 9:10 AM	File folder		
Documents	퉬 licensing	8/28/2013 9:10 AM	File folder		
👌 Music	📑 web.config	8/28/2013 10:07 PM	XML Configuratio	1 KB	
Pictures					

- e) Run "Internet Information Services" (IIS).
- f) Right-click "_wmcs", and then choose "Add Application...".




- g) Input the following information into the **Add Application** dialog box.
  - Alias: fxrmsext
  - Physical path: C:\inetpub\wwwroot_wmcs\fxrmsext

Add Application	? X
Site name: Default Web Site Path: /_wmcs	
Alias: Application pool:	
fxrmsext _DRMSAppPool1	S <u>e</u> lect
Example: sales <u>P</u> hysical path: C:\inetpub\wwwroot_wmcs\fxrmsext	
Pass-through authentication           Connect as         Test Settings           Enable Preload	
ОК	Cancel

h) To avoid repeated authentication, we should disable the Windows Authentication and enable the Anonymous Authentication. Click "fxmsext" in Connections Pane, and then double-click "Authentication".

**NOTE:** For data communication security, PDFs will be encrypted with AES algorithm by default.



i) Enable the "Anonymous Authentication" and disable the "Windows Authentication".

**User Manual** 

<b>V</b>			Intern
Image: Contract of the second sec	Default Web Site      _wmcs      f.	krmsext 🕨	
File View Help			
Connections	Group by: No Grouping		
<ul> <li>✓ ● DRS (FRMS\administrator)</li> <li>✓ ④ Application Pools</li> <li>✓ ④ Default Web Site</li> <li>✓ ④ Default Web Site</li> <li>✓ ● Default Web Site</li> <li>✓ ● Certification</li> <li>▷ ⊕ certification</li> </ul>	Name Anonymous Authentication ASP.NET Impersonation Forms Authentication Windows Authentication	Status Enabled Disabled Disabled Disabled	Response Type HTTP 302 Login/Redirect HTTP 401 Challenge

#### 2. Configure the SQL.

- a) Navigate to C:\inetpub\wwwroot_wmcs\fxrmsext.
- b) Right-click "Web.config" file -> "Open with" -> "Notepad".

I I C	Computer 🕨 Local Disk		www.root	txrn	nsext	~ C
	Name	•	Date modified		Туре	Size
	鷆 bin		7/1/2014 7:54	AM	File folder	
	📓 fxrmsextservice	asmx	3/4/2014 10:18	B PM	ASP.NET Web Ser	1 KB
es -	Web.config	Open	E (1E (201.4.2.42	AM	CONFIG File	2 KB
		Edit				
		Open with	۱.	8	Microsoft Visual Studio	2010
		Restore prev	ious versions		Notepad	
		Send to	•		Choose default program	I
		Cut				
		Сору				
		Create short	ut			
		Delete				
		Rename				
		Properties				

fyrmceyt

c) If you want to log on to the SQL Server through Windows Authentication, you just need to alter the SQL Server information by inputting the IP address or computer name and then saving the change.

```
<appSettings>
    <add key="MyDB"
    value="Server=SQL2005; DataBase=RMSExtService;
Integrated Security=SSPI; Persist Security Info=False" >
        </add>
```


**NOTE:** If the computer name include '-', please ensure you are using SQL 2012 version or higher.

d) If you want to log on to the SQL Server through SQL Server Authentication, please follow the steps:

- i. Copy "Server=SQL2005; DataBase=RMSExtService; User ID=myUsername; Password=myPassword".
- ii. Paste and replace "Server=SQL2005; DataBase=RMSExtService; Integrated Security=SSPI; Persist Security Info=False".




- iii. Alter the SQL Server information. You can input the IP address or the computer name.
- iv. Alter the "User ID" and "Password".
- v. Save changes.
- e) Create the data base and tables.
  - i. Log on to the SQL Server as Administrator.
  - ii. Get the .sql file from the <u>Web Service zip</u> you downloaded before.
  - iii. Double-click this file to create the database and tables, and then click "Execute".



- f) Grant RMS administrator the database operations rights.
  - i. Open "Internet Information Services" (IIS).
  - ii. Click "Application Pools" in Connections Pane. Then you can get the account information from Identity column.

Application	Pools				
Papplication	Pools				
Application	Pools				
This page lets you view and applications.	d manage th	e list of applica	tion pools on the se	rver. Application pools are as	sociated with worker proce
Filter:	• 🐨 Go	- 🕁 Show All	Group by: No G	rouping +	
Name 📩	Status	.NET Fram	Managed Pipel	Identity	Applications
.NET v4.5	Started	v4.0	Integrated	ApplicationPoolIdentity	0
.NET v4.5 Classic	Started	v4.0	Classic	ApplicationPoolIdentity	0
DRMSAppPool1	Started	v4.0	Classic	FRMS\rms_service	7
DefaultAppPool	Started	v4.0	Integrated	ApplicationPoolIdentity	2
	applications. Filter: Name Mame NET v4.5 NET v4.5 Classic DRMSAppPool1	applications.       Filter:     To Go       Name     Status       Ø. NET V4.5     Started       Ø. NET V4.5 Classic     Started       Ø. DRTMSAppPool1     Started	Show All           Filter:         ▼ Go         ↓ Show All           Name         Status         .NET Fram           Ø. NET V4.5         Started         v4.0           Ø. NET V4.5 Classic         Started         v4.0           Ø. DRT V4.5 Classic         Started         v4.0           Ø. DRT V4.5 Classic         Started         v4.0	applications. Filter: ▼▼Go ~ → Show All Group by: No Gr Name Status .NET Fram Managed Pipel @ .NET V4.5 Classic Started v4.0 Classic @ _DRMSAppPool1 Started v4.0 Classic	Filter:     Image: Go     Go     Go     Go       Name     Status     .NET Fram     Managed Pipel     Identity       Image: NET v4.5     Started     v4.0     Integrated     ApplicationPoolIdentity       Image: NET v4.5     Started     v4.0     Classic     ApplicationPoolIdentity       Image: DRMSAppPool1     Started     v4.0     Classic     FRMS\rms_service

- iii. Open SQL Server management.
- iv. Navigate to "Security" -> "Logins".
- v. Check if the RMS administrator account is listed.



If yes, skip to Step vi. If not, right-click "Logins", then click "New Login".

🎭 CreateDataba	seRMSExtService.sq	I - DRS.RMSExtService				
File Edit View Project	Debug Tools Win	dow Help				
🛅 • 🛅 • 💕 🚽 🥔	😫 New Query 📑 🖷	3 📆 🌇   X 🖬 🛍   🗉				
: 💵 🗽 RMSExtService	- 🕴 Exe	cute 🕨 Debug 🔲 🧹				
Object Explorer		<b>→</b> ‡ X				
Connect 🕶 📑 📑 🖉	7 🛃 🎿					
🗉 间 WSS_Loggi	ng	^				
🖃 🚞 Security						
🖃 🧰 Logins		7				
â, ##	New Login	in##				
🚑 ## 🐣 FR	Filter •	*#				
A FR	Start PowerShell	5				
🐣 FR	Reports •	-				
📥 FR		-				
📥 NT	Refresh					
	vice\MSSQLSERVER					
	VICE\ReportServer VICE\SOLSERVERAGENT					
▲ NT SERVICE\SQLWriter     ≡       ▲ NT SERVICE\Winmgmt						
👗 sa	vice (winnight					
E 📄 Server Role	s					
🕀 🧰 Credentials						
🕀 🧰 Cryptograp	hic Providers	~				
<	III	>				

Input the Login name, click **OK**.

8	Login -	New		_ 🗆 X
Select a page	Script 🔻 🚺 Help			
Server Roles User Mapping Securables	Login <u>n</u> ame: Windows authentication	FRMS\ms_service		S <u>e</u> arch
🚰 Status	<u>S</u> QL Server authentication     Password:			٦
	 Confirm password:			
	Specify old password <u>Old password:</u>			]
	<ul> <li>Enforce password policy</li> <li>Enforce password expiration</li> </ul>			
	✓ <u>U</u> ser must change passw	vord at next login		_
	<ul> <li>Mapped to certificate</li> </ul>		V	
	O Mapped to asymmetric key		~	
Connection	Map to Credential		V	Add
Server: DRS	Mapped Credentials	Credential Prov	vider	
Connection: sa				
View connection properties				
Progress				Remove
Ready	Default <u>d</u> atabase:	master	~	
-48x	Default language:	<default></default>	~	
			ОК	Cancel

vi. Grant RMS administrator as the database owner.

			Use	r Manu
8	Login Properties - FRM	1S\rms_service	-	□ X
Select a page	🖾 Script 🔻 📭 Help			
Server Roles User Mapping	Users mapped to this login:			
Status	Map Database ReportServer ReportServerTempDB	User	Default Schema	^
	RMSExtService	FRMS\rms_service	dbo	
	RMSLog Search_Service_Appli			=
	Search_Service_Appli Search_Service_Appli			
	Search_Service_Appli Secure_Store_Service			
	SharePoint AdminCon			~
	Guest account enabled for: RMSE			
Connection	Database role membership for: RMSEx	tService		
Server: RMS Connection: FRMS\administrator I View connection properties	db_accessadmin db_backupoperator db_datareader db_datawnter db_datawnter db_denydatareader db_denydatawater √ db_owner			
Progress Ready	db_secunyadmin ✓ public			
			ОК	Cancel Activat

- g) Set up the firewall.
  - i. In SQL Server Configuration Manager, expand SQL Native Client Configuration, and click "Client Protocols" and right-click "TCP/IP Properties" to get the default port.

File Action   View Help     SQL Server Configuration Manager (Loca)   SQL Server Configuration (32bit)   SQL Server Network Configuration   SQ	<b>a</b>	Sql	Server Configuration Manager	_ 0	x
SOL Server Configuration Manager (Local) SOL Server Network Configuration (32bit) SOL Server Network Configuration (32bit) SOL Server Network Configuration SOL Native Client 11.0 Configuration SOL Native Client 11.0 Configuration Allases TCP/IP Properties TCP/IP Properti	File Action View Help				
SQL Server Services SQL Server Network Configuration (32bit) SQL Server Network Configuration SQL Native Client 11.0 Configuration SQL Native Client 11.0 Configuration A disses Protocol A disses Centeral Total Protocol Centeral Protocol Centeral Protocol Centeral Protocol Centeral Protocol Centeral Protocol	🗢 🏟 🙎 🖼 🗟				
Default port on which connection will be made	SQL Server Configuration Manager (Local)           SQL Server Services           SQL Server Network Configuration (32bit)           SQL Native Client 11.0 Configuration (32bit)           SQL Server Network Configuration (32bit)           SQL Native Client 11.0 Configuration (32bit)           SQL Server Network Configuration (32bit)           SQL Native Client 11.0 Configuration (32bit)           SQL Native Client 11.0 Configuration           SQL Native Client 11.0 Configuration           SQL Client 11.0 Configuration	General Memory	1 Enabled 2 Enabled 3 Enabled 7 CCP/IP Properties ? X Protocol Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral Ceneral		
Cancel Apply Help					
	< III >		OK Cancel Apply Hep		 

ii. Run "Windows Firewall" and click "Advanced settings".

**User Manual** _ 🗆 X Windows Firewall ( → ↑ Image + Control Panel + System and Security + Windows Firewall ✓ C Search Control Panel Q Help protect your PC with Windows Firewall Control Panel Home Windows Firewall can help prevent hackers or malicious software from gaining access to your PC through the Internet or a network. Allow an app or feature through Windows Firewall Connected 📀 🛞 Change notification settings 🛛 🥑 Domain networks Turn Windows Firewall on or off Networks at a workplace that are attached to a domain 💡 Restore defaults Windows Firewall state: On 🚱 Advanced settings Block all connections to apps that are not on the list of allowed apps Incoming connections: Troubleshoot my network Active domain networks: frms.com Notification state: Do not notify me when Windows Firewall blocks a new app 🔮 Private networks Not connected 📀 Guest or public networks Not connected 📀 See also

Click "Inbound Rules". iii.

Action Center Network and Sharing Center

ŵ

	Windows Firewall with Advance	leu secu	iity		
File Action View Help					
🗢 🏟 🙍 🖬 🗟 🚺					
Windows Firewall with Advance	Inbound Rules			Act	ions
Connection Security Rules	SQL1433     Teamviewer Remote Control Application     Teamviewer Remote Control Application     Teamviewer Remote Control Service     Teamviewer Remote Control Service     BranchCache Content Retrieval (HTTP-In)     BranchCache Hosted Cache Server (HTT     BranchCache Peer Discovery (WSD-In)     COM+ Network Access (DCOM-In)     COM+ Remote Administration (DCOM-In)     Core Networking - Destination Unreacha				Filter by State
< 111 >	Core Networking - Destination Unreacha Core Networking - Dynamic Host Config Core Networking - Dynamic Host Config Core Networking - Internet Group Mana Core Networking - IPHTTPS (TCP-In) Core Networking - IPHTTPS (TCP-In) Core Networking - Multicast Listener Do Core Networking - Multicast Listener Rep Core Networking - Neighbor Discovery A Cut	Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv			

Click "New Rule ... ". iv.

<b>@</b>	Windows Firewall with Advan	ced Secu	rity	_ <b>D</b> X
File Action View Help				
🗢 🌳 🙎 📰 🗟 🚺				
Windows Firewall with Advance	Inbound Rules			Actions
Connection Security Rules	SQL1433     SQL1433     Creanviewer Remote Control Application     Creanviewer Remote Control Application     Teanwiewer Remote Control Service     Teanwiewer Remote Control Service     BranchCache Content Retrieval (HTTP-In)     BranchCache Hosted Cache Server (HTT     BranchCache Piscovery (WSD-In)	BranchCa BranchCa BranchCa		Image: New Rule       Image: Filter by Profile       Image: Filter by State       Image: Filter by Group       View       Image: Refresh
	COM+ Network Access (DCOM-In)     COM+ Remote Administration (DCOM-In)     Core Networking - Destination Unreacha     Core Networking - Dynamic Host Config     Core Networking - Dynamic Host Config     Core Networking - Internet Group Mana     Core Networking - IPHTTPS (TCP-In)     Core Networking - IPHTTPS (TCP-In)     Core Networking - Multicast Listener Do     Core Networking - Multicast Listener Qu     Core Networking - Multicast Listener Rep	COM+ Ne COM+ Re Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv Core Netv		Export List
< III >	Core Networking - Multicast Listener Rep Core Networking - Neighbor Discovery A			

v. Select "Port" and then click "Next".

<b>@</b>	New Inbound Rule Wizard		
Rule Type Select the type of firewall rule to crea	ste.		
Steps: Protocol and Ports Action Profile Name	What type of rule would you like to create?         Program         Rule that controls connections for a program.         P not         Rule that controls connections for a TCP or UDP pot.         Predefined         BranchCache - Content Retrieval (Uses HTTP)         Rule that controls connections for a Windows experience.         C stoom         Custom rule.		

vi. Select "TCP", then select "Specific local ports", type the SQL port number, and click "Next".

<i>2</i>	🔐 New Inbound Rule Wizard		
Protocol and Ports			
Specify the protocols and ports to	which this rule applies.		
Steps:			
Rule Type	Does this rule apply to TCP or U	DP?	
Protocol and Ports	• TCP		
Action	O UDP		
Profile			
<ul> <li>Name</li> </ul>	Does this rule apply to all local p	orts or specific local ports?	
	All local ports		
	Specific local ports:	1433	
		Example: 80, 443, 5000-5010	
		< Back Next > Cancel	

vii. Select "Allow the connection", and then click "Next".

<b>@</b>	New Inbound Rule Wizard	x
Action Specify the action to be taken wh	hen a connection matches the conditions specified in the rule.	
Steps: Rule Type Protocol and Ports Action Profile Name	What action should be taken when a connection matches the specified conditions? • Allow the connection This includes connections that are protected with IPsec as well as those are not. • Allow the connection if it is secure This includes only connections that have been authenticated by using IPsec. Connections will be secured using the settings in IPsec properties and rules in the Connection Security Rule node. • Block the connection • Block the connection	4

viii. Choose when to apply the rule.

**User Manual** 

2	New Inbound Rule Wizard
Profile Specify the profiles for which this	rule applies.
Steps: Protocol and Ports Action Profile Name	When does this rule apply? <ul> <li></li></ul>

ix. Specify the name and description of the rule and then click "Finish".

<b>@</b>	New Inbound Rule Wizard	x
Name		
Specify the name and descript	ion of this rule.	
Steps:		
Rule Type		
Protocol and Ports		
Action		
Profile	<u>N</u> ame: SQL 1433	
Name	30L 1455	
	Description (optional):	
	< <u>B</u> ack <u>Fi</u> nish Cancel	

# Shortcut Keys

There are number of keyboard shortcuts that you can use to speed up your navigation within the Foxit PhantomPDF. You can both use the default keyboard shortcuts and customize your own shortcuts.

To customize the keyboard shortcuts, please do as below:

Right-click any area on the ribbon and choose **Customize Quick Access Toolbar** .... In the pop-up Customize Tools dialog box, choose **Keyboard** tab.

Some particularly important ones are listed here.

#### **File Keys**

Result	Shortcut
Open File	Ctrl + O
Close File	Ctrl + W, or Ctrl + F4
Save As	Ctrl + Shift + S
Close All	Ctrl + Shift + W
Print a Document	Ctrl + P
Exit Foxit PhantomPDF	Ctrl + Q, or Alt+F4
Save	Ctrl + S
Create PDF from file	Ctrl + N
Document Properties	Ctrl + D

#### **View Keys**

Result	Shortcut
Full Screen	F11
Exit Full Screen Mode	ESC, or F11
Switch to Text Viewer	Ctrl + 6
Zoom In	Ctrl + +
Zoom Out	Ctrl + -
Zoom To	Ctrl + M

Actual Size	Ctrl + 1
Fit to Page	Ctrl + 0
Fit Width	Ctrl + 2
Fit Visible	Ctrl + 3
Rotate Clockwise	Ctrl + Shift + Plus
Rotate Counterclockwise	Ctrl + Shift + Minus
AutoScroll	Ctrl + Shift + H
Stop AutoScroll	ESC
Switch between tabs	Ctrl + Tab
View file in read mode	Ctrl + H
Preview page by page in Print Preview	Page Up/Down
Go to Page	Ctrl + G
First Page	Ctrl + Home
Previous Page	Ctrl + Page Up
Next Page	Ctrl + Page Down
Last Page	Ctrl + End
Previous View	Alt + Left
Next View	Alt + Right
Marquee Zoom	Alt + 5
Read Current Page	Ctrl + Shift + V
Read from Current Page	Ctrl + Shift + B
Stop	Ctrl + Shift + E
Rulers	Ctrl + R
Show or hide Navigation pane	F4

# Edit Keys

Result	Shortcut
Сору	Ctrl + C, or Ctrl + Insert
Cut	Ctrl + X
Paste	Ctrl + V
Undo (Undo an action)	Ctrl + Z
Redo (Redo or repeat an action)	Ctrl + Shift + Z

Select All (Select all items in a document or window)	Ctrl + A
Add Bookmark	Ctrl + B
Preferences	Ctrl + K
Go to fillable field by tab order	Tab
Go to fillable field by tab in reversed order	Shift + Tab

# Tool Keys

Tool	Shortcut
Hand Tool	Alt + 3
Select Text	Alt + 6
Snapshot	Alt + 7
Find Text (Open the Navigation task pane to search document.)	Ctrl + F
Find Next	F3
Find Previous	Shift + F3
Search	Ctrl + Shift + F

# **Document Keys**

Result	Shortcut
Page Down	Space
Page Up	Shift + Space
Expand the selected area to the next character on the right	Shift + Right
Expand the selected area to the next character on the left Shift + Left	
Expand the selected area to the end of a word Ctrl + Shift + Right	
Expand the selected area to the beginning of a word	Ctrl + Shift + Left
Expand the selected area to the end of a row Shift + End	
Expand the selected area to the beginning of a row Shift + Home	
Expand the selected area next Row	Shift + Down
Expand the selected area previous Row	Shift + Up

Expand the selected area to the beginning of a locument Ctrl + Shift + Home		
Expand the selected area to the end of a document	Ctrl + Shift + End	
Move left by a character Left		
Move right by a character	Right	
Move left by a word	Ctrl + Left	
Move right by a word	Ctrl + Right	
Move up by a row	Up	
Move down by a row	Down	
Move to the end	End	
Move to the beginning	Home	
Move to the top of next page	Ctrl + Page Down	
Move to the top of previous page	Ctrl + Page Up	
Move to the end of the document	Ctrl + End	
Move to the beginning of the document Ctrl + Home		

#### **Help Keys**

Result	Shortcut
Help	F1

# **Command Lines**

Here are some command lines that can be used to Foxit PhantomPDF:

<Reader Path> [/register] | [PDF Path] [/pwd] [/A [...] ...] | [/pwd] [/p | /t <PDFPath> [Printer]]

Command	Result
-Register	Set Foxit PhantomPDF as default reader.
-pwd <password></password>	Input the password of the protected PDF documents.
/p <pdf path=""></pdf>	Print the document with default printer
/t <pdf path=""> [Printer]</pdf>	Print the document with designated printer
<pdf path=""> /A [][]</pdf>	Open a PDF document with a command to exactly specify what to display and how to display
<pdf path=""> /A reverse=1/0</pdf>	Read in reverse view with the value of "1"; normal view with "0".

# **Contact Us**

Feel free to contact us should you need any information or have any problems with our products. We are always here, ready to serve you better.

- Office Address: Foxit Software Incorporated 42840 Christy Street, Suite 201 Fremont, CA 94538 USA
- Sales: 1-866-680-3668 (24/7)
- Support & General: 1-866-MYFOXIT or 1-866-693-6948(24/7)
- Fax: 1-510-405-9288
- Website:

www.foxitsoftware.com

• E-mail:

Sales and Information - <u>sales@foxitsoftware.com</u> Marketing Service - <u>marketing@foxitsoftware.com</u>

Support & General - enter a trouble ticket via our Support Portal

Website Questions - webmaster@foxitsoftware.com